# GLYTONE ACNE BPO TREATMENT GEL- benzoyl peroxide gel Pierre Fabre USA Inc.

-----

#### GLYTONE Acne BPO Treatment Gel

## **Drug Facts**

## **Purpose**

Acne Treatment

## **Active Ingredient**

Benzoyl Peroxide 5%

#### Use

For the treatment of Acne.

Dries and clears acne blemishes and allows skin to heal.

Penetrates pores to eliminate most acne blemishes, blackheads and whiteheads.

Helps prevent the development of new acne blemishes, blackheads and whiteheads.

## Warnings

For external use only.

## Do not use if you

have very sensitive skin are sensitive to benzoyl peroxide

## When using this product

skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time.

avoid unnecessary sun exposure and use a sunscreen.

avoid contact with eyes. If eye contact occurs, rinse thoroughly with water.

avoid contact with hair and dyed fabrics, which may be bleached by this product.

skin irritation may occur, characterized by redness, burning, itching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

## Keep out of reach of children.

If swallowed get medical help or contact a Poison Control Center right away.

### **Directions**

Cleanse the skin thoroughly before applying product.

Cover the affected area(s) with a thin layer one to three times daily.

Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily or as directed by your physician.

If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

#### Other Information

Store at room temperature of 68-77 F (22-25 C).

## **Inactive Ingredients**

Water (AQUA), PROPANEDIOL, DIMETHYL ISOSORBIDE, BUTYLENE GLYCOL, GLYCERIN, 1,2-HEXANEDIOL, ACRYLAMIDE/SODIUM ACRYLOYL-DIMETHYLTAURATE COPOLYMER, ISOHEXADECANE, HYDROXYACE-TOPHENONE, POLYSORBATE 80, POLYGLYCERYL-2 ISOSTEARATE, XANTHAN GUM, ENANTIA CHLORANTHA BARK EXTRACT, SODIUM CITRATE, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, CITRIC ACID, DIETHYLHEXYL SODIUM SULFOSUCCINATE, CARBOMER, SODIUM HYDROXIDE, ETHYLHEXYL-GLYCERIN, CITRUS GRANDIS (GRAPEFRUIT) SEED EXTRACT, ECHINACEA ANGUSTIFOLIA EXTRACT, DIMETHICONE, ARCTIUM LAPPA ROOT EXTRACT, PHENOXYETHANOL, OLEANOLIC ACID, PEG-40 STEARATE, SILICA, SORBITAN STEARATE, TOCOPHEROL

## Principal Display Panel - 60 mL

**GLYTONE** 

Acne BPO Treatment Gel

Acne Therapy

5% Micronized Benzoyl Peroxide

Non-Irritating Formula

60 mL/ 2 FL. OZ.

#### Drug Facts

Active Ingredient **Purpose** Benzoyl Percodde 5% ... ... Acne Treatment

Use For the treatment of ecne.

- Dries and clears acne blemishes and allows skin to heal. = Penetrates pores to eliminate most acne blemishes, blackheeds and whiteheads. Helps prevent the development of new acne blemishes, blackheads and whiteheads,

## Warnings

For external use only.

#### Do not use if you

- have very sensitive skin
   are sensitive to benzoyl peroxide

When using this product

skin initiation and dryness is more likely to occur if you use another topical sone medication at the same time. If irritation occurs, only use one topical acne medication at a time. = avoid unnecessary sun exposure and use a sunscreen. - avoid contact with eyes. If eye contact occurs, rinse thoroughly with water. - avoid contact with hair and dyed fabrics, which may be bleached by this product. - skin irritation may occur, characterized by redness, burning, liching, peeling, or possibly swelling. Irritation may be reduced by using the product less frequently or in a lower concentration.

Stop use and ask a doctor if irritation becomes severe

Keep out of reach of children.

If swallowed get medical help or contact a Polson Control Center right away.

#### Directions

 Cleanse the skin thoroughly before applying product. . Cover the affected area(s) with a thin layer one to three times dally. • Because excessive drying of the skin may occur, start with one application daily, then gradually increase to two to three times daily or as directed by your physician. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.
If going outside, apply sunscreen after using this product. If irritation or sensitivity develops, stop use of both products and ask a doctor.

#### Other Information

Store at room temperature of 68-77°F (22-25°C).

#### Drug Facts (continued)

inactive ingredients

WATER (AQUA), PROPANEDIOL, DIMETHYL ISOSORBIDE, BUTYLENE GLYCOL, GLYCERIN, 1,2-HEXANEDIOL, ACRYLAMIDE/SODIUM ACRYLOYL-DIMETHYLTAURATE COPOLYMER ISOHEXADECANE, HYDROXYACE-TOPHENONE, POLYSORBATE AP-POLYGLYCERYL-2 ISOSTEARATE, POLITICITY SUSTERNATE, XANTHAN GUM, ENANTIA CHLORANTHA BARK EXTRACT, SODIUM CITRATE, TRISODIUM ETHYLENEDIAMINE DISUCCINATE, CONTROL NUTTER LUCIO DOLLEN CITRIC ACID, DIETHYLHEXYL SODIUM SULFOSUCCINATE. CARBOMER. SODIUM HYDROXIDE, ETHYLHEXYL-GLYCERIN, CITRUS GRANDIS (GRAPEFRUIT) SEED EXTRACT, ECHINACEA ANGUSTIFOLIA EXTRACT, DIMETHICONE, ARCTIUM LAPPA ROOT EXTRACT, PHENOXYETHANOL, OLEANOLIC ACID, PEG-40 STEARATE, SILICA, SORBITAN STEARATE, TOCOPHEROL



Acne BPO Treatment Gel

#### **ACNE THERAPY**

5% Micronized Benzoyl Peroxide

NON-IRRITATING FORMULA

60 mL / 2 FL. OZ.

Acne BPO Treatment Gel features micronized timereleased Benzovi Peroxide to eliminate acne-causing bacteria, while a unique mattifying complex reduces the appearance of pore size and shine. This non-irritating medicated formula treats and prevents acne and reduces blemish inflammation without overdrying the skin.

#### Acné BPO Tratamiento Gel 5% Micronizado de Peróxido de Benzollo

El gel para el tratamiento del acné con BPO contiene peróxido de benzoilo micronizado de liberación prolongada para eliminar las bacterias que causan el acné y un exclusivo complejo matificante que reduce el aspecto del tamaño de los poros y el brillo. Esta fórmula medicinal no irritante trata y previene el acné, y reduce la inflamación del acné sin resecar la piel.

## Pierre Fabre Dermo-Cosmétique

Distributed by: Plerre Fabre USA Inc. Parsippany, NJ 07054 800-GLYTONE (459-8663) www.glytone.com

84361L

## GLYTONE ACNE BPO TREATMENT GEL

benzoyl peroxide gel

#### **Product Information**

**Product Type** HUMAN OTC DRUG Item Code (Source) NDC:64760-732

**Route of Administration TOPICAL** 

### **Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
BENZOYL PEROXIDE (UNII: W9WZ N9A0GM) (BENZ OYL PEROXIDE - UNII: W9WZ N9A0GM)	BENZOYL PEROXIDE	50 mg

#### **Inactive Ingredients**

Ingredient Name	Strength

**GRAPEFRUIT SEED OIL (UNII: 598D944HOL)** 

**DIMETHICONE** (UNII: 92RU3N3Y10) PEG-40 STEARATE (UNII: ECU18C66Q7) **SORBITAN ISOSTEARATE** (UNII: 01S2G2C1E4) ANHYDROUS DEXTROSE (UNII: 5SL0G7R0OK) **ARCTIUM LAPPA ROOT OIL** (UNII: 55DGS3F5YG) PHENOXYETHANOL (UNII: HIE492ZZ3T) **OLEANOLIC ACID** (UNII: 6SMK8R7TGJ) **SILICON DIOXIDE** (UNII: ETJ7Z6XBU4) **DOCUSATE SODIUM** (UNII: F05Q2T2|A0) SORBITAN MONOSTEARATE (UNII: NVZ4I0H58X) TOCOPHEROL (UNII: ROZB2556P8) ANNICKIA CHLORANTHA BARK (UNII: H70115MP4A) **SODIUM HYDROXIDE** (UNII: 55X04QC32I) **ISOHEXADECANE** (UNII: 918X1OUF1E) POLYGLYCERYL-2 ISOSTEARATE (UNII: 7B80E71MQC) ANHYDROUS CITRIC ACID (UNII: XF417D3PSL) **SODIUM CITRATE** (UNII: 1Q73Q2|ULR) TRISODIUM ETHYLENEDIAMINE DISUCCINATE (UNII: YA22H34H9Q) ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) ECHINACEA ANGUSTIFOLIA (UNII: VB06AV5US8) **GLYCERIN** (UNII: PDC6A3C0OX) XANTHAN GUM (UNII: TTV12P4NEE) **CARBOMER 1342** (UNII: 809Y72KV36) SODIUM ACRYLOYLDIMETHYLTAURATE-ACRYLAMIDE COPOLYMER (1:1; 90000-150000 MPA.S) (UNII: 5F4963KLHS) PROPANEDIOL (UNII: 5965N8W85T) **BUTYLENE GLYCOL** (UNII: 3XUS85K0RA) POLYSORBATE 80 (UNII: 60ZP39ZG8H) **DIMETHYL ISOSORBIDE** (UNII: SA6A6V432S) 1,2-HEXANEDIOL (UNII: TR046Y3K1G) HYDROXYACETOPHENONE (UNII: G1L3HT4CMH) WATER (UNII: 059QF0KO0R)

F	Packaging							
#	tem Code	Package Description	Marketing Start Date	Marketing End Date				
1	NDC:64760-732- 01	1 in 1 CARTON	09/01/2021	01/31/2025				
1	-	1 in 1 BOTTLE; Type 0: Not a Combination Product						

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
M006	09/01/2021	01/31/2025			
	Application Number or Monograph Citation	Application Number or Monograph Marketing Start Citation Date			

## Registrant - Pierre Fabre USA Inc. (117196928)

Revised: 4/2024 Pierre Fabre USA Inc.