

AFRIN ALLERGY SINUS NASAL- oxymetazoline hydrochloride spray
Bayer HealthCare LLC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Afrin Allergy Sinus Nasal Spray UI1612342

Drug Facts

Active ingredient Purpose

Oxymetazoline hydrochloride 0.05%.....Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- **do not use more than directed**
- do not use for more than 3 days. Use only as directed.
- Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
- children under 6 years of age: ask a doctor

To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Other information

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive ingredients benzalkonium chloride solution, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments? 1-800-317-2165

15 mL Carton

Afrin

Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Allergy Sinus

Nasal Spray

Fast, Powerful

Congestion

Relief From

Allergies

up to

12 HOUR

RELIEF

Reduces

Swelling of

Nasal

Packages

#1 Doctor &

Pharmacist Recommended

Nasal Spray Brand

1/2 FL OZ (15 mL)

66696758



NO VARNISH

Child Resistant Cap
(see side panel)

Afrin
Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Allergy Sinus
NASAL SPRAY

SAFETY SEALED: Do not use if seal imprinted "Afrin" Security Seal" is broken or missing.

Drug Facts

Active ingredient *Purpose*
Oxymetazoline hydrochloride 0.05% Nasal decongestant

Uses

- temporarily relieves nasal congestion due to:
 - common cold
 - hay fever
 - upper respiratory allergies
- temporarily relieves sinus congestion and pressure
- shrinks swollen nasal membranes so you can breathe more freely

Warnings

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- trouble urinating due to an enlarged prostate gland

When using this product

- do not use more than directed
- do not use for more than 3 days. Use only as directed. Frequent or prolonged use may cause nasal congestion to recur or worsen.
- temporary discomfort such as burning, stinging, sneezing or an increase in nasal discharge may occur
- use of this container by more than one person may spread infection

Stop use and ask a doctor if symptoms persist

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- adults and children 6 to under 12 years of age (with adult supervision): 2 or 3 sprays in each nostril not more often than every 10 to 12 hours. Do not exceed 2 doses in any 24-hour period.
 - children under 6 years of age: ask a doctor
- To Use: Push firmly down on cap and turn counter clockwise. To spray, squeeze bottle quickly and firmly. Do not tilt head backward while spraying. Wipe nozzle clean after use. Secure cap after use.

Afrin Allergy Sinus reduces swelling in the nasal passages caused by allergies. It starts working in seconds providing up to 12 hours of nasal congestion relief without drowsiness.


Up to **12 hour relief** from nasal congestion. Relief can last **All-Day or All-Night**.

Bayer, the Bayer Cross, Afrin and the Afrin Clock and Grid Design are registered trademarks of Bayer. © 2016 Bayer. Dist. by: Bayer HealthCare LLC Whippany, NJ 07981 Product of Germany 85496999

Bayer

How to use

TO USE: Place bottom of bottle on flat surface. Push firmly down on cap and turn counter clockwise. Secure cap after use.



www.Afrin.com

Afrin
Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Allergy Sinus

NASAL SPRAY

Fast, Powerful Congestion Relief from Allergies



Reduces Swelling of Nasal Passages

#1 Doctor & Pharmacist Recommended Nasal Spray Brand

1/2 FLOZ (15 mL)

Afrin
Oxymetazoline HCl Nasal Solution-Nasal Decongestant

Allergy Sinus
NASAL SPRAY

Drug Facts (continued)

Other information

- store between 20° to 25°C (68° to 77°F)
- retain carton for future reference on full labeling

Inactive ingredients

benzalkonium chloride solution, benzyl alcohol, camphor, edetate disodium, eucalyptol, menthol, polysorbate 80, propylene glycol, purified water, sodium phosphate dibasic, sodium phosphate monobasic

Questions or comments?

1-800-317-2165



0 41100 81127 1

Glue Area



NO VARNISH

85496999

LOT/EXP AREA
NO VARNISH
NO INK

AFRIN ALLERGY SINUS NASAL

oxymetazoline hydrochloride spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11523-0073
Route of Administration	NASAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYMETAZOLINE HYDROCHLORIDE (UNII: K89MJ0S5VY) (OXYMETAZOLINE - UNII:8VLN5B44ZY)	OXYMETAZOLINE HYDROCHLORIDE	0.5 g in 100 mL

Inactive Ingredients

Ingredient Name	Strength
BENZYL ALCOHOL (UNII: LKG8494WBH)	
EUCALYPTOL (UNII: RV6J6604TK)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
SODIUM PHOSPHATE, MONOBASIC (UNII: 3980JIH2SW)	
SODIUM PHOSPHATE, DIBASIC (UNII: GR686LBA74)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	
CAMPHOR (SYNTHETIC) (UNII: 5TJD82A1ET)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
MENTHOL (UNII: L7T10EIP3A)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
WATER (UNII: 059QF0KOOR)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11523-0073-1	1 in 1 CARTON	08/26/2016	
1		15 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	08/26/2016	

Labeler - Bayer HealthCare LLC. (112117283)

Revised: 5/2021

Bayer HealthCare LLC.