

**SALICYLIC ACID COTTON SHEET- anti acne cotton tablets tablet
Pang's International Holdings Limited**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

**81950-001
Salicylic acid cotton sheet**

Active Ingredient(s)

Salicylic acid 2%.....Acne medication

Purpose

Acne medication

Use

Use for the treatment of acne.

Warnings

Warnings For external use only.
Flammable, keep away from extreme heat or open flame.

Do not use

/

avoid contact with eyes.If product gets into eyes, rinse thoroughly with water.
skin irritation and dryness is more likely to occur if you use another topical acne medication at the sametime.If irritation occurs, only use one topical acne medication at a time.

limit use to the face and neck.

Stop use and ask a doctor if skin or eye irritation develops.

Keep out of reach of children.If swallowed, get medical help or contact Poison Control Center immediately.

Stop use and ask a doctor if skin or eye irritation develops.

Keep out of reach of children.If swallowed, get medical help or contact Poison Control Center immediately.

Directions

clean the skin thoroughly before applying this product.
 wipe a pad over face and neck to cover the entire affected area with a thin layer one to three times daily.
 because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor.
 if bothersome dryness or peeling occur, reduce application to once a day or every other day.

Other information

do not flush in toilet.
 keep jar lid tightly closed.
 store in cool dry place do not freeze.

Inactive ingredients

water, alcohol den at., glycerin, isoceteth-20, hydrogenated starch hydrolysate, sodium hydroxide, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, disodium EDTA

Questions

86-0752-2656066
 You may also report side effects to this phone number.

Package Label - Principal Display Panel

81950-001-01 90 PADS

	<table border="1"> <tr> <th colspan="2">Drug Facts</th> </tr> <tr> <td>Active Ingredients</td> <td>Purpose</td> </tr> <tr> <td>Salicylic acid 2%</td> <td>Acne medication</td> </tr> <tr> <td colspan="2">Use for the treatment of acne</td> </tr> <tr> <td colspan="2">Warnings For external use only.</td> </tr> <tr> <td colspan="2">Flammable, keep away from extreme heat or open flame</td> </tr> <tr> <td colspan="2">When using this product</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • avoid contact with eyes. If product gets into eyes, rinse thoroughly with water. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • limit use to the face and neck </td> </tr> <tr> <td colspan="2">Stop use and ask a doctor if skin or eye irritation develops</td> </tr> <tr> <td colspan="2">Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center immediately</td> </tr> </table>	Drug Facts		Active Ingredients	Purpose	Salicylic acid 2%	Acne medication	Use for the treatment of acne		Warnings For external use only.		Flammable , keep away from extreme heat or open flame		When using this product		<ul style="list-style-type: none"> • avoid contact with eyes. If product gets into eyes, rinse thoroughly with water. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • limit use to the face and neck 		Stop use and ask a doctor if skin or eye irritation develops		Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center immediately		<table border="1"> <tr> <th colspan="2">Drug Facts (continued)</th> </tr> <tr> <td colspan="2">Directions</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • clean the skin thoroughly before applying this product • wipe a pad over face and neck to cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occur, reduce application to once a day or every other day </td> </tr> <tr> <td colspan="2">Other Information</td> </tr> <tr> <td colspan="2"> <ul style="list-style-type: none"> • do not flush in toilet • keep jar lid tightly closed • store in cool dry place do not freeze </td> </tr> <tr> <td colspan="2">Inactive Ingredients water, alcohol denat., glycerin, isoceteth-20, hydrogenated starch hydrolysate, sodium hydroxide, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, disodium EDTA</td> </tr> <tr> <td colspan="2">Questions? 0752-2656066 You may also report side effects to this phone number.</td> </tr> </table>	Drug Facts (continued)		Directions		<ul style="list-style-type: none"> • clean the skin thoroughly before applying this product • wipe a pad over face and neck to cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occur, reduce application to once a day or every other day 		Other Information		<ul style="list-style-type: none"> • do not flush in toilet • keep jar lid tightly closed • store in cool dry place do not freeze 		Inactive Ingredients water, alcohol denat., glycerin, isoceteth-20, hydrogenated starch hydrolysate, sodium hydroxide, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, disodium EDTA		Questions? 0752-2656066 You may also report side effects to this phone number.	
Drug Facts																																				
Active Ingredients	Purpose																																			
Salicylic acid 2%	Acne medication																																			
Use for the treatment of acne																																				
Warnings For external use only.																																				
Flammable , keep away from extreme heat or open flame																																				
When using this product																																				
<ul style="list-style-type: none"> • avoid contact with eyes. If product gets into eyes, rinse thoroughly with water. • skin irritation and dryness is more likely to occur if you use another topical acne medication at the same time. If irritation occurs, only use one topical acne medication at a time. • limit use to the face and neck 																																				
Stop use and ask a doctor if skin or eye irritation develops																																				
Keep out of reach of children. If swallowed, get medical help or contact Poison Control Center immediately																																				
Drug Facts (continued)																																				
Directions																																				
<ul style="list-style-type: none"> • clean the skin thoroughly before applying this product • wipe a pad over face and neck to cover the entire affected area with a thin layer one to three times daily • because excessive drying of the skin may occur, start with one application daily, then gradually increase to two or three times daily if needed or as directed by a doctor • if bothersome dryness or peeling occur, reduce application to once a day or every other day 																																				
Other Information																																				
<ul style="list-style-type: none"> • do not flush in toilet • keep jar lid tightly closed • store in cool dry place do not freeze 																																				
Inactive Ingredients water, alcohol denat., glycerin, isoceteth-20, hydrogenated starch hydrolysate, sodium hydroxide, fragrance, lavandula stoechas extract, helichrysum italicum extract, cistus monspeliensis extract, disodium EDTA																																				
Questions? 0752-2656066 You may also report side effects to this phone number.																																				

SALICYLIC ACID COTTON SHEET			
anti acne cotton tablets tablet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81950-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
HYDROGENATED STARCH HYDROLYSATE (UNII: 27F77DSJ5V)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
FRAGRANCE CLEAN ORC0600327 (UNII: 329LCV5BTF)	
CISTUS MONSPELIENSIS LEAF (UNII: 1E70KNO43)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
LAVANDULA STOECHAS WHOLE (UNII: MTZ2ZA34ZV)	
HELICHRYSUM ITALICUM FLOWER (UNII: P62Y550X24)	
GLYCERIN (UNII: PDC6A3C0OX)	
ISOCETETH-20 (UNII: O020065R7Z)	
WATER (UNII: 059QF0KO0R)	

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	65mm
Flavor	FRUIT (Alcohol and melon)	Imprint Code	no
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81950-001-01	90 in 1 BOTTLE; Type 0: Not a Combination Product	03/30/2020	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part333D	03/30/2020	

Labeler - Pang's International Holdings Limited (552701644)**Registrant** - Pang's International Holdings Limited (552701644)**Establishment**

Name	Address	ID/FEI	Business Operations
Pang's International Holdings Limited		552701644	manufacture(81950-001)

