

OXISTOM- oral wound cleanser liquid
PRO-SYS- oral wound cleanser liquid
Forward Science Technologies LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Inactive Ingredients

Methyl Salicylate, PEG-40, Propylene Glycol, Water, Xylitol

Questions?

1-855-696-7254

Active Ingredient

Hydrogen Peroxide 1.5% (w/v)

Purpose

Oral Debriding Agent / Oral Wound Cleanser

Other Information

Store at controlled room temperatures 68 - 77°F (20 - 25°C) and away from direct sunlight. Keep cap tightly closed when not in use.

Uses

- Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth.
- For temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums.
- For temporary use to cleanse canker sores.
- Assists in the removal of foreign material from minor oral wounds.

Warnings

Do not use this product for more than 7 days unless directed by a dentist or physician. When using this product, do not swallow. Stop use and ask a dentist or physician if:

- sore mouth symptoms do not improve in 7 days;
- irritation, pain, or redness persists or worsens;
- swelling, rash, or fever develops.

Keep out of reach of children

If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Adults and children 2 years of age or older: rinse half a capful (two teaspoons or 10 mL) around the mouth over the affected area for at least 1 minute, then spit out.
- Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician.
- Children under 12 years of age should be supervised in the use of the product.
- Children under 2 years of age: Consult a dentist or physician.

Directions

- Adults and children 2 years of age or older: rinse half a capful (two teaspoons or 10 mL) around the mouth over the affected area for at least 1 minute, then spit out.
- Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician.
- Children under 12 years of age should be supervised in the use of the product.
- Children under 2 years of age: Consult a dentist or physician.

OxiStöm™

Oral Wound Cleansing Rinse

Xylitol
Cleanser
Alcohol Free
Mild Mint Flavor
Facilitates Healing



FORWARD
SCIENCE



Made in the USA

13.5 fl. oz. / 400 mL

NDC-70275-937-13

OxiStöm™

Oral Wound Cleansing Rinse

OxiStöm helps to cleanse and promote healing of minor oral wounds.

Drug Facts	
Active ingredient[s]	Purpose
Hydrogen Peroxide 1.5% (w/v)	Oral Debriding Agent / Oral Wound Cleanser
Use[s]	
<ul style="list-style-type: none"> • Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth. • For temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums. • For temporary use to cleanse canker sores. • Assists in the removal of foreign material from minor oral wounds. 	
Warnings	
Do not use this product for more than 7 days unless directed by a dentist or physician. When using this product, do not swallow.	
Stop use and ask a dentist or physician if:	
<ul style="list-style-type: none"> • sore mouth symptoms do not improve in 7 days; • irritation, pain, or redness persists or worsens; • swelling, rash, or fever develops. 	
Keep out of reach of children.	
If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> • Adults and children 2 years of age or older: rinse half a capful (two teaspoons or 10 mL) around the mouth over the affected area for at least 1 minute, then spit out. • Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician. • Children under 12 years of age should be supervised in the use of the product. • Children under 2 years of age: Consult a dentist or physician. 	
Other information	
<ul style="list-style-type: none"> • Store at controlled room temperatures 68 – 77°F (20 – 25°C) and away from direct sunlight. Keep cap tightly closed when not in use. 	
Questions? 1-855-696-7254	
Inactive ingredients Methyl Salicylate, PEG-40, Propylene Glycol, Water, Xylitol	

Do Not Use If Protective Seal Is Broken Or Missing




FORWARD
SCIENCE



855.696.7254 | ForwardScience.com | info@ForwardScience.com

OX-13v1.2



16 fl. oz. / 473 mL

NDC-70275-201-16

Helps to cleanse and facilitate healing of minor oral wounds.

Drug Facts	
Active ingredient[s] Hydrogen Peroxide 1.5% (w/v)	Purpose Oral Debriding Agent / Oral Wound Cleanser
Use[s]	
<ul style="list-style-type: none"> Aids in the removal of phlegm, mucus, or other secretions associated with occasional sore mouth. For temporary use in cleansing minor wounds or minor gum inflammation resulting from minor dental procedures, dentures, orthodontic appliances, accidental injury, or other irritations of the mouth and gums. For temporary use to cleanse canker sores. Assists in the removal of foreign material from minor oral wounds. 	
Warnings	
Do not use this product for more than 7 days unless directed by a dentist or physician. When using this product, do not swallow.	
Stop use and ask a dentist if:	
<ul style="list-style-type: none"> Sore mouth symptoms do not improve in 7 days Irritation, pain, or redness persists or worsens Swelling, rash, or fever develops 	
Keep out of reach of children under 6 years of age.	
If more than used for rinsing is accidentally swallowed, get medical help or contact a Poison Control Center right away.	
Directions	
<ul style="list-style-type: none"> Adults and children 2 years of age or older: rinse half a capful (two teaspoons or 10 mL) around the mouth over the affected area for at least 1 minute, then spit out. Use up to 4 times daily after meals and at bedtime or as directed by a dentist or physician. Children under 12 years of age should be supervised in the use of the product. Children under 2 years of age: Consult a dentist or physician. 	
Other information	
Store at controlled room temperatures 68 – 77°F (20 – 25°C) and away from direct sunlight. Keep cap tightly closed when not in use.	
Questions?	1-800-462-3626
Inactive ingredients Methyl Salicylate, PEG-40, Propylene Glycol, Water, Xylitol	

Do not use if protective seal is broken or missing.

[5946-032]



Distributed by
BencoDental
800.GO.BENCO • BENCO.COM
295 CenterPoint Blvd, Pittston, PA 18640

MADE IN USA

OXISTOM

oral wound cleanser liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70275-937
Route of Administration	BUCCAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	15 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
XYLITOL (UNII: VCQ006KQ1E)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	

WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70275-937-13	400 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/26/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	05/26/2021	

PRO-SYS

oral wound cleanser liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:70275-201
Route of Administration	BUCCAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HYDROGEN PEROXIDE (UNII: BBX060AN9V) (HYDROGEN PEROXIDE - UNII:BBX060AN9V)	HYDROGEN PEROXIDE	15 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
XYLITOL (UNII: VCQ006KQ1E)	
METHYL SALICYLATE (UNII: LAV5U5022Y)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
POLYOXYL 40 HYDROGENATED CASTOR OIL (UNII: 7YC686GQ8F)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:70275-201-16	473 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/16/2022	
2	NDC:70275-201-28	3785 mL in 1 BOTTLE; Type 0: Not a Combination Product	05/16/2022	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part356	05/16/2022	

Labeler - Forward Science Technologies LLC (079212068)

Establishment

Name	Address	ID/FEI	Business Operations
Forward Science Technologies LLC		079212068	manufacture(70275-937, 70275-201)

Revised: 1/2023

Forward Science Technologies LLC