BRUT CLASSIC ANTI-PERSPIRANT AND DEODORANT ORIGINAL FRAGRANCEaluminum chlorohydrate aerosol Idelle Labs, Ltd

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Brut Anti-perspirant and Deodorant 20.9%

Drug Facts

BRUT ® ANTI-PERSPIRANT & DEODORANT

LONG LASTING WETNESS & ODOR PROTECTION

Formulated with TRIMAX ® to keep you dry and odor free.

Drug Facts

Active Ingredient

Aluminum chlorohydrate 20.9%

Purpose

Antiperspirant

Uses

Reduces underarm wetness

Warnings

For external use only

- Flammable do not use when smoking or near fire, flame or heat
- contents under pressure
- do not puncture or incinerate
- do not store at temperature above 120°F

Do not use

on broken skin

Ask a doctor before use

if you have kidney disease

When using this product

- · Keep away from face and mouth to avoid breathing it
- avoid spraying in eyes
- use only as directed; intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use

if rash or irritation occurs

Keep out of reach of children

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

Shake well. Hold can 6 inches away from underarm and spray. Apply to underarms only.

Inactive ingredients

Butane, hydrofluorocarbon 152A, cyclopentasiloxane, isopropyl palmitate, talc, disteardimonium hectorite, propylene carbonate, fragrance

Questions?

1-800-487-7273 www.brutworld.com

BRUT ® CLASSIC

Antiperspirant & Deodorant

©2019 Idelle Labs, Ltd.

Made in Canada with globally sourced materials

Distributed by Idelle Labs, Ltd. El Paso, TX 79912 USA

Net Wt 6 oz (170 g)

Net Wt 4 oz (113 g)



BRUT. CLASSIC ANTIPERSPIRANT & DEODORANT LONG LASTING WETNESS & ODOR PROTECTION

Drug Facts

Active Ingredient

Aluminum chlorohydrate 20.9%.

Purpose Antiperspirant

Uses reduces underarm wetness

Warnings

For external use only

Flammable

- do not spray near flame or while smoking
 contents under pressure
 do not crush, puncture or incinerate
- . do not store at temperature above 120°F

Do not use on broken skin

Ask a doctor before use if you have kidney disease.

- When using this product

 keep away from face and mouth to avoid breathing it

 avoid spraying in eyes

 use only as directed; intentional misuse by deliberately concentrating and inhaling the contents can be harmful or fatal

Stop use if rash or irritation occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- apply to underarm only
 shake well before each use
 hold can about 6 inches away from underarm and spray

Inactive ingredients
Butane, Hydrolluorocarbon 152A,
Cyclopentasiloxane, Isopropyl Palmitate, Talc,
Disteardimonium Hectorite, Propylene Carbonate,
Fragrance

QUESTIONS? www.brutworld.com Call 1-800-487-7273

delen © 2019 Idelle Labs, Ltd. All Rights Reserved.
BRUT® is a registered trademark of
Kaz Europe Sarl. Made in Canada with
globally sourced materials. Distributed by
Idelle Labs, Ltd. El Paso, TX 79912 USA





BRUT CLASSIC ANTI-PERSPIRANT AND DEODORANT ORIGINAL FRAGRANCE

| aluminum chlorohydrate aerosol | | | | | | |
|---------------------------------|----------------|-----------------------------------|---------------|--------|--------------------|--|
| | | | | | | |
| Product Information | | | | | | |
| Product Type | HUMAN OTC DRUG | Item Code (Source) NDC:41595-7103 | | 5-7103 | | |
| Route of Administration | TOPICAL | | | | | |
| | | | | | | |
| | | | | | | |
| Active Ingredient/Active Moiety | | | | | | |
| Ingredient Name | | | Basi Strei | | Strength | |
| | | | | | 20.9 g in 100 g | |
| | | | | | | |
| | | | | | | |

| Inactive Ingredients | | |
|----------------------|-----------------|----------|
| | Ingredient Name | Strength |

| BUTANE (UNII: 6LV4FOR43R) | |
|--|--|
| CYCLOMETHICONE 5 (UNII: 0THT5PCI0R) | |
| DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L) | |
| 1,1-DIFLUOROETHANE (UNII: 0B1U8K2ME0) | |
| ISOPROPYL PALMITATE (UNII: 8CRQ2TH63M) | |
| PROPYLENE CARBONATE (UNII: 8D08K3S51E) | |
| TALC (UNII: 7SEV7J4R1U) | |

| Packaging | | | | | |
|-----------|----------------------|--|-------------------------|-----------------------|--|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date | |
| 1 | NDC:41595- 7103-1 | 113 g in 1 CANISTER; Type 0: Not a Combination Product | 01/03/2020 | | |
| 2 | NDC:41595- 7103-2 | 170 g in 1 CANISTER; Type 0: Not a Combination Product | 01/03/2020 | | |

| Marketing Information | | | | |
|-----------------------|---|-------------------------|-----------------------|--|
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date | |
| OTC monograph final | part350 | 01/03/2020 | | |
| | | | | |

Labeler - Idelle Labs, Ltd (128822926)

| Establishment | | | | | |
|--------------------|---------|-----------|-------------------------|--|--|
| Na me | Address | ID/FEI | Business Operations | | |
| K-G Spray-Pak Inc. | | 203350785 | manufacture(41595-7103) | | |

Revised: 5/2021 Idelle Labs, Ltd