

**NASAL DECONGESTANT D- pseudoephedrine hcl tablet, film coated
Walgreen Company**

Walgreens 44-112 Nasal Decongestant D

Active ingredient (in each tablet)

Pseudoephedrine HCl 30 mg

Purpose

Nasal decongestant

Uses

- temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
- temporarily relieves sinus congestion and pressure

Warnings

Do not use

if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before use if you have

- heart disease
- diabetes
- thyroid disease
- high blood pressure
- difficulty in urination due to enlargement of the prostate gland

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- nervousness, dizziness, or sleeplessness occur
- symptoms do not improve within 7 days or occur with fever

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

adults and children 12 years and over	take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
children ages 6 to 11 years	take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years	do not use

Other information

- **each tablet contains:** calcium 15 mg
- **TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN**
- store at 25°C (77°F); excursions permitted between 15°C-30°C (59°F-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

Walgreens

NDC 0363-1214-46

Compare to the active ingredient in Sudafed® Sinus Congestion††

NON - DROWSY

Nasal Decongestant D

PSEUDOEPHEDRINE HCl 30 mg / NASAL DECONGESTANT

Maximum Strength

- Relieves sinus pressure & congestion

96 TABLETS

ACTUAL SIZE

50844 ORG061911246

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

DISTRIBUTED BY: **WALGREEN CO.**

200 WILMOT RD., DEERFIELD, IL 60015

100% SATISFACTION GUARANTEED

walgreens.com

©2021 Walgreen Co.

†Our pharmacists recommend the Walgreens brand. We invite you to compare to national brands.

††This product is not manufactured or distributed by Johnson & Johnson Corporation, owner

of the registered trademark Sudafed® Sinus Congestion.

W3ORIG1221-F
REV01222

©2021 Walgreen Co.
Walgreens.com
100% SATISFACTION GUARANTEED
200 WILMOT RD., DEERFIELD, IL 60015
DISTRIBUTED BY: WALGREEN CO.
ITEM 689451 W00000-0000-0
11917056548

Drug Facts
KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION

Active ingredient (in each tablet)
Pseudoephedrine HCl 30 mg
Nasal decongestant

Uses
temporarily relieves nasal congestion due to the common cold, hay fever or other upper respiratory allergies
temporarily relieves sinus congestion and pressure

Warnings
Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.
Ask a doctor before use if you have heart disease, diabetes, high blood pressure, difficulty in urination due to enlargement of the prostate gland, or symptoms do not improve within 7 days or occur with fever, nervousness, dizziness, or sleeplessness occur.
If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions
adults and children take 2 tablets every 4 to 6 hours; do not take more than 8 tablets in 24 hours
12 years and over take more than 8 tablets in 24 hours
children ages 6 to 11 years take 1 tablet every 4 to 6 hours; do not take more than 4 tablets in 24 hours
children under 6 years do not use

Other information
each tablet contains: calcium 15 mg
TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
see end flap for expiration date and lot number

Inactive ingredients
croscarmellose sodium, dibasic calcium phosphate dihydrate, FD&C red #40 aluminum lake, FD&C yellow #6 aluminum lake, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, silicon dioxide, titanium dioxide, triacetin

Questions or comments? 1-800-428-9391

No Print Area
Lot no. & Expiration Date

50844 ORG061911246



TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING



B-2201-112-46-HR
ORG061911246



NDC 0363-1214-46

NON-DROWSY Nasal Decongestant D

PSEUDOEPHEDRINE HCl 30 mg / NASAL DECONGESTANT

- Maximum Strength
- Relieves sinus pressure & congestion

96 TABLETS



Walgreens 44-112

NASAL DECONGESTANT D

pseudoephedrine hcl tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-1214
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
PSEUDOEPHEDRINE HYDROCHLORIDE (UNII: 6V9V2RYJ8N) (PSEUDOEPHEDRINE - UNII:7CUC9DDI9F)	PSEUDOEPHEDRINE HYDROCHLORIDE	30 mg

Inactive Ingredients	
Ingredient Name	Strength
CROSCARMELOSE SODIUM (UNII: M28OL1HH48)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
FD&C YELLOW NO. 6 (UNII: H77VEI93A8)	
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYDEXTROSE (UNII: VH2XOU12IE)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TRIACETIN (UNII: XHX3C3X673)	

Product Characteristics			
Color	red	Score	no score
Shape	ROUND	Size	7mm
Flavor		Imprint Code	44;112
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-1214-46	4 in 1 CARTON	08/25/1981	
1		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0363-1214-22	2 in 1 CARTON	08/25/1981	
2		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0363-1214-08	1 in 1 CARTON	08/25/1981	
3		24 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	08/25/1981	

Labeler - Walgreen Company (008965063)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(0363-1214)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	manufacture(0363-1214) , pack(0363-1214)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(0363-1214)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	manufacture(0363-1214)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(0363-1214)

Establishment

Name	Address	ID/FEI	Business Operations
LNK International, Inc.		117025878	manufacture(0363-1214)

Revised: 1/2024

Walgreen Company