MDHAIR HAIR REGROWTH TREATMENT FOR WOMEN- minoxidil 2% solution MDalgorithms, Inc

MDhair for women Minoxidil 2%

Minoxidil 2% w/v

Hair regrowth treatment

USE

to regrow hair on the scalp (vertex only, see picture on side of carton)

For external use only.

Flammable: Keep away from fire or flame

• your amount of hair loss is different than that shown on the side of this carton, because this product may not work for you • you have no family history of hair loss • your hair loss is sudden and/or patchy • your hair loss is associated with childbirth • you do not know the reason for your hair loss • you are under 18 years of age. Do not use on babies and children • your scalp is red, inflamed, infected, irritated, or painful • you use other medicines on the scalp

heart disease

- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water some people have experienced changes in hair color and/or texture it takes time to regrow hair. Results may occur at 2 months with twice a day usage. For some women, you may need to use this product for at least 4 months before you see results. the amount of hair regrowth is different for each person. This product will not work for all women.
- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 4 months

May be harmful if used when pregnant or breast-feeding.

If swallowed, get medical help or contact a Poison Control Center right away.

• apply one mL with dropper 2 times a day directly onto the scalp in the hair loss area • using more or more often will not improve results • continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

Other information

• see hair loss pictures on side of this carton

- before use, read all information on carton and enclosed leaflet keep the carton. It contains important information. In clinical studies of mostly white women aged 18-45 years with mild to moderate degrees of hair loss, the following response to 2% minoxidil topical solution was reported: 19% of women reported moderate hair regrowth after using 2% minoxidil topical solution for 8 months (19% had moderate regrowth; 40% had minimal regrowth). This compares with 7% of women reporting moderate hair regrowth after using placebo, the liquid without minoxidil in it, for 8 months (7% had moderate regrowth; 33% had minimal regrowth).
- store at USP controlled room temperature 20° to 25°C (68° to 77°F)

Alcohol, Propylene Glycol, Purified Water

Call MDalgorithms Inc. at; 1-833-257-1914 or contact us at; support@MDhair.co



minoxidil 2% solution

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:71804-711

Route of Administration TOPICAL

Active Ingredient/Active Moiety

realise ingressions, realise release			
Ingredient Name	Basis of Strength	Strength	
MINOXIDIL (UNII: 5965120SH1) (MINOXIDIL - UNII:5965120SH1)	MINOXIDIL	2 g in 100 mL	

Inactive Ingredients		
Ingredient Name	Strength	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)		
WATER (UNII: 059QF0KO0R)		
ISOPROPYL ALCOHOL (UNII: ND2M416302)		

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:71804-711- 02	1 in 1 BOX	06/01/2021		
1		60 mL in 1 BOTTLE; Type 0: Not a Combination Product			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA078176	06/01/2021		

Labeler - MDalgorithms, Inc (080479826)

Establishment				
Name	Address	ID/FEI	Business Operations	
Pure Source, LLC		080354456	manufacture(71804-711)	

Revised: 1/2023 MDalgorithms, Inc