

**MINOXIDIL (FOR WOMEN)- minoxidil aerosol, foam**  
**Kroger Company**

-----  
**Minoxidil**  
**5% (For Women)**

***Drug Facts***

**Active ingredient**

Minoxidil 5% w/w (without propellant)

**Purpose**

Hair regrowth treatment for women

**Use**

to regrow hair on the top of the scalp (see pictures on side of this carton)

**Warnings**

**For external use only.**

**Extremely Flammable**

Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture

- it takes time to regrow hair. Results may occur at 3 months with **once-daily** use. For some women, you may need to use this product **once a day** for at least 6 months before you see results.
- the amount of hair regrowth is different for each person. This product will not work for all women.

### **Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

### **May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

### **Directions**

- see enclosed leaflet for complete directions on how to use
- apply half a capful **once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

### **Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

### **Inactive ingredients**

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

### **Questions?**

- Call **1-800-632-6900**

DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OH 45202

**PRINCIPAL DISPLAY PANEL - 60 g Can Carton**

COMPARE TO

THE ACTIVE INGREDIENT  
IN WOMEN'S ROGAINE®\*

NDC 59450-211-02

Kroger®

\*SEE SIDE

PANEL

#1 DERMATOLOGIST RECOMMENDED  
ACTIVE INGREDIENT†

ONCE-A-DAY FOAM

Minoxidil

Topical Aerosol, 5%

(For Women)

Hair Regrowth Treatment

CLINICALLY PROVEN  
TO REGROW HAIR

REACTIVATES HAIR FOLLICLES  
TO STIMULATE REGROWTH  
UNSCENTED

FOUR MONTH SUPPLY

TWO 60 g (2.11 OZ) CANS

TOTAL 120 g (4.22 OZ)



**Minoxidil** Topical Aerosol, 5%  
(for Women)  
Hair Regrowth Treatment

**COMPARE TO**

THE ACTIVE INGREDIENT  
IN WOMEN'S ROGAINE®\*

NDC 59450-211-02



\*SEE SIDE  
PANEL

#1 DERMATOLOGIST RECOMMENDED  
ACTIVE INGREDIENT†



**Minoxidil**  
Topical Aerosol, 5%  
(For Women)  
Hair Regrowth Treatment

**CLINICALLY PROVEN  
TO REGROW HAIR**

REACTIVATES HAIR FOLLICLES  
TO STIMULATE REGROWTH  
UNSCENTED

FOUR MONTH SUPPLY

**DIRECTIONS FOR USE**

See information leaflet with complete directions on how to use and obtain best results.



**1: PREP HANDS  
WITH COLD WATER**

Rinse your fingers in cold water and dry them. **Note:** Foam will melt on contact with warm surfaces.



**2: OPEN CHILD  
RESISTANT CAP**

Be sure to align arrow on the cap with arrow on white ring. Tilt cap back and pull off.



**3: DISPENSE  
VERTICALLY ONTO  
A COLD SURFACE**

Hold the can straight upside down. If you hold the can at an angle, foam may not dispense properly. Press nozzle to dispense half a capful of foam onto cold surface (e.g. dish, or cold hands).



**4: APPLY TO SCALP,  
NOT HAIR**

Part your hair to expose hair loss area. Massage foam into scalp, not hair. Repeat until all hair loss areas have been covered.



**5: CLOSE CAP AND  
WASH HANDS**

Snap cap back into place. Be sure arrows do not line up, so cap remains child resistant. Wash hands and any surface thoroughly after use.

Read and keep package and leaflet for full product information.

FOUR MONTH SUPPLY

TWO 60 g (2.11 OZ) CANS  
TOTAL 120 g (4.22 OZ)



806  
5233266-1022-00

**Drug Facts**

**Active ingredient**

Minoxidil 5% w/w (without propellant).....Hair regrowth treatment for women

**Purpose**

**Use** to regrow hair on the top of the scalp (see pictures on side of this carton)

**Warnings**

**For external use only.**

**Extremely Flammable:** Avoid fire, flame, or smoking during and immediately following application.

**Do not use if**

- your degree of hair loss is different than that shown on side of this carton because this product may not work for you
- you have no family history of hair loss
- your hair loss is sudden and/or patchy
- your hair loss is associated with childbirth
- you do not know the reason for your hair loss
- you are under 18 years of age. Do not use on babies and children.
- your scalp is red, inflamed, infected, irritated, or painful
- you use other medicines on the scalp

**Ask a doctor before use if you have** heart disease

**When using this product**

- do not use more than directed
- do not apply on other parts of the body
- avoid contact with the eyes. In case of accidental contact, rinse eyes with large amounts of cool tap water.
- some people have experienced changes in hair color and/or texture
- it takes time to regrow hair. Results may occur at 3 months with **once-daily** use. For some women, you may need to use this product **once a day** for at least 6 months before you see results.

Minoxidil Topical Aerosol, 5% (For Women) is for women who have a general thinning of hair on the top of the scalp (as shown below) and has been shown to regrow hair in women with the following degrees of thinning hair or hair loss.



If women have more hair loss than shown above, Minoxidil Topical Aerosol, 5% (For Women) may not work.

**THIS PACKAGE CONTAINS:**

- Two 60 g (2.11 oz) cans of Minoxidil Aerosol, 5% (For Women) (four month supply)

\*All trademarks are property of their respective owners. This product is not affiliated with the makers/owners of Women's Rogaine®

• the amount of hair regrowth is different for each person. This product will not work for all women.

**Stop use and ask a doctor if**

- chest pain, rapid heartbeat, faintness, or dizziness occurs
- sudden, unexplained weight gain occurs
- your hands or feet swell
- scalp irritation or redness occurs
- unwanted facial hair growth occurs
- you do not see hair regrowth in 6 months

**May be harmful if used when pregnant or breast-feeding.**

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- see enclosed leaflet for complete directions on how to use
- apply half a capful **once daily** directly to the scalp in the hair loss area
- massage into scalp with fingers, then wash hands well
- using more or more often will not improve results
- continued use is necessary to increase and keep your hair regrowth, or hair loss will begin again

**Other information**

- see hair loss pictures on side of this carton
- before use, read all information on carton and enclosed leaflet
- keep the carton. It contains important information.
- store at controlled room temperature 20° to 25°C (68° to 77°F)
- contents under pressure. Do not puncture or incinerate container. Do not expose to heat or store at temperatures above 120°F (49°C).

**Inactive ingredients**

butylated hydroxytoluene, cetyl alcohol, citric acid anhydrous, dehydrated alcohol, isobutane, lactic acid, n-butane, polysorbate 60, propane, purified water, stearyl alcohol

**Questions?**

- Call 1-800-632-6900



DISTRIBUTED BY THE KROGER CO.  
CINCINNATI, OH 45202  
MADE IN ISRAEL

In the U.S.  
Source: AlphaImpactRx



PLEASE RECYCLE



**MINOXIDIL (FOR WOMEN)**

minoxidil aerosol, foam

**Product Information**

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:59450-211 |
| <b>Route of Administration</b> | TOPICAL        |                           |               |

**Active Ingredient/Active Moiety**

| Ingredient Name   | Basis of Strength | Strength     |
|---|-------------------|--------------|
| <b>Minoxidil</b> (UNII: 5965120SH1) (Minoxidil - UNII:5965120SH1) | Minoxidil         | 50 mg in 1 g |

**Inactive Ingredients**

| Ingredient Name   | Strength |
|---|----------|
| <b>alcohol</b> (UNII: 3K9958V90M)                       |          |
| <b>anhydrous citric acid</b> (UNII: XF417D3PSL)         |          |
| <b>butane</b> (UNII: 6LV4FOR43R)                        |          |
| <b>butylated hydroxytoluene</b> (UNII: 1P9D0Z171K)      |          |
| <b>cetyl alcohol</b> (UNII: 936JST6JCN)                 |          |
| <b>isobutane</b> (UNII: BXR49TP611)                     |          |
| <b>LACTIC ACID, UNSPECIFIED FORM</b> (UNII: 33X04XA5AT) |          |
| <b>polysorbate 60</b> (UNII: CAL22UVI4M)                |          |
| <b>propane</b> (UNII: T75W9911L6)                       |          |
| <b>stearyl alcohol</b> (UNII: 2KR89I4H1Y)               |          |
| <b>water</b> (UNII: 059QF0KO0R)                         |          |

### Product Characteristics

|                 |                                 |                     |  |
|-----------------|---------------------------------|---------------------|--|
| <b>Color</b>    | WHITE (white to off-white foam) | <b>Score</b>        |  |
| <b>Shape</b>    |                                 | <b>Size</b>         |  |
| <b>Flavor</b>   |                                 | <b>Imprint Code</b> |  |
| <b>Contains</b> |                                 |                     |  |

### Packaging

| # | Item Code        | Package Description                              | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:59450-211-02 | 2 in 1 CARTON                                    | 10/18/2022           |                    |
| 1 | NDC:59450-211-01 | 60 g in 1 CAN; Type 0: Not a Combination Product |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| ANDA               | ANDA209074                               | 10/18/2022           |                    |

**Labeler** - Kroger Company (006999528)

Revised: 10/2022

Kroger Company