

ACETAMINOPHEN- acetaminophen tablet, film coated
CVS Pharmacy, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

1190-CVS

Drug Facts

Active ingredient (in each caplet)

Acetaminophen 500 mg

Purpose

Pain reliever/fever reducer

Uses

- ☐ temporarily relieves minor aches and pains due to ☐ the common cold ☐ headache ☐ toothache
- ☐ muscular aches
- ☐ backache
- ☐ minor pain of arthritis
- ☐ premenstrual and menstrual cramps
- ☐ temporarily reduces fever

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- ☐ more than 4,000 mg of acetaminophen in 24 hours
- ☐ with other drugs containing acetaminophen
- ☐ 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ☐ skin reddening ☐ blisters ☐ rash. If a skin reaction occurs, stop use and seek medical help right away.

- ☐ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist
- ☐ if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if

- ☐ pain gets worse or lasts more than 10 days

- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present.

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed (see overdose warning).

adults and children 12 years of age and over	<input type="checkbox"/> take 2 caplets every 6 hours while symptoms last
	<input type="checkbox"/> do not take more than 6 caplets in 24 hours, unless directed by a doctor
children under 12 years of age	<input type="checkbox"/> do not take for more than 10 days unless directed by a doctor
	<input type="checkbox"/> ask a doctor

Other information

- Store in a dry place at 15° - 30°C (59° - 86°F)

corn starch, hypromellose, mineral oil, polyethylene glycol, povidone, sodium lauryl sulfate, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments?

Call 1-800-231-4670

Distributed by: CVS Pharmacy, Inc.
One CVS Drive, Woonsocket, RI 02895
© 2021 CVS/pharmacy

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol®.

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

CVS Health

Compare to the active ingredient in Extra Strength Tylenol®*

Extra Strength

Acetaminophen

Caplets 500 mg

Pain reliever; Fever reducer

1000 Caplets

VALUE SIZE 1000 CAPLETS

CVS Health.

Compare to the active ingredient in
Extra Strength Tylenol®*

Caplets

EXTRA STRENGTH

Acetaminophen

Caplets 500 mg

Pain reliever; Fever reducer



Actual Size

1000 CAPLETS

DO NOT USE IF PRINTED SEAL UNDER CAP IS BROKEN OR MISSING

Drug Facts

Active ingredient (in each caplet)
Acetaminophen 500 mg

Purpose
Pain reliever/fever reducer

Uses ■ temporarily relieves minor aches and pains due to ■ the common cold ■ headache ■ toothache ■ muscular aches ■ backache ■ minor pain of arthritis ■ premenstrual and menstrual cramps ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take ■ more than 4,000 mg of acetaminophen in 24 hours ■ with other drugs containing acetaminophen ■ 3 or more alcoholic drinks every day while using this product.

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist ■ if you are allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if ■ pain gets worse or lasts more than 10 days ■ fever gets worse or lasts more than 3 days ■ new symptoms occur ■ redness or swelling is present. These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use. **Keep out of reach of children.**

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222). Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ **do not take more than directed (see overdose warning).**

adults and children 12 years of age and over	■ take 2 caplets every 6 hours while symptoms last
children under 12 years of age	■ do not take more than 6 caplets in 24 hours, unless directed by a doctor
	■ do not take for more than 10 days unless directed by a doctor
	■ ask a doctor

Other information ■ Store in a dry place at 15° – 30°C (59° – 86°F)

Inactive ingredients corn starch, hypromellose, mineral oil, polyethylene glycol, povidone, sodium lauryl sulfate, sodium starch glycolate, stearic acid, talc, titanium dioxide

Questions or comments? Call 1-800-231-4670

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark "Tylenol".

Distributed by: CVS Pharmacy, Inc., One CVS Drive, Woonsocket, RI 02895
© 2021 CVS/Pharmco
CVS.com® 1-800-SHOP-CVS
V-34571

#271771



0 50428 28630 2 R15198

CVS Quality
Money Back Guarantee

ACETAMINOPHEN

acetaminophen tablet, film coated

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69842-864
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STEARIC ACID (UNII: 4ELV7Z 65AP)	
LIGHT MINERAL OIL (UNII: N6K5787QVP)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856)3G2A2)	
HYPROMELLOSES (UNII: 3NXW29V3WO)	
POLYETHYLENE GLYCOL 400 (UNII: B6978945GQ)	
POVIDONE K30 (UNII: U725QWY32X)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
TALC (UNII: 7SEV7J4R1U)	
STARCH, CORN (UNII: O8232NY3SJ)	

SODIUM LAURYL SULFATE (UNII: 368GB5141J)

Product Characteristics

Color	white	Score	no score
Shape	OVAL	Size	17mm
Flavor		Imprint Code	CPC1190
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69842-864-04	1000 in 1 BOTTLE; Type 0: Not a Combination Product	03/17/2021	
2	NDC:69842-864-05	500 in 1 BOTTLE; Type 0: Not a Combination Product	04/06/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part343	03/17/2021	

Labeler - CVS Pharmacy, Inc (062312574)

Revised: 10/2021

CVS Pharmacy, Inc