

**DERMABLEND PROFESSIONAL CC CONTINUOUS CORRECTION FULL COVERAGE
MAKEUP BROAD SPECTRUM SPF 50 PLUS SUNSCREEN- homosalate, octisalate
and octocrylene cream
L'Oreal USA Products Inc**

Drug Facts

Active ingredients

Homosalate 10%

Octisalate 4.9%

Octocrylene 4%

Purpose

Sunscreen

Uses

- helps prevent sunburn

- if used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry.

Do not use near fire, flame or heat.

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if

rash occurs

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age: Ask a doctor

Other information

protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, propanediol, alcohol denat., synthetic fluorophlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, scutellaria baicalensis root extract, PEG-30 dipolyhydroxystearate, aluminum hydroxide, magnesium sulfate, disodium stearyl glutamate, disteardimonium hectorite, polyglyceryl-4 diisostearate/polyhydroxystearate/sebacate, phenoxyethanol, may contain: titanium dioxide, iron oxides

Questions or comments?

1-877-900-6700

Monday - Friday (9 a.m. - 5 p.m. EST)

DERMABLEND
PROFESSIONAL
TM/MC

CC CREAM

CONTINUOUS
CORRECTION™
FULL COVERAGE MAKEUP
SUNSCREEN

STONE:
COVERAGE
CORRECTION
PROTECTION*

50+

BROAD SPECTRUM SPF 50+

FREE RADICAL DEFENSE
NON-COMEDOGENIC
UP TO 24H COLOR WEAR

*When used as directed with
other sun protection measures

30 ml - 1 fl. oz.

FROM COLOR CORRECTION TO
CONTINUOUS CORRECTION
THE NEW CC
Made with a potent blend of antioxidants,
this formula visibly corrects tone:
baicalin, niacinamide, vitamin E, caffeine.

**SKIN TONE
FULL COVERAGE:**
Weightless and breathable, our
formula gives a perfectly
balanced and even skin tone,
without clogging pores or
weighing skin down. Fade-
defying, up to 24H color wear
that stays comfortable &
color-true.

**SKIN TONE
CORRECTION:**
Formula with baicalin and
niacinamide helps correct the
look of visible redness,
discoloration, hyperpigmen-
tation, dark spots and age spots,
leaving your skin radiant,
healthy and youthful-looking.

*When used as directed with other sun protection measures

**SKIN TONE
PROTECTION:**
Non-ashy SPF 50+
Sunscreen defends the
skin against sun damage
to mitigate the signs of
aging*, while antioxidants
help fight against
free-radical damage.

Drug Facts

Active ingredients	Purpose
Homosalate 10%	Sunscreen
Octisalate 4.9%	Sunscreen
Octocrylene 4%	Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry. Do not use near fire, flame or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, propanediol, alcohol denat., synthetic fluorophlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, scutellaria baicalensis root extract, PEG-30, dipolyhydroxystearate, aluminum hydroxide, magnesium sulfate, disodium stearyl glutamate, ▶

G2033044 FIL D253692/1

Drug Facts (Continued)

dissealuminum heaonite, polyglyceryl-4 diisosteate, polyhydroxystearate, sebacate, phenoxyethanol, may contain titanium dioxide, iron oxides

Questions or comments?

1-877-900-6700
Monday - Friday (9 a.m. - 5 p.m. EST)

SKIN SECURITY STANDARDS™

DERMATOLOGIST STANDARDS

- + Dermatologist Tested for Safety
- + Non-Comedogenic
- + Sensitive Skin Tested
- + Allergy Tested

FORMULA STANDARDS

- + High-Performance Pigments
- + Fragrance-Free
- + Phthalate-Free
- + Paraben-Free
- + Alcohol-Free



Made in USA of US and/or Imported Ingredients.
Dermablend, L'Oréal USA, Inc.
New York, NY 10001
Imp. by Dermablend
Professional Canada, Montreal
H4T1K5, TSA 75000 93584 ST.
QUEN CEDEX FR



Drug Facts (Continued)

disaccharide, iron heptamethine, polyglyceryl-4 diisostearate, polyhydroxyoctadecyl sebacate, phenoxyethanol, may contain titanium dioxide, iron oxides.

Questions or comments?
1-877-900-6700
Monday - Friday (9 a.m. - 5 p.m. EST)

DERMABLEND
PROFESSIONAL

CC CREAM

CONTINUOUS CORRECTION™

FULL COVERAGE MAKEUP
SUNSCREEN

THE NEW CC

FROM COLOR CORRECTION TO
CONTINUOUS CORRECTION

Made with a potent blend of antioxidants, this formula visibly corrects tone: balcain, niacinamide, vitamin E, caffeine, color-tite.

Drug Facts

Active ingredients Purpose

Homosalate 10% Sunscreen
Octisalate 4.9% Sunscreen
Octocrylene 4% Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Flammable until dry. Do not use near fire, flame or heat.

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
 - children under 6 months of age. Ask a doctor

Other information

- protect the product in this container from excessive heat and direct sun

Inactive ingredients

water, dimethicone, propanediol, alcohol denat., synthetic fluorophlogopite, niacinamide, vinyl dimethicone/methicone silsesquioxane crosspolymer, caffeine, tocopherol, scutellaria baicalensis root extract, PEG-30, dipolyhydroxystearate, aluminum hydroxide, magnesium sulfate, disodium stearoyl glutamate, ▶

G2033044 FIL D253692/1

SKIN SECURITY STANDARDS™

DERMATOLOGIST STANDARDS

- + Dermatologist Tested for Safety
- + Non-Comedogenic
- + Sensitive Skin Tested
- + Allergy Tested

FORMULA STANDARDS

- + High-Performance Pigments
- + Fragrance-Free
- + Phthalate-Free
- + Paraben-Free
- + Alcohol-Free

 **cruelty free**

Made in USA of US and/or Imported Ingredients.
Dermablend, L'Oréal USA, Inc.
New York, NY 10001
Imp. by Dermablend Professional Canada, Montreal
H4T1K5, TSA 75000 93584 ST.
QUEN CEDEX FR

 

SKIN TONE FULL COVERAGE:

Weightless and breathable, our formula gives a perfectly balanced and even skin tone, without clogging pores or weighing skin down. Fade-defying, up to 24H color wear that stays comfortable & color-tite.

SKIN TONE CORRECTION:

Formula with balcain and niacinamide helps correct the look of visible redness, discoloration, hyperpigmentation, dark spots and age spots, leaving your skin radiant, healthy and youthful-looking.

SKIN TONE PROTECTION:

Non-ashy SPF 50+ Sunscreen defends the skin against sun damage to mitigate the signs of aging*, while antioxidants help fight against free-radical damage.

*When used as directed with other sun protection measures

SKIN TONE CORRECTION:

50+

BROAD SPECTRUM SPF 50+

FREE RADICAL DEFENSE
NON-COMEDOGENIC
UP TO 24H COLOR WEAR

*When used as directed with other sun protection measures

30 ml - 1 fl. oz.

DERMABLEND PROFESSIONAL CC CONTINUOUS CORRECTION FULL COVERAGE MAKEUP BROAD SPECTRUM SPF 50 PLUS SUNSCREEN

homosalate, octisalate and octocrylene cream

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:49967-451
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	49 mg in 1 mL

OCTOCRYLENE (UNII: 5A68WGF6VM) (OCTOCRYLENE - UNII:5A68WGF6VM)	OCTOCRYLENE	40 mg in 1 mL
---	-------------	---------------

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
PROPANEDIOL (UNII: 5965N8W85T)	
ALCOHOL (UNII: 3K9958V90M)	
MAGNESIUM POTASSIUM ALUMINOSILICATE FLUORIDE (UNII: YK3DC63Y5M)	
NIACINAMIDE (UNII: 25X51I8RD4)	
VINYL DIMETHICONE/METHICONE SILSESQUIOXANE CROSSPOLYMER (UNII: 9NH1UDD2RR)	
CAFFEINE (UNII: 3G6A5W338E)	
TOCOPHEROL (UNII: R0ZB2556P8)	
SCUTELLARIA BAICALENSIS ROOT (UNII: 7J95K7ID2S)	
PEG-30 DIPOLYHYDROXYSTEARATE (UNII: 9713Q0S7FO)	
ALUMINUM HYDROXIDE (UNII: 5QB0T2IUN0)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
DISODIUM STEAROYL GLUTAMATE (UNII: 45ASM2L11M)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49967-451-01	1 in 1 CARTON	08/20/2021	
1		30 mL in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	08/20/2021	

Labeler - L'Oreal USA Products Inc (002136794)

Establishment

Name	Address	ID/FEI	Business Operations
L'Oreal USA Products, Inc.		624244349	manufacture(49967-451) , pack(49967-451)