ESOMEPRAZOLE MAGNESIUM - esomeprazole magnesium capsule, delayed release

Publix

Esomeprazole Magnesium Delayed-Release Capsules USP 20 mg

Drug Facts

Active ingredient (in each capsule)

Esomeprazole 20 mg

(Each delayed-release capsule corresponds to 21.75 mg esomeprazole magnesium dihydrate USP)

Purpose

Acid reducer

Uses

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

Warnings

Allergy alert: Do not use if you are allergic to esomeprazole

Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with lightheadedness, sweating or dizziness
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent chest pain

These may be signs of a serious condition. See your doctor.

Ask a doctor before use if you have

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain

Ask a doctor or pharmacist before use if you are

• taking a prescription drug. Acid reducers may interact with certain prescription drugs.

Stop use and ask a doctor if

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- may take 1 to 4 days for full effect

14-Day Course of Treatment

- swallow 1 capsule with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 capsule a day
- swallow whole. Do not crush or chew capsules.
- do not use for more than 14 days unless directed by your doctor

Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- do not take for more than 14 days or more often than every 4 months unless directed by a doctor
- children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition.

Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 68-77°F (20-25°C)
- Meets USP dissolution test 2

Inactive ingredients

colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid copolymer dispersion, mono and di glycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch {maize} and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

DISTRIBUTED BY PUBLIX SUPER MARKETS, INC., 3300 PUBLIX CORPORATE PARKWAY LAKEAND, FL 33811 1-888-267-3037 publix.com
MADE IN INDIA

PUBLIX GURANTEE: COMPLETE SATISFACTION

OR YOUR MONEY BACK Code: TS/DRUGS/22/2009

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsules Container Label)

24 HR NDC 56062-020-06
esomeprazole magnesium
DELAYED-RELEASE CAPSULES USP 20 mg
ACID REDUCER

- Treats frequent heartburn
 May take 1 to 4 days for full effect
- One 14-day course of treatment

14 CAPSULES

Top Ply



Top Ply (Page #1)

Warnings
Allergy alert: Do not use if you are allergic to esomeprazole, Do not use if you have: **I trouble or pain swallowing food, vomiting with blood, or bloody or black stools **I hearburn with lightheadedness, sweating or dizziness **I chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness **I requent chest pain.** These may be signs of a serious condition. See your doctor. Ask a doctor before use if you have **I had hearburn over 3 months. This may be a sign of a more serious condition. **I requent wheezing, particularly with hearburn = unexplained weight loss **I nausea or vomiting **Stomach pain. Ask a doctor or pharmacist before use if you are **I taking a note **I taking a nausea or vomiting **Stomach pain. **Ask a doctor or pharmacist before use if you are **I taking a nache taking a nausea or vomiting **Stomach pain. **Ask a doctor or pharmacist before use if you are **I taking a nausea or vomiting **Stomach pain. **Ask a doctor or pharmacist before use if you are **I taking use **I taking use **Ask a doctor or pharmacist before use if you are **I taking use **I

Back of Top Ply (Page #2)

Bottom Ply

Base (Page #3) every day for 14 days = do not take more than 1 capsule a day = swallow whole. Do not crush or chew capsules, = do not use for more than 14 days unless directed by your doctor. Repeated 14-Day Courses (if needed) = you may repeat a 14-day course every 4 months = do not take for more than 14 days or more often than every 4 months unless directed by a doctor = children under 18 years of age: ask a doctor before use. Heartburn in children may sometimes be caused by a serious condition. Other information = read the directions and warnings before use = keep the carton. It contains important information. = store at 68-77°F (20-25°C) = Meets USP dissolution test 2. Inactive ingredients colloidal silicon dioxide, FD&C blue no.1, gelatin, hydroxypropyl cellulose, hypromellose, magnesium carbonate, magnesium oxide, methacrylic acid copolymer dispersion, mono and diglycerides, polysorbate 80, propylene glycol, shellac, sodium lauryl sulfate, strong ammonia solution, sugar spheres (which contains liquid glucose, starch {maize} and sucrose), talc, titanium dioxide, triethyl citrate and yellow iron oxide.

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 20 mg (14 Capsules Container Carton Label)

SEE NEW WARNINGS INFORMATION NDC 58602-020-06

24 HR

esomeprazole

magnesium

DELAYED-RELEASE CAPSULES USP 20 mg


ACID REDUCER

- •Treats frequent heartburn
- May take 1 to 4 days for full effect
- One 14-day course of treatment

ACTUAL SIZE

14 CAPSULES

Compare to Nexium[®] 24 HR active ingredient[†]



ESOMEPRAZOLE MAGNESIUM

esomeprazole magnesium capsule, delayed release

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:56062-020	
Route of Administration	ORAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
ESOMEPRAZOLE MAGNESIUM DIHYDRATE (UNII: 36H71644EQ) (ESOMEPRAZOLE - UNII:N3PA6559FT)	ESOMEPRAZ OLE	20 mg	

Inactive Ingredients				
Ingredient Name	Strength			
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)				
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)				
HYDROXYPROPYL CELLULOSE, UNSPECIFIED (UNII: 9XZ8H6N6OH)				
HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO)				
MAGNESIUM CARBONATE (UNII: 0E53J927NA)				
MAGNESIUM OXIDE (UNII: 3A3U0GI71G)				
METHACRYLIC ACID - ETHYL ACRYLATE COPOLYMER (1:1) TYPE A (UNII: NX76LV5T8J)				
GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4)				
POLYSORBATE 80 (UNII: 6OZP39ZG8H)				
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)				
SHELLAC (UNII: 46N107B710)				
SODIUM LAURYL SULFATE (UNII: 368GB5141J)				
AMMONIA (UNII: 5138Q19F1X)				
DEXTROSE, UNSPECIFIED FORM (UNII: IY9XDZ35W2)				
STARCH, CORN (UNII: O8232NY3SJ)				
SUCROSE (UNII: C151H8M554)				
TALC (UNII: 7SEV7J4R1U)				
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)				
TRIETHYL CITRATE (UNII: 8Z96QXD6UM)				
FERRIC OXIDE YELLOW (UNII: EX43802MRT)				

Product Characteristics				
Color	WHITE	Score	no score	
Shape	CAPSULE	Size	14mm	
Flavor		Imprint Code	181	
Contains				

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
,	NDC:56062-020-	1 :- 1 CARTON	02/20/2020		

1	06	I III I CANTON	03/30/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:56062-020- 08	2 in 1 CARTON	03/30/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		
3	NDC:56062-020- 10	3 in 1 CARTON	03/30/2020	
3		14 in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209339	03/30/2020	

Labeler - Publix (006922009)

Registrant - Aurohealth LLC (078728447)

Establishment				
Name	Address	ID/FEI	Business Operations	
Aurobindo Pharma Limited		650381903	ANALYSIS(56062-020), MANUFACTURE(56062-020)	

Revised: 4/2024 Publix