LEADER HEMORRHOIDAL- cocoa butter, phenylephrine hcl suppository Cardinal Health 110, LLC. dba Leader

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Cardinal Health Hemorrhoidal Suppositories Drug Facts

Active ingredients (in each suppository)

Cocoa butter 88.44%

Phenylephrine HCI 0.25%

Purposes

Protectant

Vasoconstrictor

Uses

- helps relieve the local itching and discomfort associated with hemorrhoids
- temporarily relieves burning and shrinks hemorrhoidal tissue
- temporarily provides a coating for relief of anorectal discomforts
- temporarily protects the inflamed, irritated anorectal surface to help make bowel movements less painful

Warnings

For rectal use only

Ask a doctor before use if you have

- heart disease
- high blood pressure
- thyroid disease
- diabetes
- · difficulty in urination due to enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

presently taking a prescription drug for high blood pressure or depression.

When using this product

do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctor if

- bleeding occurs
- condition worsens or does not improve within 7 days

If pregnant or breast feeding,

ask a health professional before use.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- adults: when practical, cleanse the affected area by patting or blotting with an appropriate cleansing wipe. Gently dry by patting or blotting with a tissue or a soft cloth before insertion of this product.
- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
- see illustrations: carefully separate foil tabs by inserting tip of fingernail at end marked "peel down"
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- remove exposed suppository from wrapper
- insert one suppository into the rectum up to 4 times daily, especially at night, in the morning or after each bowel movement
- children under 12 years of age: ask a doctor

Other information

store at 20-25°C (68-77°F)

Inactive ingredients

methylparaben, propylparaben, topical starch

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Hemorrhoidal Suppositories

Reduces Internal Swelling

Soothes and Protects

Prompt Soothing Relief From Painful Burning, Itching and Discomfort
For Nighttime Relief
12 SUPPOSITORIES
COMPARE TO PREPARATION H®
active ingredients
100% Money Back Guarantee

LEADER

Hemorrhoidal Suppositories

LEADER

Hemorrhoidal **Suppositories**

Reduces Internal Swelling Soothes and Protects

Prompt Soothing Relief From Painful Burning, Itching and Discomfort

For Nighttime Relief

12 SUPPOSITORIES

COMPARETO PREPARATION H® active ingredients**

100% Money Back Guarantee



Active ingredients (in each suppository) Purposes Cocoa butter 88.44 %..... Phen yl ephrine H Cl 0.25%.Protectant

- helps relieve the local itching and discomfort associated with he morrhoid:
- tem poraril y relieves burning and shrinks hemorrhoidal tissue tem poraril y provides a coaling for relief of an orectal discom forts
- tem porarily protects the inflamed, irrita ted anorectal surface to help make
- bowel movements less painful

Warnings

For rectal use only

- A ska doctor before use if you have
- heart disease high blood pressure thyroid disease diabetes difficulty in unination due to enlargement of the prostate gland
- Ask a doctor or pharm acist before use if you are pre sently taking a

prescription drug for high blood pressure or depression.

When using this pio duct do not exceed the recommended daily dosage unless directed by a doctor

Stop use and ask a doctorif

■ bleeding occurs ■ condition worsens or does not improve within 7 days If pregnant or breast-feeding, ask a health professional before use. Keepout of reach of children. If swallowed, get medical help or contacta Poison Contro I Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

■ adults when practical, deanse the affected area by patting or blotting with an appropriate clean sing wipe. Gently dry by patting or blotting with a tissue or a soft cloth be bre insertion of this product.

- detach one suppository from the strip; remove the foil wrapper before inserting into the rectum as follows:
- hold suppository with rounded end up
 seeillustratons: carefully separa tefoil tabs by inserting tip of fingernall at end marked "peel down"
- slowly and evenly peel apart (do not tear) foil by pulling tabs down both sides, to expose the suppository
- nemove exposed suppository from wrapper
 insertone suppository into the rectum up to 4 times daily, especially at night, in the morning or a ter each bowel movement
- children under 12 years of age: a sk a doctor

Other Information

Inactive Ingredients methylparaben, propylparaben, topical starch

Questions or comments? 1-800-719-9260

AL LOLDER' Brand ProductistiaveA

100%

This product is not manu factured or distributed by Wyeth LLC, owner of the registered trademark Preparation H®.

onotuse if printed suppository wrapper is missing or damaged ch suppository is individually wrapped.

: 27953 E9 C1

Hemorrhoida Suppositories

LEADER





© 2017 CardinalHeath. AI Fights Resew.cd. CARDNAL HER.TH the Cardinal Health LOGO, LEADER, and the Leader LOGO are tedemarks or legister of tax demarks are the property of their respective owners.

Cardina|Health™ D & TRIBUT ED BY CARD N AL HE ALTH w www.myleader.com 1-800-200-6313



LEADER HEMORRHOIDAL

cocoa butter, phenylephrine hcl suppository

Product Information

Product Type HUMAN OTC DRUG **Item Code (Source)** NDC:70000-0223

Route of Administration RECTAL

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
COCOA BUTTER (UNII: 5120YT1CRR) (COCOA BUTTER - UNII:5120YT1CRR)	COCOA BUTTER	2211 mg		
PHENYLEPHRINE HYDROCHLORIDE (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII: 1WS297W6MV)	PHENYLEPHRINE HYDROCHLORIDE	6.5 mg		

Inactive Ingredients		
Ingredient Name	Strength	
METHYLPARABEN (UNII: A2I8C7HI9T)		
PROPYLPARABEN (UNII: Z8IX2SC1OH)		
STARCH, CORN (UNII: O8232NY3SJ)		

Product Characteristics			
Color	YELLOW (light)	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:70000- 0223-1	12 in 1 CARTON	01/17/2017		
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product			

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part346	01/17/2017	

Labeler - Cardinal Health 110, LLC. dba Leader (063997360)

Revised: 7/2022 Cardinal Health 110, LLC. dba Leader