

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet,
film coated
L.N.K. International, Inc.**

Quality Plus 44-390

Active ingredients (in each caplet)

Acetaminophen 500 mg
Caffeine 60 mg
Pyrilamine maleate 15 mg

Purpose

Pain reliever
Diuretic
Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

Ask a doctor or pharmacist before use if you are

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

When using this product

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

Stop use and ask a doctor if

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- do not take more than directed
- adults and children 12 years and over:
 - take 2 caplets with water
 - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

Other information

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Principal Display Panel

**QUALITY
+PLUS**

NDC 50844-399-08

*Compare to the active ingredients
in Midol® Complete

MENSTRUAL COMPLETE

Acetaminophen, Caffeine, Pyrilamine maleate

PAIN RELIEVER / DIURETIC / ANTIHISTAMINE

FOR MULTI-SYMPTOM RELIEF OF:

Cramps | Bloating | Fatigue

Backache | Headache

24 Caplets

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY
SEAL UNDER CAP IS BROKEN OR MISSING**

*This product is not manufactured or distributed by
Bayer HealthCare LLC, owner of the registered
trademark Midol® Complete.
50844 ORG062339008

Distributed by
LNK INTERNATIONAL, INC.
60 Arkay Drive
Hauppauge, NY 11788

USA

QUALITY PLUS

MENSTRUAL COMPLETE

Acetaminophen, Caffeine, Pyrilamine maleate

PAIN RELIEVER / DIURETIC / ANTIHISTAMINE

FOR MULTI-SYMPTOM RELIEF OF:

Cramps | Bloating | Fatigue
Backache | Headache

24 Caplets

ACTUAL SIZE



USA

KEEP OUT OF REACH OF CHILDREN

FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active Ingredients

(in each caplet)

Acetaminophen 500 mg.....Pain reliever

Caffeine 60 mg.....Diuretic

Pyriminamine maleate 15 mg.....Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

■ bloating ■ headache ■ muscle aches

■ cramps ■ backache ■ fatigue

■ water-weight gain

Purpose

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin redness ■ blisters ■ rash

If a skin reaction occurs, stop use and seek

Drug Facts (continued)

Other information

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, croscopolone, hydroxypropylcellulose, polydextrose, microcrystalline cellulose, polydextrose, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Drug Facts (continued)

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

■ difficulty in urination due to enlargement of the prostate gland ■ liver disease

■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are

■ taking the blood thinning drug warfarin

■ taking sedatives or tranquilizers

When using this product

■ drowsiness may occur

■ avoid alcoholic beverages

Drug Facts (continued)

medical help right away.

Stop use and ask a doctor if

■ new symptoms occur

■ redness or swelling is present

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

KEEP OUT OF REACH OF CHILDREN

FOR COMPLETE PRODUCT INFORMATION

Drug Facts

Active Ingredients

(in each caplet)

Acetaminophen 500 mg.....Pain reliever

Caffeine 60 mg.....Diuretic

Pyriminamine maleate 15 mg.....Antihistamine

Uses

for the temporary relief of these symptoms associated with menstrual periods:

■ bloating ■ headache ■ muscle aches

■ cramps ■ backache ■ fatigue

■ water-weight gain

Purpose

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours

■ with other drugs containing acetaminophen

■ 3 or more alcoholic drinks every day while using this product

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:

■ skin redness ■ blisters ■ rash

If a skin reaction occurs, stop use and seek

Drug Facts (continued)

Other information

■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)

■ see end flap for expiration date and lot number

Inactive ingredients

corn starch, croscarmellose sodium, croscopolone, hydroxypropylcellulose, polydextrose, stearic acid, titanium dioxide, triacetin

Questions or comments?

1-800-426-9391

Drug Facts (continued)

Do not use

■ with any other drug containing acetaminophen (prescription or nonprescription).

If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients

Ask a doctor before use if you have

■ difficulty in urination due to enlargement of the prostate gland ■ liver disease

■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

Ask a doctor or pharmacist before use if you are

■ taking the blood thinning drug warfarin

■ taking sedatives or tranquilizers

When using this product

■ drowsiness may occur

■ avoid alcoholic beverages

Drug Facts (continued)

medical help right away.

Stop use and ask a doctor if

■ new symptoms occur

■ redness or swelling is present

■ pain gets worse or lasts more than 10 days

■ fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete. 50844 ORG062339008

Distributed by
LNK INTERNATIONAL, INC.
60 Arkay Drive
Hauppauge, NY 11788
USA

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING



No print/No varnish
Lot & Exp date

B-1603-390-08
ORG062339008

MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

| Product Information | | | |
|-------------------------|----------------|--------------------|---------------|
| Product Type | HUMAN OTC DRUG | Item Code (Source) | NDC:50844-399 |
| Route of Administration | ORAL | | |

| Active Ingredient/Active Moiety | | |
|--|--------------------|----------|
| Ingredient Name | Basis of Strength | Strength |
| ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D) | ACETAMINOPHEN | 500 mg |
| CAFFEINE (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E) | CAFFEINE | 60 mg |
| PYRILAMINE MALEATE (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE | 15 mg |

| Inactive Ingredients | |
|---|----------|
| Ingredient Name | Strength |
| STARCH, CORN (UNII: O8232NY3SJ) | |
| CROSCARMELLOSE SODIUM (UNII: M28OL1HH48) | |
| CROSPVIDONE, UNSPECIFIED (UNII: 2S7830E561) | |
| HYPROMELLOSE, UNSPECIFIED (UNII: 3NXW29V3WO) | |
| MAGNESIUM STEARATE (UNII: 70097M6I30) | |
| MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U) | |
| POLYDEXTROSE (UNII: VH2XOU12IE) | |
| POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A) | |
| POVIDONE, UNSPECIFIED (UNII: FZ989GH94E) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| STEARIC ACID (UNII: 4ELV7Z65AP) | |
| TITANIUM DIOXIDE (UNII: 15FIX9V2JP) | |
| TRIACETIN (UNII: XHX3C3X673) | |

| Product Characteristics | | | |
|-------------------------|-------|--------------|----------|
| Color | white | Score | no score |
| Shape | OVAL | Size | 17mm |
| Flavor | | Imprint Code | 44;390 |
| Contains | | | |

| Packaging | | | | |
|-----------|------------------|--|----------------------|--------------------|
| # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| 1 | NDC:50844-399-21 | 2 in 1 CARTON | 07/19/2023 | |
| 1 | | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product | | |
| 2 | NDC:50844-399-08 | 1 in 1 CARTON | 07/19/2023 | |
| 3 | | 24 in 1 BOTTLE, PLASTIC; Type 0: Not a | | |

| | | | |
|------------------------------|---|-----------------------------|---------------------------|
| 4 | Combination Product | | |
| Marketing Information | | | |
| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
| OTC Monograph Drug | M013 | 07/19/2023 | |

Labeler - L.N.K. International, Inc. (038154464)

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 038154464 | pack(50844-399) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|--|
| LNK International, Inc. | | 832867837 | manufacture(50844-399) , pack(50844-399) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 832867894 | manufacture(50844-399) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. | | 967626305 | pack(50844-399) |

Establishment

| Name | Address | ID/FEI | Business Operations |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. | | 117025878 | manufacture(50844-399) |

Revised: 8/2023

L.N.K. International, Inc.