

**MENSTRUAL COMPLETE- acetaminophen, caffeine, pyrilamine maleate tablet, film coated**

**L.N.K. International, Inc.**

-----  
**Quality Plus 44-390**

***Active ingredients (in each caplet)***

Acetaminophen 500 mg  
Caffeine 60 mg  
Pyrilamine maleate 15 mg

***Purpose***

Pain reliever  
Diuretic  
Antihistamine

***Uses***

for the temporary relief of these symptoms associated with menstrual periods:

- bloating
- headache
- muscle aches
- cramps
- backache
- fatigue
- water-weight gain

***Warnings***

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

**Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:

- skin reddening
- blisters
- rash

If a skin reaction occurs, stop use and seek medical help right away.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you have ever had an allergic reaction to this product or any of its ingredients

### **Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- liver disease
- a breathing problem such as emphysema or chronic bronchitis
- glaucoma

### **Ask a doctor or pharmacist before use if you are**

- taking the blood thinning drug warfarin
- taking sedatives or tranquilizers

### **When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives, and tranquilizers may increase drowsiness
- excitability may occur, especially in children
- use caution when driving a motor vehicle or operating machinery
- limit the use of caffeine-containing medications, foods, or beverages while taking this product because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

### **Stop use and ask a doctor if**

- new symptoms occur
- redness or swelling is present
- pain gets worse or lasts more than 10 days
- fever gets worse or lasts more than 3 days

These could be signs of a serious condition.

### **If pregnant or breast-feeding,**

ask a health professional before use.

### **Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

### ***Directions***

- **do not take more than directed**
- adults and children 12 years and over:
  - take 2 caplets with water
  - repeat every 6 hours, as needed

- do not exceed 6 caplets per day
- children under 12 years: ask a doctor

**Other information**

- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

**Inactive ingredients**

corn starch, croscarmellose sodium, crospovidone, hypromellose, magnesium stearate, microcrystalline cellulose, polydextrose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?**

**1-800-426-9391**

**Principal Display Panel**

**QUALITY  
+PLUS**

NDC 50844-399-08

\*Compare to the active ingredients  
in Midol® Complete

**MENSTRUAL COMPLETE**

**Acetaminophen**, Caffeine, Pyrilamine maleate

PAIN RELIEVER / DIURETIC / ANTIHISTAMINE

FOR MULTI-SYMP TOM RELIEF OF:

Cramps | Bloating | Fatigue  
Backache | Headache

**24** Caplets

ACTUAL SIZE

**TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY  
SEAL UNDER CAP IS BROKEN OR MISSING**

\*This product is not manufactured or distributed by  
Bayer HealthCare LLC, owner of the registered  
trademark Midol® Complete.  
50844      ORG062339008

Distributed by  
**LNK INTERNATIONAL, INC.**  
60 Arkay Drive  
Hauppauge, NY 11788

**Drug Facts** (continued)

**KEEP OUTER PACKAGE FOR COMPLETE PRODUCT INFORMATION**

**Active Ingredients (in each caplet)**  
 Acetaminophen 500 mg ..... Pain reliever  
 Caffeine 60 mg ..... Diuretic  
 Pyrilamine maleate 15 mg ..... Antihistamine

**Purpose**  
 for the temporary relief of these symptoms associated with menstrual periods:  
 ■ bloating ■ headache ■ muscle aches  
 ■ cramps ■ backache ■ fatigue  
 ■ water-weight gain

**Warnings**  
 Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take more than 4,000 mg of acetaminophen in 24 hours  
 ■ 3 or more alcoholic drinks every day while using this product  
 ■ Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:  
 ■ skin redness ■ blisters ■ rash  
 If a skin reaction occurs, stop use and seek

QUALITY PLUS

NDC 50844-390-08  
 \*Compare to the active ingredients in Midol® Complete

# MENSTRUAL COMPLETE

Acetaminophen, Caffeine, Pyrilamine maleate

**PAIN RELIEVER / DIURETIC / ANTIHISTAMINE**

FOR MULTI-SYMPTOM RELIEF OF:  
 Cramps | Bloating | Fatigue  
 Backache | Headache



ACTUAL SIZE

**24 Caplets**

\*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Midol® Complete.  
 50844 ORG062339008

Distributed by  
**LNK INTERNATIONAL, INC.**  
 60 Arkay Drive  
 Hauppauge, NY 11788  
 USA

**Drug Facts** (continued)

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

**Directions**  
 ■ do not take more than directed  
 ■ adults and children 12 years and over:  
 ■ take 2 caplets with water  
 ■ repeat every 6 hours, as needed  
 ■ do not exceed 6 caplets per day  
 ■ children under 12 years: ask a doctor

**Other information**  
 ■ store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)  
 ■ see end flap for expiration date and lot number

**Inactive ingredients**  
 corn starch, croscarmellose sodium, crospovidone, hydroxypropyl methylcellulose, polyethylene glycol, povidone, silicon dioxide, stearic acid, titanium dioxide, triacetin

**Questions or comments?**  
 1-800-426-9391

**Drug Facts** (continued)

medical help right away.

**Do not use** ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.

■ if you have ever had an allergic reaction to this product or any of its ingredients  
 ■ difficulty in urination due to enlargement of the prostate gland ■ liver disease  
 ■ a breathing problem such as emphysema or chronic bronchitis ■ glaucoma

**Ask a doctor or pharmacist before use if you are**  
 ■ taking the blood thinning drug warfarin  
 ■ taking sedatives or tranquilizers

**When using this product**  
 ■ drowsiness may occur  
 ■ avoid alcoholic beverages

**Stop use and ask a doctor if**  
 ■ new symptoms occur  
 ■ redness or swelling is present  
 ■ pain gets worse or lasts more than 10 days  
 ■ fever gets worse or lasts more than 3 days  
 These could be signs of a serious condition.  
 If pregnant or breast-feeding, ask a health professional before use.

**Drug Facts** (continued)

■ alcohol, sedatives, and tranquilizers may increase drowsiness  
 ■ excitability may occur, especially in children  
 ■ use caution when driving a motor vehicle or operating machinery  
 ■ limit the use of caffeine-containing medications, foods, or beverages while taking this product, because too much caffeine may cause nervousness, irritability, sleeplessness, and, occasionally, rapid heart rate. The recommended dose of this product contains about as much caffeine as a cup of coffee.

TAMPER EVIDENT: DO NOT USE IF IMPRINTED SAFETY SEAL UNDER CAP IS BROKEN OR MISSING

No print/No varnish  
 Lot & Exp date

3 50844 39008 0

B-1603-390-08  
 ORG062339008

# MENSTRUAL COMPLETE

acetaminophen, caffeine, pyrilamine maleate tablet, film coated

## Product Information

|                                |                |                           |               |
|--------------------------------|----------------|---------------------------|---------------|
| <b>Product Type</b>            | HUMAN OTC DRUG | <b>Item Code (Source)</b> | NDC:50844-399 |
| <b>Route of Administration</b> | ORAL           |                           |               |

## Active Ingredient/Active Moiety

| <b>Ingredient Name</b>  | <b>Basis of Strength</b> | <b>Strength</b> |
|---|--------------------------|-----------------|
| <b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)   | ACETAMINOPHEN            | 500 mg          |
| <b>CAFFEINE</b> (UNII: 3G6A5W338E) (CAFFEINE - UNII:3G6A5W338E)             | CAFFEINE                 | 60 mg           |
| <b>PYRILAMINE MALEATE</b> (UNII: R35D29L3ZA) (PYRILAMINE - UNII:HPE317O9TL) | PYRILAMINE MALEATE       | 15 mg           |

## Inactive Ingredients

| <b>Ingredient Name</b>                                     | <b>Strength</b> |
|--|-----------------|
| <b>STARCH, CORN</b> (UNII: O8232NY3SJ)                     |                 |
| <b>CROSCARMELOSE SODIUM</b> (UNII: M28OL1HH48)             |                 |
| <b>CROSPVIDONE, UNSPECIFIED</b> (UNII: 2S7830E561)         |                 |
| <b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)        |                 |
| <b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)               |                 |
| <b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)       |                 |
| <b>POLYDEXTROSE</b> (UNII: VH2XOU12IE)                     |                 |
| <b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A) |                 |
| <b>POVIDONE, UNSPECIFIED</b> (UNII: FZ989GH94E)            |                 |
| <b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)                  |                 |
| <b>STEARIC ACID</b> (UNII: 4ELV7Z65AP)                     |                 |
| <b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)                 |                 |
| <b>TRIACETIN</b> (UNII: XHX3C3X673)                        |                 |

## Product Characteristics

|                 |       |                     |          |
|-----------------|-------|---------------------|----------|
| <b>Color</b>    | white | <b>Score</b>        | no score |
| <b>Shape</b>    | OVAL  | <b>Size</b>         | 17mm     |
| <b>Flavor</b>   |       | <b>Imprint Code</b> | 44;390   |
| <b>Contains</b> |       |                     |          |

## Packaging

| # | Item Code        | Package Description                                    | Marketing Start Date | Marketing End Date |
|---|------------------|--|----------------------|--------------------|
| 1 | NDC:50844-399-21 | 2 in 1 CARTON  | 07/19/2023           |                    |
| 1 |                  | 8 in 1 BLISTER PACK; Type 0: Not a Combination Product |                      |                    |
| 2 | NDC:50844-399-08 | 1 in 1 CARTON  | 07/19/2023           |                    |
| 3 |                  | 24 in 1 BOTTLE, PLASTIC; Type 0: Not a                 |                      |                    |

### Marketing Information

| Marketing Category | Application Number or Monograph Citation | Marketing Start Date | Marketing End Date |
|--------------------|--|----------------------|--------------------|
| OTC Monograph Drug | M013                                     | 07/19/2023           |                    |

**Labeler** - L.N.K. International, Inc. (038154464)

### Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 038154464 | pack(50844-399)     |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations                      |
|-------------------------|---------|-----------|--|
| LNK International, Inc. |         | 832867837 | manufacture(50844-399) , pack(50844-399) |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 832867894 | manufacture(50844-399) |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations |
|-------------------------|---------|-----------|---------------------|
| LNK International, Inc. |         | 967626305 | pack(50844-399)     |

### Establishment

| Name                    | Address | ID/FEI    | Business Operations    |
|-------------------------|---------|-----------|------------------------|
| LNK International, Inc. |         | 117025878 | manufacture(50844-399) |