

TUSSIN DMMAX- dextromethorphan hbr, guaifenesin liquid
RELIABLE 1 LABORATORIES LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Active Ingredients (in each 20 mL)

Dextromethorphan HBr 20mg

Guaifenesin 400 mg

Purpose

Cough Suppressant

Expectorant

Uses

- temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold
- helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes

Warnings

Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

Ask a doctor before us if you have

- cough that occurs with too much phlegm (mucus)
- cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema

Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.

When using this product, do not use more than directed.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away.

Directions

- do not take more than 6 doses in any 24-hour period
- measure only with dosing cup provided
- do not use dosing cup with other products
- mL = milliliters
- adults and children 12 years of age and over: 20 mL in dosing cup provided every 4 hours

- children under 12 years of age: do not use

Inactive ingredients

Artificial and natural flavor, citric acid, FD&C Blue #1, FD&C Red #40, hydroxyethylcellulose, L-menthol, methylparaben, propylen glycol, propylparaben, purified water, sodium citrate, sucralose, and sucrose.

Questions or comments?

Call 1-516-341-0666 8:30 am - 4:30 pm EST Mon-Fri

<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none"> do not take more than 6 doses in any 24-hour period measure only with dosing cup provided do not use dosing cup with other products mL = milliliters adults and children 12 years of age and over: 20 mL in dosing cup provided every 4 hours children under 12 years of age: do not use <p>Other information</p> <ul style="list-style-type: none"> each 20 mL contains: sodium 19 mg store at 20-25°C (68-77°F). Do not refrigerate. Tamper Evident: Do not use if imprinted safety seal under cap is broken or missing <p>Inactive ingredients Artificial and natural flavor, citric acid, FD&C Blue #1, FD&C Red #40, hydroxyethylcellulose, L-menthol, methylparaben, propylene glycol, propylparaben, purified water, sodium citrate, sucralose, and sucrose.</p> <p>Questions or comments? Call 1-516-341-0666 8:30 am - 4:30 pm EST Mon-Fri</p> <p><small>*This product is not manufactured or distributed by the owner of the registered trademark Robitussin® Cough + Chest Congestion DM Max.</small></p> <p><small>Rev.: 12/22 L-210B Product #: 36961807258</small></p> <p><small>Distributed by: Reliable-1 Laboratories, LLC Valley Stream, NY 11580 www.reliable1labs.com</small></p> <p>PARENTS: <small>Learn about teen medicine abuse www.StopMedicineAbuse.org</small></p>  <p>3 69618 07258 9</p>	<p style="text-align: center;">NDC: 69618-072-58</p> <p style="text-align: center;"> Reliable-1 LABORATORIES</p> <p style="text-align: center;">ALCOHOL FREE</p> <h1 style="text-align: center;">Tussin</h1> <h2 style="text-align: center;">DMMax</h2> <p style="text-align: center;">For Ages 12 & Over</p> <p style="text-align: center;">DEXTROMETHORPHAN HBr Cough Suppressant</p> <p style="text-align: center;">GUAIFENESIN Expectorant</p>  <p style="text-align: center;">DOSAGE CUP INCLUDED</p> <p style="text-align: center;">ADULT STRENGTH NON-DROWSY 8 FL OZ (237 ML)</p>	<p style="text-align: center;"> Reliable-1 LABORATORIES</p> <p style="text-align: center;">ALCOHOL FREE</p> <h1 style="text-align: center;">Tussin</h1> <h2 style="text-align: center;">DMMax</h2> <p style="text-align: center;">DEXTROMETHORPHAN HBr Cough Suppressant</p> <p style="text-align: center;">GUAIFENESIN Expectorant</p> <p style="text-align: center;">Reduces Cough & Chest Congestion Thins/Loosens Mucus</p> <p style="text-align: center;">Compare to Robitussin® Cough + Chest Congestion DM Max Active Ingredients*</p> <p style="text-align: center;">ADULT STRENGTH NON-DROWSY 8 FL OZ (237 ML)</p>	<p>Drug Facts</p> <table border="1"> <tr> <th>Active ingredients (in each 20 mL)</th> <th>Purposes</th> </tr> <tr> <td>Dextromethorphan HBr, USP 20mg.....</td> <td>Cough suppressant</td> </tr> <tr> <td>Guaifenesin, USP 400 mg.....</td> <td>Expectorant</td> </tr> </table> <p>Uses</p> <ul style="list-style-type: none"> temporarily relieves cough due to minor throat and bronchial irritation as may occur with a cold helps loosen phlegm (mucus) and thin bronchial secretions to drain bronchial tubes <p>Warnings</p> <p>Do not use if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric, or emotional conditions, or Parkinson's disease) or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.</p> <p>Ask a doctor before use if you have</p> <ul style="list-style-type: none"> cough that occurs with too much phlegm (mucus) cough that lasts or is chronic such as occurs with smoking, asthma, chronic bronchitis, or emphysema <p>Stop use and ask a doctor if cough lasts more than 7 days, comes back, or is accompanied by fever, rash, or persistent headache. These could be signs of a serious condition.</p> <p>When using this product, do not use more than directed.</p> <p>If pregnant or breast-feeding, ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. →</p>	Active ingredients (in each 20 mL)	Purposes	Dextromethorphan HBr, USP 20mg.....	Cough suppressant	Guaifenesin, USP 400 mg.....	Expectorant
Active ingredients (in each 20 mL)	Purposes								
Dextromethorphan HBr, USP 20mg.....	Cough suppressant								
Guaifenesin, USP 400 mg.....	Expectorant								

TUSSIN DMMAX

dextromethorphan hbr, guaifenesin liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69618-072
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DEXTROMETHORPHAN HYDROBROMIDE (UNII: 9D2RTI9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	20 mg in 20 mL
GUAIFENESIN (UNII: 495W7451VQ) (GUAIFENESIN - UNII:495W7451VQ)	GUAIFENESIN	400 mg in 20 mL

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
HYDROXYETHYL CELLULOSE, UNSPECIFIED (UNII: T4V6TWG28D)	
MENTHOL (UNII: L7T10EIP3A)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	
WATER (UNII: 059QF0KO0R)	
SODIUM CITRATE (UNII: 1Q73Q2JULR)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69618-072-58	1 in 1 CARTON	12/01/2022	
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part341	12/01/2022	

Labeler - RELIABLE 1 LABORATORIES LLC (079718111)

Revised: 12/2022

RELIABLE 1 LABORATORIES LLC