

**PHYSICIANS CARE MOTION SICKNESS- meclizine hcl tablet**  
**Acme United Corporation**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----  
**PhysiciansCare Motion Sickness**

**Drug Facts**

**Active ingredient (in each tablet)**

Meclizine HCl 25 mg

**Purpose**

Antiemetic

**Uses**

for the prevention and treatment of the nausea, vomiting, or dizziness associated with motion sickness.

**Warnings**

**Do not use** for children under 12 years of age unless directed by a doctor.

**Ask a doctor before use if you have**

- difficulty in urination due to enlargement of the prostate gland
- glaucoma
- a breathing problems such as emphysema or chronic bronchitis

**Ask a doctor or pharmacist before use if you are** taking sedatives or tranquilizers.

**When using this product**

- drowsiness may occur
- avoid alcoholic beverages
- alcohol, sedatives and tranquilizers may increase drowsiness
- use caution when driving a motor vehicle or operating machinery

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center

(1-800-222-1222) right away.

**Directions**

- to prevent motion sickness, take the first dose ½ hour to 1 hour before starting

activity

■ to treat motion sickness, take at first signs of symptoms

**Adults and children: (12 years and older)** 1 to 2 tablets once daily, or as directed by a doctor.

**Children under 12 years:** Do not give to children under 12 years of age.

**Other information**

- tamper-evident sealed packets
- do not use any opened or torn packets
- store at 77°F (25°C); excursions permitted between 59- 86° F (15-30°C)
- protect from heat and humidity
- use by expiration date on packet

**Inactive ingredients**

corn starch, D&C yellow # 10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide

**Questions or comments?** 1-800-835-2263



91274

# Motion Sickness

Meclizine HCl 25 mg, Antiemetic  
6 Packets (2 tablets each)

Manufactured for:  
© 2021 Acme United Corporation  
1 Waterview Dr, Shelton, CT 06484  
www.FirstAidOnly.com  
807597-revA



0 92265 91274 7

<b>Drug Facts</b>	
<b>Active ingredient (in each tablet)</b> Meclizine Hydrochloride 25 mg	<b>Purpose</b> Antiemetic
<b>Uses</b> for the prevention and treatment of nausea, vomiting, or dizziness associated with motion sickness.	
<b>Warnings</b> Do not use for children under 12 years of age unless directed by a doctor.	
<b>Ask a doctor before use if you have</b> ■ difficulty in urination due to enlargement of the prostate gland ■ glaucoma ■ a breathing problem such as emphysema or chronic bronchitis	
<b>Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers.</b>	
<b>When using this product</b> ■ drowsiness may occur ■ avoid alcoholic beverages ■ alcohol, sedatives and tranquilizers may increase drowsiness ■ use caution when driving a motor vehicle or operating machinery	
<b>If pregnant or breastfeeding,</b> ask a health professional before use.	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1.800.222.1222) right away.	
<b>Directions</b> ■ to prevent motion sickness, take the first dose ½ hour to 1 hour before starting activity ■ to treat motion sickness, take at first signs of symptoms	
<b>Adults and children: (12 years and older)</b>	1 to 2 tablets once daily, or as directed by a doctor.
<b>Children under 12 years</b>	Do not give to children under 12 years of age.
<b>Other Information</b> ■ tamper-evident sealed packets ■ do not use any opened or torn packets ■ store at 77°F (25°C); excursions permitted between 59°-86°F (15°-30°C) ■ protect from heat and humidity ■ use by expiration date on packet	
<b>Inactive ingredients</b> corn starch, D&C yellow #10 aluminum lake, lactose anhydrous, magnesium stearate, silicon dioxide	
<b>Questions?</b> 800.835.2263	

label image

<b>PHYSICIANS CARE MOTION SICKNESS</b>			
meclizine hcl tablet			
<b>Product Information</b>			
<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:0924-1008(NDC:47682-481)
<b>Route of Administration</b>	ORAL		
<b>Active Ingredient/Active Moiety</b>			
	<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>

<b>MECLIZINE HYDROCHLORIDE</b> (UNII: HDP7W44CIO) (MECLIZINE - UNII:3L5TQ84570)	MECLIZINE HYDROCHLORIDE	25 mg
---	-------------------------	-------

Inactive Ingredients	
Ingredient Name	Strength
<b>STARCH, CORN</b> (UNII: O8232NY3SJ)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>D&amp;C YELLOW NO. 10 ALUMINUM LAKE</b> (UNII: CQ3XH3DET6)	
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	

Product Characteristics			
<b>Color</b>	yellow	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	44;403
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0924-1008-00	2 in 1 PACKET; Type 0: Not a Combination Product	06/18/2021	
2	NDC:0924-1008-02	6 in 1 BAG	06/18/2021	
2		2 in 1 PACKET; Type 0: Not a Combination Product		

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part336	06/18/2021	

**Labeler** - Acme United Corporation (001180207)

Establishment			
Name	Address	ID/FEI	Business Operations
Acme United Corporation		045924339	relabel(0924-1008) , repack(0924-1008)

Establishment			
Name	Address	ID/FEI	Business Operations
Acme United Corporation		080119599	relabel(0924-1008) , repack(0924-1008)

**Establishment**

Name	Address	ID/FEI	Business Operations
Acme United Corporation		117825595	relabel(0924-1008) , repack(0924-1008)

Revised: 6/2021

Acme United Corporation