

ACETAMINOPHEN- acetaminophen tablet

A-S Medication Solutions

5427-Major

Drug Facts

Active Ingredient (in each tablet)

Acetaminophen 500 mg

Purpose

Pain reliever/ Fever reducer

Uses

Temporarily reduces fever and relieves minor aches and pains due to:

- headache ☐
- muscular aches ☐
- backache ☐
- minor pain of arthritis ☐
- common cold ☐
- toothache ☐
- premenstrual and
- menstrual cramps

Liver warning: This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4,000 mg of acetaminophen in 24 hours
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks every day while using this product

Allergy alert: acetaminophen may cause severe skin reactions. Symptoms may include: skin reddening ,blisters, rash. If a skin reaction occurs, stop use and seek medical help right away.

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist. ☐
- if you are allergic to acetaminophen or any of the inactive ingredients in this product

Ask a doctor before use if you have liver disease

Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin

Stop use and ask a doctor if ☐

- pain gets worse or lasts more than 10 days☐
- fever gets worse or lasts more than 3 days ☐

- new symptoms occur □
- redness or swelling is present

These could be signs of a serious condition.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children.

Overdose warning: In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222) Quick medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **do not take more than directed (see overdose warning)**

adults and children 12 years and over:

- take 2 tablets every 6 hours while symptoms last
- do not take more than 6 tablets in 24 hours, unless directed by a doctor
- do not take for more than 10 days unless directed by a doctor

children under 12 years: ask a doctor

Other Information

store at room temperature

Povidone, pregelatinized starch, sodium starch glycolate, stearic acid

Questions or comments?

Call (800) 616-2471

SAVE CARTON FOR COMPLETE DRUG FACTS

Do not use if carton is open or if imprinted safety seal under cap is broken or missing.

Distributed By:

MAJOR® PHARMACEUTICALS

17177 N Laurel Park Drive, Suite 233

Livonia, MI 48152

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Tylenol®

HOW SUPPLIED

Product: 50090-5350

NDC: 50090-5350-0 100 TABLET in a BOTTLE

NDC: 50090-5350-1 42 TABLET in a BOTTLE

Acetaminophen



ACETAMINOPHEN

acetaminophen tablet

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:50090-5350(NDC:0904-6730)
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	500 mg

Inactive Ingredients

Ingredient Name	Strength
STARCH, CORN (UNII: O8232NY3SJ)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
POVIDONE K30 (UNII: U725QWY32X)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	

Product Characteristics

Color	white	Score	2 pieces
Shape	ROUND	Size	12mm
Flavor		Imprint Code	54;27
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:50090-5350-0	100 in 1 BOTTLE; Type 0: Not a Combination Product	11/10/2020	
2	NDC:50090-5350-1	42 in 1 BOTTLE; Type 0: Not a Combination Product	12/08/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/12/2018	

Labeler - A-S Medication Solutions (830016429)

Establishment

Name	Address	ID/FEI	Business Operations
A-S Medication Solutions		830016429	RELABEL(50090-5350) , REPACK(50090-5350)

Revised: 3/2024

A-S Medication Solutions