HARMON FACE VALUES ULTRA LIGHT DRY TO THE TOUCH SUNSCREEN BROAD SPECTRUM SPF 70- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion HARMON STORES, INC.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Harmon Face Values Ultra Light Dry to the Touch Sunscreen Lotion Broad Spectrum SPF 70

Active ingredients

Avobenzone 3.0%

Homosalate 10.0%

Octisalate 3.0%

Octocrylene 7.0%

Oxybenzone 6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin.

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

• if rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months of age: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, styrene/acrylates copolymer, dimethicone, acylates/C12-22 alkyl methacrylate copolymer, propylene glycol, xanthan gum, capryl methicone, polysilicone-15, cetyl dimethicone, glyceryl stearate, PEG-100 stearate, beeswax, silica, dipotassium glycyrrhizate, trimethylsiloxysilicate, sodium polyacrylate, ethylhexyl stearate, trideceth-6, phenoxyethanol, caprylyl glycol, ethylhexylglycerin, disodium EDTA, fragrance

Harmon Face Values Ultra Light Dry to the Touch Sunscreen Lotion Broad Spectrum SPF 70

6.0 fl oz (177 mL)

NDC 63940-075-94



Provides breakthrough sun protection that leaves skin dry to the touch and well-protected.

This broad spectrum formula defends your delicate skin against the sun's harmful LVA/UVB rays. This oil-free, non-comedogenic lotion leaves skin softer and smoother and won't irritate sensitive skin or dog pores.

	Facts	i			i
Avobenzon Homosalati Octisalate	8 10.0% 3.0%				Purpos Sunscree
Octobrylen Oxybenzon	e 6.0% J				
(see Direct	helps prevent sunbu <i>lions</i>), decreases the	m • if used as e risk of skin car	s directed w noer and ea	vith other sun pro dy skin aging cau	otection measur used by the sun
	al use only				
Do not use	 on damaged or b 	roken skin.			
	g this product • k		Rinse with	water to remov	e.
Stop use a	ınd ask a doctor if	 rash occurs. 			
Keep out o Center righ	of reach of children t away.	n, if swallowed,	, get medic	al help or contac	t a Poison Cont
Directio	<i>ns</i> erally 15 minutes be	fore sun expos	ure		i
· reapply:	The same and the same				1
• after i	80 minutes of swim diately after towel d	ming or sweat	ng		1
	diatery after tower d st every 2 hours	rying			
 children 	under 6 months of a				
• Sun Pro	tection Measures nd early skin aging,	Spending tint	e in the su	n increases your	risk of skih
a Broad S	nd early skin aging. Spectrum SPF value	of 15 or higher	and other s	un protection me	asures includin
		ecially from 10;		n.	-
• wear	ong-sleeved shirts,	pants, hats, an	d sunglass	es	
• wear Other in	long-sleeved shirts, formation		0.038 0000	201 F3	
• wear Other in • protect th	ong-sleeved shirts,	ainer from expes	sive heat an	201 F3	
wear Other in project th may stain Inactive acrystes/C methicone, beeswax, s ethythexyl:	long-sleeved shirts, formation e product in this cont	ainer from exces rics, materials quater, styrene/ac ryllate copollyme tyl dimethicone lycyrrhizate, tri	sive heat an r surfaces rylates cop er, propyter gyceryl si methylsitoxy	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, caprylyt) stearate, polyacrylate,
wear Other in project th may stain Inactive acrystes/C methicone, beeswax, s ethythexyl:	long-sleeved shirts, formation e product in this cont or damage some fab ingredients w. 112-22 alkyl methac polysilicone-15, o tilea, dipotassium gi stearate, trideceth-6	ainer from exces rics, materials quater, styrene/ac ryllate copollyme tyl dimethicone lycyrrhizate, tri	sive heat an r surfaces rylates cop er, propyter gyceryl si methylsitoxy	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	n gum, caprylyl) stearate, polyacrylate, ylglycerin,
wear Other in profect th may stain Inactive acrystaes/C methicone, beeswax, setrythexyl: disodjum E ATISFA	long-sleeved shirfs, formation e product in this conti- or damage some fab ingredients wi 12-22 alkyl methac polysilicone-15, ce ibca, dipotassium gi stearate, triduceth-6 DTA, fragrance	ainer from excels rics, materials of ater, styrene/ac rylate copolyme tyl dimethicon lycyrrhizate, tri i, phenoxyethar	sive heat an r surfaces crylates cop er, propylen glyceryl si methylsitox nol, caprylyl	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	n gum, caprylyl) stearate, polyacrylate, ylglycerin,
wear Other in profect th may stain Inactive acrystaes/C methicone, beeswax, setrythexyl: disodjum E ATISFA	long-sleeved shirts, formation e product in this conto or damage some fails ingredients w. ingredients w. 2-22 alkyl methac polysilicone-15, ce ilica, dipotassium gi stearate, trideceth-6 DTA, fragrance	ainer from excels rics, materials of ater, styrene/ac rylate copolyme tyl dimethicon lycyrrhizate, tri i, phenoxyethar	sive heat an r surfaces crylates cop er, propylen glyceryl si methylsitox nol, caprylyl	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, caprylyt) stearate, polyacrylate,
wear Other in protect th may stain Inactive acrylates/C methicone, beeswax, s ethylicayl disodjum E SATISFA Or Or	long-sleeved shirts, formation e product in this conto or damage some fab- ingredients w. 12-22 alkyl methac polysilicone-15, ce polysilicone-15,	ainer from excesirics, materials quater, styrene/acrystate capolymenthiconelycyrrhizate, tris, phenoxyethar	sive heat an r surfaces crylates cop er, propylen glyceryl si methylsitox nol, caprylyl	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	n gum, caprylyl) stearate, polyacrylate, ylglycerin,
wear Other in project th may stain Inactive acrylstes/C methods/c peters/c disodjum E SATISFA Or 1	long-sleeved shirls, formation e product in this contor damage some fab ingredients will 2-22 alsyl methac polysilcone-15 cide, dipotassium gisterate, tridecetti-6 DTA, fragrance CCTION GUAL your money Distributed 8	ainer from excelorics, materials of atter, styrene/ac tylate copolyme tyl dimethicon- lycyrrhizate, tri i, phenoxyethar RANTEED back	sive heat an r surfaces crylates cop er, propylen glyceryl si methylsitox nol, caprylyl	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	n gum, caprylyl) stearate, polyacrylate, ylglycerin,
wear Other in project th may stain Inactive acrystles/C methods/c beeswax, sethythexyl disodjum E ATISFA Or Liberty Liberty	long-sleeved shirls, formation e product in this cont or damage some fab ingredients w. 12-22 alkyl methac polysilicone-15, ce idea, dipotassium gi stearate, trideceth-6 DIA, fragrance CCTION GUAl your money Distributed It Procuremen	ainer from excesirics, materials of aller, styrene/acrystate copulyme (ydidinethicona) hypothical (ydidinethicona)	sive heat an r surfaces crylates cop er, propylen glyceryl si methylsitox nol, caprylyl	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	n gum, caprylyl stearate, polyacrylate, ylglycerin,
wear Other in profect th may stain Inacytive methicone, beeswax, sethythexyl idisodjum E SATISFA Or ! Liberty Unic	long-sleeved shirls, formation e product in this cont or damage some fab ingredients w. 12-22 alky methace polysilicone-15, ce ilica, dipotassium or polysilicone-15, ce ilica, dipotassium or polysilicone-15, ce or polysilicone-15	ainer from excels irics, materials qu ater, styrene/ac yystac copdymic yol dimethicon howmizate, tri i, phenoxyethar RANTEED back by it Co. Inc. 8 USA	r surfaces rylates coper, propylen glycard since and capryly	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	n gum, caprylyl) stearate, polyacrylate, ylglycerin,
wear Other in profect th may stain Inacytive methicone, beeswax, sethythexyl idisodjum E SATISFA Or ! Liberty Unic	long-sleeved shirls, formation e product in this cont or damage some fab ingredients w. 12-22 alkyl methac polysilicone-15, ce idea, dipotassium gi stearate, trideceth-6 DIA, fragrance CCTION GUAl your money Distributed It Procuremen	ainer from excels irics, materials qu ater, styrene/ac yystac copdymic yol dimethicon howmizate, tri i, phenoxyethar RANTEED back by it Co. Inc. 8 USA	r surfaces rylates coper, propylen glycard since and capryly	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, caphylyl stearate, polyacrylate, ylglycerin,
wear Other in profect th may stain Inacytive methicone, beeswax, sethythexyl idisodjum E SATISFA Or ! Liberty Unic	long-sleeved shirls, formation e product in this cont or damage some fab ingredients w. 12-22 alky methace polysilicone-15, ce ilica, dipotassium or polysilicone-15, ce ilica, dipotassium or polysilicone-15, ce or polysilicone-15	ainer from excels irics, materials qu ater, styrene/ac yystac copdymic yol dimethicon howmizate, tri i, phenoxyethar RANTEED back by it Co. Inc. 8 USA	r surfaces rylates coper, propylen glycard sizes and caprylyl	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, canfylyl stearate, polyacrylate, ytglycerin,
• wear Other in • protect th • protect th • may stain Inactive acrystics/C methicone, beeswax, s etry flexy; disodjum E SATISFA Or 1 Liberty Unic isit us a his proce	long-sleeved shirts, formation e product in this cont or damage some fab ingredients w. 12-22 alkyl methac polysilicone-15, ce ica dipotassium gi stearate, indeceth-e DIA, fragrance CCTION GUAI your money Distributed It Procuremen on, NJ 07083 tt: www.facev fluct is not mai	alner from excels prices, materials of states, styrene/as private condumn by different private condumn by different private condumn by different private condumn by different private private condumn by different private pri	sive heat an surfaces rylates coper, propylers, propylers implications of the composition	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, caphyldi stearate, stearate, pdysorylate, ytglycerin, stearate, stear
• wear Other in • protect th • protect th • may stain Inactive acrylites/C methicone, beeswax, sethythexyl disodium E ATISFA Or : Liberty Unic lisit us a his procedistribut	long-sleeved shirts, formation e product in this contor or damage some fab ingredients w. 112-22 alxyl methac polysilcone-15, ce alloa, dipotassium gi stearate, tridecate DIA, fragrance ACTION GUAI your money Distributed E Procuremen on, NJ 07083 tt: www.facev duct is not ma ed by Johnso donnoted in the same of the same and the same of the same of the same and the same of the same of the same and the same of the same of the same and the same of the same of the same and the same of the same of the same and the same of the same of the same and the same of the same of the same and the same of the same	ainer from excelerics, materials of all of a street or	sive heat an surfaces rylates coper, propylers, propylers implications of the composition	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, canfylyl stearate, polyacrylate, ytglycerin,
• wear Other in • profect in • may stain Inactive acrystass Comethicone, beeswax, semplexyl i disodjum E SATISFA Or ! Liberty Unic isit us a his proodistribut Corpora	long-sleeved shirts, formation e product in this cont or damage some fab ingredients w. 12-22 alkyl methac polysilicone-15, ce ica dipotassium gi stearate, indeceth-e DIA, fragrance CCTION GUAI your money Distributed It Procuremen on, NJ 07083 tt: www.facev fluct is not mai	ainer from excesivics, materiate patents, styrene/ag system condumned to the condumned to t	sive heat an surfaces registered by property and property property and	d direct sun olymer, dimethic e glycol, xanthar tearate, PEG-100 rsilicate, sodium	m gum, caphyldi stearate, stearate, pdyacnylate, pdyacnylate, stearate, pdyacnylate, stearate, s

HARMON FACE VALUES ULTRA LIGHT DRY TO THE TOUCH SUNSCREEN BROAD SPECTRUM SPF 70

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63940-075	
Route of Administration	TOPICAL			

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	100 mg in 1 mL	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	70 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	30 mg in 1 mL	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZ ONE	30 mg in 1 mL	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	60 mg in 1 mL	

In a still to the same districts	
Inactive Ingredients	
Ingredient Name	Strength
BUTYL ACRYLATE/C16-C20 ALKYL METHACRYLATE/METHACRYLIC ACID/METHYL METHACRYLATE COPOLYMER (UNII: 7K68DGG29P)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
TRIDECETH-6 (UNII: 3T5PCR2H0C)	
TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2)	
XANTHAN GUM (UNII: TTV12P4NEE)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
WATER (UNII: 059QF0KO0R)	
BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
POLYSILICONE-15 (UNII: F8DRP5BB29)	
GLYCERYL STEARATE/PEG-100 STEARATE (UNII: RD25J5V947)	
SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
WHITE WAX (UNII: 7G1J5DA97F)	
ETHYLHEXYLGLYCERIN (UNII: 147D247K3P)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
CETYL DIMETHICONE 45 (UNII: IK315POC44)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	

F	Packaging				
#	tem Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63940-075- 94	177 mL in 1 TUBE; Type 0: Not a Combination Product	08/29/2019		

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
OTC monograph not final	part352	08/29/2019		

Labeler - HARMON STORES, INC. (804085293)

Revised: 6/2021 HARMON STORES, INC.