

DR. DEAN- chlorhexidine gluconate liquid solution 4% solution
USA Medical Supply LLC

Drug Facts

Active ingredient

Chlorhexidine gluconate solution, 4%

Purposes

Surgical hand scrub

Healthcare personnel handwash

Skin wound and general skin cleanser

Uses

- **surgical hand scrub:** significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- **healthcare personnel handwash:** handwash to help reduce bacteria that potentially can cause disease
- **skin wound and general cleanser:** helps reduce bacteria on the skin

Warnings

For external use only

Allergy alert

This product may cause a severe allergic reaction.

Symptoms may include:

- wheezing/difficulty breathing
- shock
- facial swelling
- hives
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredients in this preparation
- as a preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated ear drums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if

- irritation, sensitization, or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These product may cause irritation or chemical burns.
- use full strength
- do not dilute

Surgical hand scrub

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

Healthcare personnel handwash

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Skin wound and general skin cleanser

- thoroughly rinse the area to be cleansed with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

Other information

- store between 20-25 °C (68-77 °F)
- avoid excessive heat (above 104 °F/40 °C)

- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethylcellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water

*contains one or more of these ingredients

☐ **Questions or comments?** call **1.800.581.2528**, 24 hours a day, 7 days a week

Representative label and principal display panel

Dr. Dean

Chlorhexidine Gluconate

Liquid Solution

4.0%

Antimicrobial Skin Soap

FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook IL 60062

www.usamdsupply.com

4 FL OZ (118 mL)

NDC 81657-003-01

MADE IN THE USA

FDA APPROVED

Dr. Dean
Chlorhexidine Gluconate
Liquid Solution
4.0%
Antimicrobial Skin Soap
FOR EXTERNAL USE ONLY



Distributed by USA Medical Supply
Northbrook, IL 60062
www.usamdsupply.com

4 FL OZ (118 mL)

NDC 81657 003 010

DD103E



WARNING: This product can expose you to cocamid DEA, which is known to the State of California to cause cancer. For more information, go to www.P65Warnings.ca.gov

Drug Facts (continued)

Skin wound and general skin cleanser:

- thoroughly rinse the area to be cleaned with water
- apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
- rinse again thoroughly

Other information

- store between 20-25°C (68-77°F)
- avoid excessive heat (above 104°F/40°C)
- for additional information, see Safety Data Sheet (SDS)
- if swallowed get medical help or contact a Poison Control Center immediately

Inactive ingredients cocamide DEA,

cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water

Questions or comments?

call 1.800.581.2528, 24 hours a day, 7 days a week

Keep from freezing.

Drug Facts

Active ingredient

Chlorhexidine gluconate solution, 4%

Purposes

Healthcare personnel handwash
Skin wound and general skin cleanser

Uses

- surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient care
- healthcare personnel handwash: handwash to help reduce bacteria that potentially can cause disease
- skin wound and general skin cleanser: helps reduce bacteria on the skin

Lift Here For **Drug Facts**

Drug Facts (continued)

Warnings

For external use only

Allergy alert

This product may cause a severe allergic reaction.

- Symptoms may include:
- wheezing/difficultly breathing
 - shock
 - facial swelling
 - hives
 - rash
- If an allergic reaction occurs, stop use and seek medical help right away.

Do not use

- if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
- as a patient preoperative skin preparation (especially on the head or face)
- in contact with meninges
- in the genital area

When using this product

- keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.
- if contact occurs, rinse with cold water right away
- wounds which involve more than the superficial layers of the skin should not be routinely treated
- repeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin

Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.
- use full strength
- do not dilute

Surgical hand scrub:

- remove jewelry
- wet hands and forearms with water and apply 5 mL of the product
- wash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spaces
- rinse thoroughly with water
- wash for an additional 3 minutes with 5 mL of the product and rinse under running water
- dry thoroughly

Healthcare personnel handwash:

- wet hands with water
- dispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 seconds
- rinse and dry thoroughly

Dr. Dean
Chlorhexidine Gluconate
Liquid Solution
4.0%

Antimicrobial Skin Soap

FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook IL 60062

www.usamdsupply.com

8 FL OZ (236 mL)

NDC 81657-003-02

MADE IN THE USA

FDA APPROVED

<p>Drug Facts (continued)</p> <ul style="list-style-type: none">as a patient preoperative skin preparation (especially on the head or face)in contact with meningesin the genital area <p>When using this product</p> <ul style="list-style-type: none">keep out of eyes, ears, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or may cause deafness when instilled in the middle ear through perforated eardrums.if contact occurs, rinse with cold water right awaywounds which involve more than the superficial layers of the skin should not be routinely treatedrepeated general skin cleansing of large body areas should not be done except when an underlying condition makes it necessary to reduce the bacterial population of the skin <p>Stop use and ask a doctor if irritation, sensitization or allergic reaction occurs and lasts for 72 hours. These may be signs of a serious condition.</p> <p>Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.</p>	<p>Drug Facts (continued)</p> <p>Directions</p> <ul style="list-style-type: none">use with care in premature infants or infants under 2 months of age. These products may cause irritation or chemical burns.use full strengthdo not dilute <p>Surgical hand scrub:</p> <ul style="list-style-type: none">remove jewelrywet hands and forearms with water and apply 5 mL of the productwash/scrub hands and forearms for 3 minutes paying particular attention to the nails, cuticles, and interdigital spacesrinse thoroughly with waterwash for an additional 3 minutes with 5 mL of the product and rinse under running waterdry thoroughly <p>Healthcare personnel handwash:</p> <ul style="list-style-type: none">wet hands with waterdispense about 5 mL of product into cupped hands and wash in a vigorous manner for 30 secondsrinse and dry thoroughly <p>Skin wound and general skin cleanser:</p> <ul style="list-style-type: none">thoroughly rinse the area to be cleansed with water	<p>Dr. Dean Chlorhexidine Gluconate Liquid Solution 4.0% Antimicrobial Skin Soap FOR EXTERNAL USE ONLY</p> <p>Distributed by USA Medical Supply Northbrook, IL 60062 www.usamdsupply.com</p> <p>8 fl oz (236 mL)</p> <p>FDA APPROVED</p> <p>3 81657 00302 7</p>	<p>NDC 81657 003 02</p> <p>DD1036</p> <p>WARNING: This product can expose you to cocaine base (DEA), which is known to the State of California to cause cancer. For more information, go to www.P60Warnings.ca.gov</p>
---	---	--	---

<p>Drug Facts (continued)</p> <ul style="list-style-type: none">apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.rinse again thoroughly <p>Other information</p> <ul style="list-style-type: none">store between 20-25°C (68-77°F)avoid excessive heat (above 104°F/40°C)for additional information, see Safety Data Sheet (SDS)if swallowed get medical help or contact a Poison Control Center immediately <p>Inactive ingredients cocamide DEA, cocamine oxide, fragrance, gluconic acid*, gluconolactone*, hydroxyethyl cellulose, isopropyl alcohol 4%, PEG-75 lanolin, PEG-150 distearate, propylene glycol, quaternium-60, water *contains one or more of these ingredients</p> <p>Questions or comments? call 1.800.581.2528, 24 hours a day, 7 days a week</p> <p>Keep from freezing.</p>
--

<p>Drug Facts</p> <p>Active ingredient Purposes</p> <p>Chlorhexidine gluconate solution, 4%..... Surgical hand scrub Healthcare personnel handwash Skin wound and general skin cleanser</p> <p>Uses</p> <ul style="list-style-type: none">surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearms prior to surgery or patient carehealthcare personnel handwash: handwash to help reduce bacteria that potentially can cause diseaseskin wound and general skin cleanser: helps reduce bacteria on the skin <p>Warnings</p> <p>For external use only</p> <p>Allergy alert This product may cause a severe allergic reaction. Symptoms may include:</p> <ul style="list-style-type: none">wheezing/difficulty breathing ■ shockfacial swelling ■ hives ■ rash <p>If an allergic reaction occurs, stop use and seek medical help right away.</p> <p>Do not use</p> <ul style="list-style-type: none">if you are allergic to chlorhexidine gluconate or any other ingredient in this preparation	<p>Lift here for Drug Facts</p>
---	---------------------------------

Dr. Dean

Chlorhexidine Gluconate

Liquid Solution

4.0%

Antimicrobial Skin Soap

FOR EXTERNAL USE ONLY

Distributed by USA Medical Supply

Northbrook IL 60062

www.usamdsupply.com

128 FL OZ (3785 mL)

NDC 81657-003-03

MADE IN THE USA

FDA APPROVED



FOR EXTERNAL USE ONLY

NDC 81657 003 03

Drug Facts

Active ingredient
Chlorhexidine gluconate solution, 4%

Purpose
Original form soap
Healthcare personnel handwash
Skin wash and general skin cleanser

Uses
• Surgical hand scrub: significantly reduces the number of microorganisms on the hands and forearm prior to surgery or patient care
• Healthcare personnel handwash: reduces the risk of infection, the primary cause of nosocomial disease
• Skin wash and general skin cleanser: helps reduce bacteria on the skin

Warnings
For external use only
Caution: This product may cause a severe allergic reaction. Symptoms may include:
• Wheezing/difficult breathing
• Skin allergy: redness, itching, and/or swelling
• Facial swelling
• Rash
• Itch
Do not use
• If you are allergic to chlorhexidine gluconate or any other ingredient in this preparation
• If you have a known hypersensitivity to any ingredient (especially on the face) to take
• If you have a known hypersensitivity to propylene glycol
• If you have a known hypersensitivity to water
• If you are pregnant or breastfeeding
When using this product
• Avoid use of eyes, lips, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or in eye contact with skin. Wash thoroughly with water.
• Avoid use of mouth, lips, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or in eye contact with skin. Wash thoroughly with water.
• Avoid use of mouth, lips, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or in eye contact with skin. Wash thoroughly with water.
• Avoid use of mouth, lips, and mouth. May cause serious and permanent eye injury if placed or kept in the eye during surgical procedures or in eye contact with skin. Wash thoroughly with water.
Stop use and ask a doctor if:
• Rash, redness, or irritation develops or persists more than 72 hours. There may be signs of a serious condition.
• Symptoms worsen or persist for more than 72 hours.
• Symptoms persist for more than 72 hours.
Directions
• Use with care in premature infants or infants under 2 months of age. These products may cause irritation of chemical burns.

Drug Facts (continued)

• Use for 15-30 seconds
• Do not rinse
• Surgical hand scrub:
• Wet hands and forearm with water, and apply 3 mL of the product.
• Rub hands and forearm for 15-30 seconds applying particular attention to the nails, cuticles, and interdigital spaces.
• Rinse thoroughly with water.
• Use for an additional 2 minutes with 5 mL of the product and rinse under running water.
• Do not rinse.
Healthcare personnel handwash
• Wet hands with water.
• Dispense about 3 mL of product into cupped hands and wash in a vigorous manner for 30 seconds.
• Rinse and dry thoroughly.
Skin wash and general skin cleanser
• Thoroughly wet the skin to be cleaned with water.
• Apply the minimum amount of product necessary to cover the skin or wound area and wash gently. Rinse thoroughly with water.
How right to use
• See the back of the box for more information.
Other information
• Store at 20°C to 25°C (68°F to 77°F).
• Avoid excessive heat (above 104°F/40°C).
• For additional information, contact the manufacturer.
Inactive ingredients
Glycerin, PEG-20 diethylene glycol, polyethylene glycol, polyethylene glycol, water.
Questions or comments?
Call 1-800-848-2828 (24 hours a day / 7 days a week)
Distributed by USA Medical Supply
Northbrook, IL 60062
www.usamdsupply.com
001038
Keep from freezing
3 81657 00303 4

DR. DEAN

chlorhexidine gluconate liquid solution 4% solution

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:81657-003(NDC:42939-128)
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
CHLORHEXIDINE GLUCONATE (UNII: MOR84MUD8E) (CHLORHEXIDINE - UNII:R4KO0DY52L)	CHLORHEXIDINE GLUCONATE	40 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
COCO DIETHANOLAMIDE (UNII: 92005F972D)	
COCAMINE OXIDE (UNII: QWA2IZI6FI)	
GLUCONIC ACID (UNII: R4R8J0Q44B)	
GLUCONOLACTONE (UNII: WQ29KQ9POT)	
HYDROXYETHYL CELLULOSE (3000 CPS AT 1%) (UNII: 7Q6P4JN1QT)	
ISOPROPYL ALCOHOL (UNII: ND2M416302)	
PEG-75 LANOLIN (UNII: 09179OX7TB)	
PEG-150 DISTEARATE (UNII: 6F36Q0I0AC)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
QUATERNIUM-33 (UNII: XPS4174QZJ)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:81657-003-01	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	07/22/1986	
2	NDC:81657-003-03	3785 mL in 1 JUG; Type 0: Not a Combination Product	07/22/1986	
3	NDC:81657-003-02	236 mL in 1 BOTTLE; Type 0: Not a Combination Product	07/22/1986	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
NDA	NDA019258	07/22/1986	

Labeler - USA Medical Supply LLC (117790416)

Revised: 6/2021

USA Medical Supply LLC