

CARE ONE CLEARLAX- polyethylene glycol 3350 powder, for solution
American Sales Company

American Sales Company ClearLax® Drug Facts

Active ingredient (in each dose)

Polyethylene Glycol 3350, 17 g (cap filled to line)

Purpose

Osmotic Laxative

Use

- relieves occasional constipation (irregularity)
- generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use

if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have

- nausea, vomiting or abdominal pain
- a sudden change in bowel habits that lasts over 2 weeks
- irritable bowel syndrome

Ask a doctor or pharmacist before use if you are

taking a prescription drug

When using this product

you may have loose, watery, more frequent stools

Stop use and ask a doctor if

- you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.
- you get diarrhea
- you need to use a laxative for longer than 1 week

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- do not take more than directed unless advised by your doctor
- the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap)
- adults and children 17 years of age and older:
- fill to top of white section in cap which is marked to indicate the correct dose (17 g)
- stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink
- use once a day
-

Use no more than 7 days

use no more than 7 days

- children 16 years of age or under: ask a doctor

Other information

- store at 20°-25°C (68°-77°F)
- tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients

none

Questions or comments?

1-800-719-9260

Principal Display Panel

Compare to the active ingredient in MiraLAX®

CLEARLAX®

Polyethylene Glycol 3350 Powder for Solution, Osmotic Laxative

Relieves Occasional Constipation / Irregularity


Softens Stool

GRIT FREE UNFLAVORED POWDER

7 ONCE-DAILY DOSES

GLUTEN FREE

NET WT 4.1 OZ (119g)



Polyethylene Glycol 3350, 17 g (cap filled to line).....Osmotic Laxative

Use ■ relieves occasional constipation (irregularity)
 ■ generally produces a bowel movement in 1 to 3 days

Warnings

Allergy alert: Do not use if you are allergic to polyethylene glycol

Do not use if you have kidney disease, except under the advice and supervision of a doctor

Ask a doctor before use if you have ■ nausea, vomiting or abdominal pain ■ a sudden change in bowel habits that lasts over 2 weeks ■ irritable bowel syndrome

Ask a doctor or pharmacist before use if you are taking ◀ a prescription drug

DISTRIBUTED BY:
 FOODS DRUGS &
 LANSING, MD 20:
 1-877-846-9949
 ©2016 S&S Brands, I
 Quality guaranteed
 or your money back

: 306D9 D4 B3

Important information

Stop use and ask a doctor if ■ you have rectal bleeding or your nausea, bloating, cramping or abdominal pain gets worse. These may be signs of a serious condition.

■ you get diarrhea ■ you need to use a laxative for longer than 1 week

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions ■ do not take more than directed unless advised by your doctor ■ the bottle top is a measuring cap marked to contain 17 grams of powder when filled to the indicated line (white section in cap) ■ adults and children 17 years of age and older: ■ fill to top of white section in cap which is marked to indicate the correct dose (17 g) ■ stir and dissolve in any 4 to 8 ounces of beverage (cold, hot or room temperature) then drink ■ use once a day ■ use no more than 7 days ■ children 16 years of age or under: ask a doctor

Other information ■ store at 20°-25°C (68°-77°F)
 ■ tamper-evident: do not use if printed foil seal under cap is missing, open or broken

Inactive ingredients none

Questions or comments? 1-800-719-9260

* Sugar Free
 *This product is not manufactured or distributed by Bayer HealthCare, LLC distributor of MiraLAX®.

CARE ONE CLEARLAX

polyethylene glycol 3350 powder, for solution

Product Information

Product Type	HUMAN OTC DRUG LABEL	Item Code (Source)	NDC:41520-306
Route of Administration	ORAL	DEA Schedule	

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
POLYETHYLENE GLYCOL 3350 (POLYETHYLENE GLYCOL 3350)	POLYETHYLENE GLYCOL 3350	17 g in 17 g

Product Characteristics

Color	WHITE	Score	
Shape		Size	
Flavor		Imprint Code	
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:41520-306-02	238 g in 1 BOTTLE; Combination Product Type = C112160	10/09/2009	
2	NDC:41520-306-03	510 g in 1 BOTTLE; Combination Product Type = C112160	10/09/2009	
3	NDC:41520-306-01	119 g in 1 BOTTLE; Combination Product Type = C112160	08/08/2013	
4	NDC:41520-306-18	153 g in 1 BOTTLE; Combination Product Type = C112160	02/01/2014	
5	NDC:41520-306-17	289 g in 1 BOTTLE; Combination Product Type = C112160	01/25/2014	
6	NDC:41520-306-19	595 g in 1 BOTTLE; Combination Product Type = C112160	02/09/2014	
7	NDC:41520-306-04	850 g in 1 BOTTLE; Combination Product Type = C112160	08/28/2013	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA090685	10/09/2009	

Labeler - American Sales Company (809183973)

Revised: 12/2016

American Sales Company