

CHILDRENS PAIN RELIEF- acetaminophen tablet, chewable DISCOUNT DRUG MART

Drug Facts

Active ingredient (in each tablet)

Acetaminophen USP 160 mg

Purpose

Pain reliever/fever reducer

Uses

- temporarily relieves minor aches and pains due to:
 - the common cold
 - flu
 - headache
 - sore throat
 - toothache
- temporarily reduces fever

Warnings

- **Liver warning:** This product contains acetaminophen. Severe liver damage may occur if your child takes:
 - more than 5 doses in 24 hours, which is the maximum daily amount
 - with other drugs containing acetaminophen
- **Allergy alert:** Acetaminophen may cause severe skin reactions. Symptoms may include:
 - skin reddening
 - blisters
 - rash.

If a skin reaction occurs, stop use and seek medical help right away.

- **Sore throat warning:** If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use

- with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or

pharmacist.

- if your child is allergic to acetaminophen or any of the inactive ingredients in this product.

Ask a doctor before use if your child has

liver disease.

Ask a doctor or pharmacist before use if your child is

taking the blood thinning drug warfarin.

When using this product

do not exceed recommended dosage.

Stop use and ask a doctor if

- pain gets worse or lasts more than 5 days
- fever gets worse or lasts more than 3 days
- new symptoms occur
- redness or swelling is present

These could be signs of a serious condition.

Keep out of reach of children.

Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions

- **this product does not contain directions or complete warnings for adult use.**
- **do not give more than directed (see overdose warning)**
- find right dose on chart below. If possible, use weight to dose; otherwise, use age
- chew before swallowing; this product will soften in mouth for ease of chewing
- repeat dose every 4 hours while symptoms last
- do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets)*
-------------	----------	-----------------

under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

* or as directed by a doctor

Other information

- store at 20° to 25°C (68° to 77°F). Avoid high humidity.
- Tamper Evident: Do not use if carton is open or if printed seal on blister is broken or missing.

Inactive ingredients

citric acid anhydrous, colloidal silicon dioxide, copovidone, crospovidone, D&C red No.27 lake, D&C red 30 aluminum lake, dextrose monohydrate, ethylcellulose, FD &C Blue No.1 lake, flavor, magnesium stearate, mannitol, sodium starch glycolate, stearic acid, sucralose.

Questions or comments?

Call 1-855-274-4122

* This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol[®] Chewables.

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN

Distributed by:Discount Drug Mart
211 Commerce Drive
Medina, OH 44256
www.discount-drugmart.com

PACKAGE LABEL-PRINCIPAL DISPLAY PANEL - 160 mg (24 Chewable Tablets)

NDC 53943-836-76

***Compare to the active ingredient
in Children's Tylenol[®] Chewables
Ages 2-11
Children's Pain Relief
Acetaminophen 160 mg
Pain reliever/Fever reducer**

- **Aspirin Free**
- **Ibuprofen Free**

Grape Flavor

24
Chewable Tablets



Ages 2-11
Children's Pain Relief
Acetaminophen 160 mg
 Pain reliever/Fever reducer
 Grape Flavor

24
 Chewable Tablets

*Compare to the active ingredient in Children's Tylenol[®] Chewables



NDC 53943-836-76

Ages 2-11
Children's Pain Relief
Acetaminophen 160 mg

Pain reliever/Fever reducer

• Aspirin Free • Ibuprofen Free



24
 Chewable Tablets

Grape Flavor

880 # NKS
 2320002006

RETAIN CARTON FOR COMPLETE PRODUCT INFORMATION

DO NOT USE WITH OTHER MEDICINES CONTAINING ACETAMINOPHEN TAMPER EVIDENT: DO NOT USE IF CARTON IS OPEN OR IF PRINTED SEAL OR BLISTER IS BROKEN OR MISSING.

SATISFACTION GUARANTEED
 IF DISSATISFIED, RETURN UNUSED PORTION AND PACKAGE TO STORE WHERE PURCHASED. IF UNABLE TO RETURN TO STORE, SEND REASON FOR DISSATISFACTION, NAME, ADDRESS AND EMPTY PACKAGE TO: DISCOUNT DRUG MART, 211 COMMERCIAL DRIVE, MEDINA, OHIO 44256

*This product is not manufactured or distributed by McNeil Consumer Healthcare, owner of the registered trademark Children's Tylenol[®] Chewables. Distributed by: Discount Drug Mart 211 Commercial Drive Medina, OH 44256 www.discount-drugmart.com



Drug Facts (continued)

■ find right dose on chart below. If possible, use weight to dose; otherwise, use age. ■ chew before swallowing; this product will soften in mouth for ease of chewing. ■ repeat dose every 4 hours while symptoms last. ■ do not give more than 5 times in 24 hours

Weight (lb)	Age (yr)	Dose (tablets)*
under 24	under 2 years	ask a doctor
24-35	2-3 years	1 tablet
36-47	4-5 years	1½ tablets
48-59	6-8 years	2 tablets
60-71	9-10 years	2½ tablets
72-95	11 years	3 tablets

* or as directed by a doctor

Other information

■ store at 20° to 25° C (68° to 77° F). Avoid high humidity. ■ Tamper Evident: Do not use if carton is open or if printed seal on blister is broken or missing.

Inactive ingredients

citric acid anhydrous, colloidal silicon dioxide, copovidone, croscopolone, D&C red No. 27 lake, D&C red 30 aluminum lake, dextrose monohydrate, dihydrochloride, FD&C Blue No. 1 lake, flavor, magnesium stearate, mannitol, sodium starch glycolate, stearic acid, sucralose.

Drug Facts (continued)

Questions or comments? Call 1-855-274-4122

Lot: _____
 EXP: _____

Drug Facts (continued)

any of the inactive ingredients in this product

Ask a doctor before use if your child has liver disease.

Ask a doctor or pharmacist before use if your child is taking the blood thinning drug warfarin.

When using this product do not exceed recommended dosage.

Stop use and ask a doctor if
 ■ pain gets worse or lasts more than 5 days
 ■ fever gets worse or lasts more than 3 days
 ■ new symptoms occur
 ■ redness or swelling is present
 These could be signs of a serious condition.

Keep out of reach of children.
Overdose warning: Taking more than the recommended dose (overdose) may cause liver damage. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away. Prompt medical attention is critical for adults as well as for children even if you do not notice any signs or symptoms.

Directions ■ this product does not contain directions or complete warnings for adult use.
 ■ do not give more than directed (see overdose warning)

Drug Facts

Active ingredient (in each tablet) Purpose

Acetaminophen USP 160 mg.....Pain reliever/fever reducer

Uses

■ temporarily relieves minor aches and pains due to:
 ■ the common cold ■ flu
 ■ headache ■ sore throat ■ toothache
 ■ temporarily reduces fever

Warnings

Liver warning: This product contains acetaminophen. Severe liver damage may occur if your child takes:
 ■ more than 5 doses in 24 hours, which is the maximum daily amount
 ■ with other drugs containing acetaminophen

Allergy alert: Acetaminophen may cause severe skin reactions. Symptoms may include:
 ■ skin reddening ■ blisters ■ rash. If a skin reaction occurs, stop use and seek medical help right away.
Sore throat warning: If sore throat is severe, persists for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

Do not use ■ with any other drug containing acetaminophen (prescription or nonprescription). If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
 ■ if your child is allergic to acetaminophen or

CHILDRENS PAIN RELIEF

acetaminophen tablet, chewable

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:53943-836
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ACETAMINOPHEN (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	160 mg

Inactive Ingredients

Ingredient Name	Strength
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
COPOVIDONE K25-31 (UNII: D9C330MD8B)	
CROSPVIDONE (120 .MU.M) (UNII: 68401960MK)	
D&C RED NO. 27 (UNII: 2LRS185U6K)	
D&C RED NO. 30 (UNII: 2S42T2808B)	
DEXTROSE MONOHYDRATE (UNII: LX22YL083G)	
ETHYLCELLULOSE (4 MPA.S) (UNII: KC5472WRJK)	
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MANNITOL (UNII: 3OWL53L36A)	
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
SUCRALOSE (UNII: 96K6UQ3ZD4)	

Product Characteristics

Color	purple	Score	2 pieces
Shape	ROUND	Size	16mm
Flavor	GRAPE	Imprint Code	J26
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:53943-836-76	4 in 1 CARTON	09/13/2017	
1		6 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M013	09/13/2017	

Labeler - DISCOUNT DRUG MART (047741335)

Registrant - Aurohealth LLC (078728447)

Establishment

Name	Address	ID/FEI	Business Operations
APL HEALTHCARE LIMITED		650844777	manufacture(53943-836)

Revised: 12/2023

DISCOUNT DRUG MART