

**BAPTISIA TINCTORIA- baptisia tinctoria pellet**  
**Hahnemann Laboratories, Inc.**

*Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.*

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 6C

**Min. net wt: 5g of pellets**

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

**TWIST TO OPEN - USE ONLY IF SEALED**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 6C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

**BAPTISTIA  
TINCTORIA  
30C**

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

# BAPTISTIA TINCTORIA 100C

Min. net wt: 1g

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

Keep out of reach  
of children

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

# BAPTISTIA TINCTORIA 200C

Min. net wt: 1g

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

Keep out of reach  
of children

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

# BAPTISTIA TINCTORIA 500C

Min. net wt: 1g

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

Keep out of reach  
of children

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

# BAPTISTIA TINCTORIA 1M

**Min. net wt: 1g**

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

**Keep out of reach  
of children**

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 1M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc.

# BAPTISTIA TINCTORIA 10M

Min. net wt: 1g

HOMEOPATHIC  
MEDICINE HPUS

*Active ingredient:*

Listed above

*Use:* Traditional use  
such as vomiting.

Keep out of reach  
of children

*Directions:* Take 5  
pellets orally once

*Inactive ingredients:*

sucrose



00000

**TWIST TO OPEN - USE ONLY IF SEALED.**

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 10M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 10M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

# BAPTISIA TINCTORIA

## 10M

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE      HPUS

**Drug Facts: Active ingredients:** Listed above

**Uses:** This product is intended for traditional homeopathic use such as vomiting.

**Warnings:** ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

**Keep out of reach of children.**

**Directions:** Take 5 pellets orally once, or as directed by a health professional

**Inactive ingredients:** sucrose

**Questions?** Call toll free 888-427-6422

**Do not use if safety seal is broken.**



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

## BAPTISIA TINCTORIA

baptisia tinctoria pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-356
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	200 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-356-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-356-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-356-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
4	NDC:63545-356-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2021	

## BAPTISIA TINCTORIA

baptisia tinctoria pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63545-354
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	30 [hp_C]

## Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

## Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	3mm
Flavor		Imprint Code	
Contains			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-354-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-354-03	1200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-354-04	4000 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
4	NDC:63545-354-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2021	

## BAPTISIA TINCTORIA

baptisia tinctoria pellet

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-352
Route of Administration	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	6 [hp_C]

## Inactive Ingredients



Ingredient Name		Strength		
SUCROSE (UNII: C151H8M554)				
<b>Product Characteristics</b>				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				
<b>Packaging</b>				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-352-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-352-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-352-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
<b>Marketing Information</b>				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/22/2021		

BAPTISIA TINCTORIA			
baptisia tinctoria pellet			
<b>Product Information</b>			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-353
Route of Administration	ORAL		
<b>Active Ingredient/Active Moiety</b>			
Ingredient Name	Basis of Strength	Strength	
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	12 [hp_C]	
<b>Inactive Ingredients</b>			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			

Product Characteristics				
Color	white	Score	no score	
Shape	ROUND	Size	3mm	
Flavor		Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-353-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-353-02	1200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-353-03	4000 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		06/22/2021		

BAPTISIA TINCTORIA			
baptisia tinctoria pellet			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-355
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	100 [hp_C]	
Inactive Ingredients			
Ingredient Name	Strength		
SUCROSE (UNII: C151H8M554)			
Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-355-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-355-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-355-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
4	NDC:63545-355-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2021	

**BAPTISIA TINCTORIA**

baptisia tinctoria pellet

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63545-358
<b>Route of Administration</b>	ORAL		

**Active Ingredient/Active Moiety**

Ingredient Name	Basis of Strength	Strength
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	1 [hp_M]

**Inactive Ingredients**

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

**Product Characteristics**

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-358-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-358-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-358-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
4	NDC:63545-358-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2021	

## BAPTISIA TINCTORIA

baptisia tinctoria pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-359
Route of Administration	ORAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
BAPTISIA TINCTORIA ROOT (UNII: 5EF0HW5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HW5WU)	BAPTISIA TINCTORIA ROOT	10 [hp_M]	

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics			
Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:63545-359-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-359-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
3	NDC:63545-359-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
4	NDC:63545-359-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2021	

## BAPTISIA TINCTORIA

baptisia tinctoria pellet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63545-357
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>BAPTISIA TINCTORIA ROOT</b> (UNII: 5EF0HM5WU) (BAPTISIA TINCTORIA ROOT - UNII:5EF0HM5WU)	BAPTISIA TINCTORIA ROOT	500 [hp_C]

### Inactive Ingredients

Ingredient Name	Strength
<b>SUCROSE</b> (UNII: C151H8M554)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	2mm
<b>Flavor</b>		<b>Imprint Code</b>	
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63545-357-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	
2	NDC:63545-	3000 in 1 BOTTLE, GLASS; Type 0: Not a	06/22/2021	

2	357-03	Combination Product	06/22/2021	
3	NDC:63545-357-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	06/22/2021	
4	NDC:63545-357-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	06/22/2021	

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		06/22/2021	

**Labeler** - Hahnemann Laboratories, Inc. (147098081)

## Establishment

Name	Address	ID/FEI	Business Operations
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-352, 63545-353, 63545-354, 63545-355, 63545-356, 63545-357, 63545-358, 63545-359)

Revised: 6/2021

Hahnemann Laboratories, Inc.