

**CHILDRENS ALLERGY- diphenhydramine hcl liquid  
QUALITY CHOICE (Chain Drug Marketing Association)**

-----  
**Drug Facts**

**Active ingredient (in each 5 mL)**

Diphenhydramine HCl 12.5 mg

**Purpose**

Antihistamine

**Uses**

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- sneezing
- running nose
- itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is**

taking sedatives or tranquilizers

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

## Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yrs)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

## Other information

- each 5 mL contains: **sodium 6 mg**
- store between 20-25°C (68-77°F). Do not refrigerate.
- Protect from light. Store in outer carton until contents are used

## Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

## Questions or comments?

Call **1-248-449-9300 Monday-Friday 9AM-5PM EST**

## Principal Display Panel

\*Compare to the active ingredient in Children's Benadryl® Allergy

### Children's Allergy

Oral Solution

Diphenhydramine HCl 12.5 mg

Antihistamine

Relief of Runny Nose, Sneezing, Itchy Throat & Itchy, Watery Eyes

For Ages 6 to 11 Years

Alcohol Free

Cherry Flavor

FL OZ (mL)

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Benadryl® Allergy.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.**

Distributed by C.D.M.A., Inc.©

43157 W. Nine Mile

Novi, MI 48375-0995

www.qualitychoice.com

### Package Label

**Drug Facts (continued)**

**Inactive ingredients** citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

**Questions or comments?**  
Call 1-248-449-9300 Monday-Friday 9AM-5PM EST

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.

NDC 63868-823-54

**QC**  
QUALITY CHOICE

\*Compare to the active ingredient in Children's Benadryl® Allergy

## Children's Allergy

**Oral Solution**

Diphenhydramine HCl 12.5 mg Antihistamine

Relief of Runny Nose, Sneezing, Itchy Throat & Itchy, Watery Eyes

For Ages 6 to 11 Years  
Alcohol Free



**Cherry Flavor**

**4 FL OZ (118 mL)**

NDC 63868-823-54

**QC**  
QUALITY CHOICE

\*Compare to the active ingredient in Children's Benadryl® Allergy

## Children's Allergy

**Oral Solution**

Diphenhydramine HCl 12.5 mg Antihistamine

Relief of Runny Nose, Sneezing, Itchy Throat & Itchy, Watery Eyes

For Ages 6 to 11 Years  
Alcohol Free



**Cherry Flavor**

**4 FL OZ (118 mL)**

**Drug Facts**

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing ■ runny nose ■ itchy, watery eyes
- itching of the nose or throat

**Warnings**

**Do not use**

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

**Ask a doctor before use if the child has**

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

**Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.**

**When using this product**

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- mL = milliliter ■ keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

**Other information**

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.



PLD-G241C F0004048

Lot No:  
Exp. Date:

**QUALITY CHOICE Children's Allergy Cherry Flavor**

# CHILDRENS ALLERGY

diphenhydramine hcl liquid

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:63868-823
<b>Route of Administration</b>	ORAL		

## Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>DIPHENHYDRAMINE HYDROCHLORIDE</b> (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII: 8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL

## Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS CITRIC ACID</b> (UNII: XF417D3PSL)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>WATER</b> (UNII: 059QF0K0OR)	
<b>D&amp;C RED NO. 33</b> (UNII: 9DBA0SBB0L)	
<b>SODIUM BENZOATE</b> (UNII: OJ245FE5EU)	
<b>SUCROSE</b> (UNII: C151H8M554)	
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>POLOXAMER 407</b> (UNII: TUF2IVW3M2)	
<b>SODIUM CHLORIDE</b> (UNII: 451W47IQ8X)	
<b>TRISODIUM CITRATE DIHYDRATE</b> (UNII: B22547B95K)	

## Product Characteristics

<b>Color</b>	pink	<b>Score</b>	
<b>Shape</b>		<b>Size</b>	
<b>Flavor</b>	CHERRY	<b>Imprint Code</b>	
<b>Contains</b>			

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:63868-823-54	1 in 1 BOX	06/30/2014	
1		118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
--------------------	--	----------------------	--------------------

OTC Monograph Drug M012

06/30/2014

**Labeler** - QUALITY CHOICE (Chain Drug Marketing Association) (011920774)

Revised: 4/2024

QUALITY CHOICE (Chain Drug Marketing Association)