

**ALL DAY ALLERGY RELIEF- cetirizine hcl tablet**  
**P & L Development, LLC**

-----  
**Drug Facts**

**Active ingredient (in each tablet)**

Cetirizine HCl 10 mg

**Purpose**

Antihistamine

**Uses**

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
  - runny nose
  - sneezing
  - itchy, watery eyes
  - itching of the nose or throat

**Warnings**

**Do not use**

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

**Ask a doctor before use if you have**

liver or kidney disease. Your doctor should determine if you need a different dose.

**Ask a doctor or pharmacist before use if you are**

taking tranquilizers or sedatives.

**When using this product**

- drowsiness may occur
- alcohol, sedatives, and tranquilizers may increase drowsiness
- avoid alcoholic drinks
- be careful when driving a motor vehicle or operating machinery

**Stop use and ask a doctor if**

an allergic reaction to this product occurs. Seek medical help right away.

**If pregnant or breast-feeding:**

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

**Directions**

---

adults and children 6 years and over	Take one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.
adults 65 years and over	ask a doctor
children under 6 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

---

**Other Information**

- store between 20° to 25°C (68° to 77°F)
- contains no ingredient made from a gluten-containing grain(wheat, barley or rye)

**Inactive ingredients**

colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide

**Questions or comments?**

Call **1-877-753-3935 Monday-Friday 9AM-5PM EST**

**Principal Display Panel**

Compare to the active ingredient in **Zyrtec®\***

all day allergy relief

cetirizine HCl 10 mg

antihistamine

treats indoor & outdoor allergies

original prescription strength

24 hour relief of:

- sneezing
- itchy, watery eyes
- runny nose
- itchy throat or nose

tablets

\*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Zyrtec®.

**TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.**

**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.**

Distributed by:

**PL Developments**

200 Hicks Street

Westbury, NY 11590

**Package Labeling**

<b>Drug Facts</b>	
<b>Active ingredient</b> (in each tablet) Cetirizine HCl 10 mg.....Antihistamine	<b>Purpose</b>
<b>Uses</b> Temporarily relieves these symptoms due to hay fever or other upper respiratory allergies: ■ runny nose ■ sneezing ■ itchy, watery eyes ■ itching of the nose or throat	
<b>Warnings</b> Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine. <b>Ask a doctor before use if you have liver or kidney disease.</b> Your doctor should determine if you need a different dose. <b>Ask a doctor or pharmacist before use if you are taking</b> tranquilizers or sedatives.	
<b>When using this product</b> ■ drowsiness may occur ■ avoid alcoholic drinks ■ alcohol, sedatives, and tranquilizers may increase drowsiness ■ be careful when driving a motor vehicle or operating machinery	
<b>Stop use and ask a doctor if an allergic reaction to this product occurs.</b> Seek medical help right away.	
<b>If pregnant or breast-feeding:</b> ■ If pregnant: ask a health professional before use ■ If breast-feeding: not recommended	
<b>Keep out of reach of children.</b> In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.	
<b>Drug Facts (continued)</b>	
<b>Directions</b> adults and children 6 years and over one 10 mg tablet once daily; do not take more than one 10 mg tablet in 24 hours. A 5 mg product may be appropriate for less severe symptoms.	<b>adults 65 years and over</b> ask a doctor
<b>children under 6 years of age</b> ask a doctor	<b>consumers with liver or kidney disease</b> ask a doctor
<b>Other information</b> ■ store between 20° to 25°C (68° to 77°F) ■ contains no ingredient made from a gluten-containing grain (wheat, barley or rye)	
<b>Inactive ingredients</b> colloidal silicon dioxide, croscarmellose sodium, hypromellose, lactose monohydrate, magnesium stearate, microcrystalline cellulose, polyethylene glycol, titanium dioxide	
<b>Questions or comments?</b> Call 1-877-753-3935 Monday-Friday 9AM-5PM EST	
*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Zyrtec®.	



# all day allergy relief

cetirizine HCl tablets 10 mg  
antihistamine



Compare to the active ingredient in Zyrtec®\*

NDC 59726-806-14

# all day allergy relief

cetirizine HCl 10 mg  
antihistamine

treats indoor &  
outdoor allergies

original prescription strength

EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF BLISTER IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING.  
CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION.

original prescription strength

24-hour relief of:

- sneezing
- itchy, watery eyes
- runny nose
- itchy throat or nose

14 tablets



actual size

TAMPER  
UNIT  
KEEP OUTER C

Lot No.:  
Exp. Date:



Distributed by:  
**PL Developments**  
200 Hicks Street  
Westbury, NY 11590

PLD-A539A  
FC005342



**READYinCASE All Day Allergy Relief**

## ALL DAY ALLERGY RELIEF

cetirizine hcl tablet

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:59726-806
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>CETIRIZINE HYDROCHLORIDE</b> (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	10 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MAGNESIUM STEARATE</b> (UNII: 70097M6I30)	
<b>POLYETHYLENE GLYCOL, UNSPECIFIED</b> (UNII: 3WJQ0SDW1A)	
<b>SILICON DIOXIDE</b> (UNII: ETJ7Z6XBU4)	
<b>CROSCARMELLOSE SODIUM</b> (UNII: M28OL1HH48)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	

### Product Characteristics

<b>Color</b>	white	<b>Score</b>	2 pieces
<b>Shape</b>	OVAL	<b>Size</b>	9mm
<b>Flavor</b>		<b>Imprint Code</b>	G;4

**Contains****Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:59726-806-05	5 in 1 CARTON	06/30/2018	
1		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:59726-806-14	14 in 1 CARTON	06/30/2018	
2		1 in 1 BLISTER PACK; Type 0: Not a Combination Product		

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA209274	06/30/2018	

**Labeler** - P & L Development, LLC (800014821)

Revised: 12/2022

P &amp; L Development, LLC