

CHILDRENS LORATADINE- loratadine tablet, chewable
TARGET CORPORATION

CHILDREN'S LORATADINE

Drug Facts

Active ingredient (in each chewable tablet)

Loratadine USP, 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- itchy, watery eyes
- sneezing
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

When using this product do not take more than directed. Taking more than directed may cause drowsiness.

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding, ask a health professional before use.

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- chew or crush tablets completely before swallowing.

adults and children 6 years	chew 2 tablets daily; not more than 2 chewable
--------------------------------	---

and over	tablets in 24 hours
children 2 to under 6 years of age	chew 1 tablet daily; not more than 1 chewable tablet in 24 hours
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other information

- phenylketonurics: contains phenylalanine 1.25 mg per tablet.
- **TAMPER EVIDENT: DO NOT USE IF BLISTER UNITS ARE TORN, BROKEN OR SHOW ANY SIGNS OF TAMPERING.**
- store between 20° to 25°C (68° to 77°F).

Inactive ingredients

aspartame, carmine, citric acid anhydrous, colloidal silicon dioxide, flavor, magnesium stearate, mannitol, microcrystalline cellulose, sodium starch glycolate, stearic acid

Questions?

Call **1-800-910-6874**

Distributed by Target Corporation
Minneapolis, MN 55403

PRINCIPAL DISPLAY PANEL - 5 mg Tablet Blister Pack Carton

NDC 11673-310-30

Compare to active ingredient in Children's Claritin[®] Chewables*

Ages 2+ Years/ Dye-Free

Children's Allergy

Loratadine Chewable Tablets USP, 5 mg
Antihistamine

- Non-drowsy**
- Indoor and outdoor allergies
- 24-hour relief of sneezing, runny nose, itchy, watery eyes, itchy throat or nose

up&up

**When taken as directed. See drug facts panel.

30 CHEWABLE TABLETS

THE CHEWABLE TABLETS ARE

TO BE CHEWED BEFORE SWALLOWING

GRAPE
FLAVOR

ACTUAL SIZE

30
CHEWABLE
TABLETS



16

CHILDRENS LORATADINE			
loratadine tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11673-310
Route of Administration	ORAL		
Active Ingredient/Active Moiety			

Ingredient Name		Basis of Strength	Strength	
LORATADINE (UNII: 7AJ03BO7QN) (LORATADINE - UNII: 7AJ03BO7QN)		LORATADINE	5 mg	
Inactive Ingredients				
Ingredient Name		Strength		
ASPARTAME (UNII: Z0H242BBR1)				
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)				
MAGNESIUM STEARATE (UNII: 70097M6I30)				
MANNITOL (UNII: 3OWL53L36A)				
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)				
SODIUM STARCH GLYCOLATE TYPE A POTATO (UNII: 5856J3G2A2)				
STEARIC ACID (UNII: 4ELV7Z65AP)				
Product Characteristics				
Color	white (white to off-white)	Score	no score	
Shape	ROUND (Flat face, beveled edge)	Size	10mm	
Flavor	GRAPE	Imprint Code	LC5	
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11673-310-30	3 in 1 CARTON	03/15/2024	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		
Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
ANDA	ANDA210088	03/15/2024		

Labeler - TARGET CORPORATION (006961700)

Registrant - Ohm Laboratories (051565745)

Establishment

Name	Address	ID/FEI	Business Operations
Ohm Laboratories		184769029	manufacture(11673-310)