

**DAY-TIME COLD AND FLU RELIEF- acetaminophen, phenylephrine,  
dextromethorphan capsule, liquid filled  
HealthLife of USA**

-----  
**Day-Time Cold & Flu Relief**

**Active ingredients (in each Softgels)**

Acetaminophen 325 mg

Dextromethorphan HBr 10 mg

Phenylephrine HCl 5 mg

**Purpose**

Pain reliever/Fever reducer

Cough suppressant

Nasal decongestant

**Uses**

temporarily relieves common cold/flu symptoms:

- nasal congestion
- cough due to minor throat & bronchial irritation
- sore throat
- headache
- minor aches and pains
- fever

**Warnings**

**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take

- more than 4 doses in 24 hrs, which is the maximum daily amount for this product
- with other drugs containing acetaminophen
- 3 or more alcoholic drinks daily while using this product

**Sore Throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use**

- with any other drug containing acetaminophen (prescription or nonprescription).
- if you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.
- if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain

drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**

- liver disease
- heart disease
- diabetes
- high blood pressure
- trouble urinating due to enlarged prostate gland
- cough that occurs with too much phlegm (mucus)
- persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are** taking the blood thinning drug warfarin

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if**

- you get nervous, dizzy or sleepless
- symptoms get worse or last more than 5 days (children) or 7 days (adults)
- fever gets worse or lasts more than 3 days
- redness or swelling is present
- new symptoms occur
- cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children. Overdose warning:**

Taking more than directed can cause serious health problems. In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.

**Direction**

- take only as directed
- do not exceed 4 doses per 24 hours

---

adults & children 12 yrs & over	2 softgels with water every 4 hrs
children 4 to under 12 yrs	ask a doctor
children under 4 yrs	do not use

---

**Other information**

- store at room temperature.

- TAMPER EVIDENT: This package is safety sealed & child resistant. Use only if blisters are intact. If difficult to open, use scissors.
- KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION

### Inactive ingredients

FD&C Red No.40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol, methyl paraben, propyl paraben, titanium dioxide.

### Questions or comments?

1-844-832-1138

M-F 9am-5pm EST

### Distributed by:

Health life of USA LLC  
Rahway, NJ 07065  
www.healthlifeus.com

\*This product is not manufactured or distributed by Procter & Gamble, Distributor of Vicks Dayquil<sup>®</sup>

### PACKAGE LABEL

**NDC 69517-160-10**

**10 Softgels**

### Day-Time Cold & Flu Relief

Acetaminophen, Phenylephrine, Dextromethorphan

- Aches, Fever & Sore Throat
- Nasal Congestion
- Cough

**\*Compare to the active ingredients in Vicks Dayquil<sup>®</sup>**



**Parents:**  
Learn about teen medicine abuse  
www.stopmedicabuse.org

**Drug Facts (Continued)**  
Questions? 1-844-832-1138  
Distributed by: -  
Health Life of USA LLC  
Ramsey, NJ 07065  
www.healthlifeusa.com

# Day-Time

## COLD & FLU

Day-Time Relief  
Multi-Symptom Relief

*Acetaminophen, Phenylephrine, Dextromethorphan*

- Aches, Fever & Sore Throat
- Nasal Congestion
- Cough



10 Softgels

Non-Drowsy \*Compare to the active ingredients in Vicks Dayquil®

Lot. No.:

Exp. Date:

Questions or comments?  
1-844-832-1138 M-F 9am-5pm EST  
**KEEP OUTER CARTON FOR COMPLETE WARNINGS AND PRODUCT INFORMATION**  
\*This product is not manufactured or distributed by Procter & Gamble. Distributor of Vicks Dayquil®

<b>Drug Facts (continued)</b> <b>Directions</b> • take only as directed • do not exceed 4 doses per 24 hours <table border="1"> <tr> <td>adults &amp; children 12 yrs &amp; over</td> <td>2 softgels with water every 4 hrs</td> </tr> <tr> <td>children 4 to under 12 yrs</td> <td>ask a doctor</td> </tr> <tr> <td>children under 4 yrs</td> <td>do not use</td> </tr> </table>	adults & children 12 yrs & over	2 softgels with water every 4 hrs	children 4 to under 12 yrs	ask a doctor	children under 4 yrs	do not use	<b>Drug Facts (continued)</b> <b>Other information</b> • store at room temperature  <b>Inactive ingredients</b> FD&C Red No. 40, FD&C Yellow No. 6, gelatin, glycerin, polyethylene glycol, povidone, propylene glycol, purified water, sorbitol, methyl paraben, propyl paraben, titanium dioxide
adults & children 12 yrs & over	2 softgels with water every 4 hrs						
children 4 to under 12 yrs	ask a doctor						
children under 4 yrs	do not use						

Drug Facts		Purpose
<b>Active ingredients (in each Softgels)</b>		
Acetaminophen 325 mg		Pain reliever/Fever reducer
Dextromethorphan HBr 10 mg		Cough suppressant
Phenylephrine HCl 5 mg		Nasal decongestant

**Uses** temporarily relieves common cold/flu symptoms:  
 • nasal congestion • cough due to minor throat & bronchial irritation  
 • sore throat • headache • minor aches and pains • fever

**Warnings**  
**Liver warning:** This product contains acetaminophen. Severe liver damage may occur if you take  
 • more than 4 doses in 24 hrs, which is the maximum daily amount for this product  
 • with other drugs containing acetaminophen  
 • 3 or more alcoholic drinks daily while using this product  
**Sore Throat warning:** If sore throat is severe, lasts for more than 2 days, is accompanied or followed by fever, headache, rash, nausea, or vomiting, consult a doctor promptly.

**Do not use:** • with any other drug containing acetaminophen (prescription or nonprescription).  
 If you are not sure whether a drug contains acetaminophen, ask a doctor or pharmacist.  
 • if you are now taking a prescription monoamine oxidase inhibitor (MAOI) (certain drugs for depression, psychiatric or emotional conditions, or Parkinson's disease), or for 2 weeks after stopping the MAOI drug. If you do not know if your prescription drug contains an MAOI, ask a doctor or pharmacist before taking this product.

**Ask a doctor before use if you have**  
 • liver disease • heart disease • diabetes • high blood pressure  
 • trouble urinating due to enlarged prostate gland • cough that occurs with too much phlegm (mucus)  
 • persistent or chronic cough as occurs with smoking, asthma, chronic bronchitis or emphysema

**Ask a doctor or pharmacist before use if you are taking the blood thinning drug warfarin**

**When using this product, do not use more than directed.**

**Stop use and ask a doctor if** • you get nervous, dizzy or sleepless  
 • symptoms get worse or last more than 5 days (children) or 7 days (adults) • fever gets worse or lasts more than 3 days  
 • redness or swelling is present • new symptoms occur  
 • cough comes back, or occurs with rash or headache that lasts. These could be signs of a serious condition.

**If pregnant or breast-feeding, ask a health professional before use.**

**Keep out of reach of children. Overdose warning:** Taken more than directed can cause serious health problems.  
 In case of overdose, get medical help or contact a Poison Control Center right away. Quick medical attention is critical for adults & for children even if you do not notice any signs or symptoms.



## DAY-TIME COLD AND FLU RELIEF

acetaminophen, phenylephrine, dextromethorphan capsule, liquid filled

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:69517-160
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>ACETAMINOPHEN</b> (UNII: 362O9ITL9D) (ACETAMINOPHEN - UNII:362O9ITL9D)	ACETAMINOPHEN	325 mg
<b>DEXTROMETHORPHAN HYDROBROMIDE</b> (UNII: 9D2RT9KYH) (DEXTROMETHORPHAN - UNII:7355X3ROTS)	DEXTROMETHORPHAN HYDROBROMIDE	10 mg
<b>PHENYLEPHRINE HYDROCHLORIDE</b> (UNII: 04JA59TNSJ) (PHENYLEPHRINE - UNII:1WS297W6MV)	PHENYLEPHRINE	5 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>FD&amp;C RED NO. 40</b> (UNII: WZB9127XOA)	
<b>FD&amp;C YELLOW NO. 6</b> (UNII: H77VEI93A8)	
<b>GELATIN</b> (UNII: 2G86QN327L)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>POLYETHYLENE GLYCOL 400</b> (UNII: B697894SGQ)	
<b>POVIDONE K30</b> (UNII: U725QWY32X)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>SORBITOL</b> (UNII: 506T60A25R)	
<b>METHYLPARABEN</b> (UNII: A2I8C7HI9T)	
<b>PROPYLPARABEN</b> (UNII: Z8IX2SC1OH)	
<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	

### Product Characteristics

<b>Color</b>	orange	<b>Score</b>	no score
<b>Shape</b>	CAPSULE	<b>Size</b>	21mm
<b>Flavor</b>		<b>Imprint Code</b>	SN2
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69517-160-10	1 in 1 CARTON	04/04/2023	
1		10 in 1 BLISTER PACK; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012	04/04/2023	

---

**Labeler** - HealthLife of USA (079656178)

**Registrant** - HealthLife of USA (079656178)

Revised: 10/2023

HealthLife of USA