LAXATIVE MAXIMUM STRENGTH- sennosides tablet, sugar coated DOLGENCORP, LLC

Dollar General 44-348 Delisted

Active ingredient (in each tablet)

Sennosides USP, 25 mg

Purpose

Stimulant laxative

Uses

- relieves occasional constipation (irregularity)
- generally produces bowel movement in 6 to 12 hours

Warnings

Do not use

laxative products when abdominal pain, nausea, or vomiting are present unless directed by a doctor.

Ask a doctor before use if you have

noticed a sudden change in bowel habits that persists over a period of 2 weeks.

Ask a doctor or pharmacist before use if you are

taking any other drug. Laxatives may affect how other drugs work. Take this product 2 or more hours before or after other drugs.

When using this product,

do not use for a period longer than 1 week.

Stop use and ask a doctor if

rectal bleeding or failure to have a bowel movement occur after use of a laxative. These may be signs of a serious condition.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-

Directions

- swallow tablet(s) with a glass of water
- swallow tablet(s) whole; do not crush, break, or chew

adults and children 12 years and	2 tablets once or twice
over	daily
children 6 to linder 17 years	1 tablet once or twice daily
children under 6 years	ask a doctor

Other information

- each tablet contains: calcium 40 mg, magnesium 5 mg
- TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE IS OPENED OR BLISTER IS TORN OR BROKEN
- store at 25°C (77°F); excursions permitted between 15°-30°C (59°-86°F)
- see end flap for expiration date and lot number

Inactive ingredients

acacia, calcium carbonate, carnauba wax, corn starch, dibasic calcium phosphate dihydrate, FD&C blue #1 aluminum lake, iron oxide black, magnesium stearate, methylparaben, microcrystalline cellulose, polyethylene glycol, polyvinyl alcohol, povidone, propylene glycol, propylparaben, shellac glaze, silicon dioxide, sodium benzoate, sodium lauryl sulfate, sucrose, talc, titanium dioxide

Questions or comments?

1-888-309-9030

Principal Display Panel

DG™| health

Compare to active ingredient of ex•lax®
Maximum Strength*

Maximum Strength Laxative

Sennosides USP, 25 mg Stimulant Laxative Overnight Relief of Constipation Gentle and Dependable

25

mg each

24 Coated Tablets

Actual Tablet Size

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

*This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the registered trademark ex•lax® Maximum Strength.

50844 REV0419J34808

DISTRIBUTED BY DOLGENCORP, LLC 100 MISSION RIDGE GOODLETTSVILLE, TN 37072

Keep out of reach of children. In case of overdose, ■ see end flap for expiration date and lot number professional before use. 12,-30,C (26,-86,E) If pregnant or breast-feeding, ask a health ■ store at 25°C (77°F); excursions permitted between IS OPENED OR BLISTER IS TORN OR BROKEN These may be signs of a serious condition. ■ TAMPER EVIDENT: DO NOT USE IF OUTER PACKAGE to have a bowel movement occur after use of a laxative. Stop use and ask a doctor if rectal bleeding or failure ■ each tablet contains: calcium 40 mg, magnesium longer than 1 week Other information When using this product, do not use for a period children under 6 years ask a doctor or after other drugs. drugs work. Take this product 2 or more hours before twice daily 12 years taking any other drug. Laxatives may affect how other 1 tablet once or children 6 to under Ask a doctor or pharmacist before use if you are twice daily 12 years and over adults and children 2 tablets once or change in bowel habits that persists over a period of 2 swallow tablet(s) whole; do not crush, break, or chew Ask a doctor before use if you have noticed a sudden ■ swallow tablet(s) with a glass of water Directions nausea, or vomiting are present unless directed by a Do not use laxative products when abdominal pain, (1-800-222-1222) right away. Warnings get medical help or contact a Poison Control Center **Drug Facts** (continued) **Drug Facts** (continued) evitexal Inalumit2.

B-0315-348-08-R REV0419J34808

'This product is not manufactured or distributed by GSK Consumer Healthcare S.A., owner of the registered trademark ex-lax® Maximum Strength.
50844 REV0419J34808

TAMPER EVIDENT: DO NOT USE IF PACKAGE IS OPENED OR IF BLISTER UNIT IS TORN, BROKEN OR SHOWS ANY SIGNS OF TAMPERING

Sennosides USP, 25 mg

(in each tablet) Active ingredient

Drug Facts

Purpose

COMPLETE PRODUCT INFORMATION KEEP OUTER PACKAGE FOR

■ generally produces bowel movement in 6 to 12 hours ■relieves occasional constipation (irregularity)

Drug Facts (continued)

<mark>DG</mark>™ health

Compare to active ingredient of ex•lax® Maximum Strength*

Maximum Strength

xative

Sennosides USP, 25 mg Stimulant Laxative

Overnight Relief of Constipation Gentle and Dependable

24 Coated Tablets

Actual Tablet Size

Questions or comments? 1-888-309-9030

microcrystalline cellulose, polyethylene glycol, black, magnesium stearate, methylparaben, dihydrate, FD&C blue #1 aluminum lake, iron oxide camauba wax, corn starch, dibasic calcium phosphate Inactive ingredients acada, calcium carbonate,

Drug Facts (continued)

benzoate, sodium lauryl sulfate, sucrose, talc, titanium propylparaben, shellac glaze, silicon dioxide, sodium polyvinyl alcohol, povidone, propylene glycol,

Drug Facts (continued)

ò

DISTRIBUTED BY
DOLGENCORP, LLC
100 MISSION RIDGE
GOODLETTSVILLE, TI
37072

WZ

 ∞

Dollar General 44-348

25 mg each

sennosides tablet, sugar coated

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:55910-348

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SENNOSIDES (UNII: 3FYP5M0IJX) (SENNOSIDES - UNII:3FYP5M0IJX)	SENNOSIDES	25 mg

Inactive Ingredients	
Ingredient Name	Strength
ACACIA (UNII: 5C5403N26O)	
CALCIUM CARBONATE (UNII: H0G9379FGK)	
CARNAUBA WAX (UNII: R12CBM0EIZ)	
STARCH, CORN (UNII: O8232NY3SJ)	
DIBASIC CALCIUM PHOSPHATE DIHYDRATE (UNII: O7TSZ97GEP)	
FD&C BLUE NO. 1 ALUMINUM LAKE (UNII: J9EQA3S2JM)	
FERROSOFERRIC OXIDE (UNII: XM0M87F357)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
POLYVINYL ALCOHOL, UNSPECIFIED (UNII: 532B59J990)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
PROPYLPARABEN (UNII: Z8IX2SC10H)	
SHELLAC (UNII: 46N107B710)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
SODIUM BENZOATE (UNII: OJ245FE5EU)	
SODIUM LAURYL SULFATE (UNII: 368GB5141J)	
SUCROSE (UNII: C151H8M554)	
TALC (UNII: 7SEV7J4R1U)	
TITANIUM DIOXIDE (UNII: 15FIX9V2JP)	

Product Characteristics				
Color	blue	Score	no score	
Shape	ROUND	Size	10mm	
Flavor		Imprint Code	44;348	
Contains				

ı	Pā	ackaging			
	#	Item Code	Package Description	Marketing Start Date	Marketing End Date

1	NDC:55910- 348-08	2 in 1 CARTON	01/02/2003	07/08/2024
1		12 in 1 BLISTER PACK; Type 0: Not a Combination Product		
N	larketing I	nformation		
	Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
O.	ΓC Monograph Dru	g 505G(a)(3)	01/02/2003	07/08/2024

Labeler - DOLGENCORP, LLC (068331990)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		038154464	pack(55910-348)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867837	pack(55910-348)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		832867894	manufacture(55910-348)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		868734088	pack(55910-348)

Establishment			
Name	Address	ID/FEI	Business Operations
LNK International, Inc.		967626305	pack(55910-348)

Revised: 10/2023 DOLGENCORP, LLC