AXE ISLAND ANTIPERSPIRANT- aluminum chlorohydrate aerosol, spray Conopco Inc. d/b/a Unilever

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Axe Island Dry Spray Antiperspirant

Active ingredient

Aluminum chlorohydrate (23.3%)

Purpose

anti-perspirant

Uses

reduces underarm wetness

WARNINGS

For external use only

- FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH.
- Keep away from face and mouth to avoid breathing in.
- Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120 degrees F/50 degrees C or in enclosed places that could overheat.
- Do not use on broken skin. Stop use if rash or irritation occurs.
- Ask a doctor before using if you have kidney disease.
- USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit www.inhalant.org
- KEEP OUT OF REACH OF CHILDREN

Directions Apply to underarms only. If dispenser clogs, rinse in warm water.

Inactive ingredients

Butane, Cyclopentasiloxane, Hydrofluorocarbon 152a, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Disteardimonium Hectorite, Propane, BHT, Propylene Carbonate

Questions?

Call toll-free 1-800-450-7580

3.8 oz. PDP







Shake well before every use



DIRECTIONS:

<u>ا</u> ا

lwist top open to reveal nozzle

Hold 6 inches from underarm

SPRAY TO UNDERARM ONLY

Purpose
antiperspirant

Uses • reduces underarm wetness

Warnings

For external use only • FLAMMABLE. DO NOT USE NEAR HEAT, FLAME OR WHILE SMOKING. CAN CAUSE SERIOUS INJURY OR DEATH. • Keep away from face and mouth to avoid breathing in. • Avoid spraying in eyes. Contents under pressure. Do not puncture or incinerate. Do not expose to heat or store at temperatures above 120°F/50°C or in enclosed places that could overheat. • Do not use on broken skin. Stop use if rash or irritation occurs. • Ask a doctor before using if you have kidney disease • KEEP OUT OF REACH OF CHILDREN. • USE ONLY AS DIRECTED. INTENTIONAL MISUSE BY DELIBERATELY CONCENTRATING AND INHALING THE CONTENTS CAN BE HARMFUL OR FATAL. Help stop inhalation abuse. For information visit www.inhalant.org

Directions Apply to underarms only. If dispenser clogs, rinse in warm water.



Butane, Cyclopentasiloxane, Hydrofluorocarbon 152A, Isobutane, PPG-14 Butyl Ether, Fragrance (Parfum), Disteardimonium Hectorite, Propane, BHT, Propylene Carbonate.

Questions? Call toll-free 1-800-450-7580





ISLAND

CONFIDENTLY FRESH FOR 48 HRS

NET WT 3.8 OZ (107g)

AXE ISLAND ANTIPERSPIRANT

aluminum chlorohydrate aerosol, spray

Unilever

QUESTIONS/COMMENTS? 1-800-450-7580

Dist. by © Unilever

Trumbull, CT 06611 Made in Mexico

83261907 83262400

Product Information Product Type HUMAN OTC DRUG Item Code (Source) NDC:64942-1375 Route of Administration TOPICAL

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
	ALUMINUM	23.3 g
UNII:HPN8 MZW13M)	CHLOROHYDRATE	in 100 g

Inactive Ingredients			
Ingredient Name	Strength		
BUTANE (UNII: 6LV4FOR43R)			
1,1-DIFLUORO ETHANE (UNII: 0B1U8K2ME0)			
CYCLOMETHICONE 5 (UNII: 0 THT5PCI0 R)			
ISOBUTANE (UNII: BXR49TP611)			
PPG-14 BUTYL ETHER (UNII: R199TJT95T)			

DISTEARDIMO NIUM HECTO RITE (UNII: X687XDK09L)	
PROPANE (UNII: T75W9911L6)	
BUTYLATED HYDRO XYTO LUENE (UNII: 1P9 D0 Z171K)	
PROPYLENE CARBONATE (UNII: 8 D0 8 K3S51E)	

Start Date Marketing End Date

Marketing Information					
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date		
OTC monograph final	part350	11/0 1/20 14			

Labeler - Conopco Inc. d/b/a Unilever (001375088)

Revised: 9/2020 Conopco Inc. d/b/a Unilever