WALGREENS SPF 55 DRY TOUCH- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion WALGREEN COMPANY

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Walgreens SPF 55 Dry Touch Lotion

Active ingredients

Avobenzone 3.0%, Homosalate 10.0%, Octisalate 3.0%, Octocrylene 7.0%, Oxybenzone 6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

• keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs.

Keep out of reach of children.

If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Inactive ingredients

water, butyloctyl salicylate, styrene/acrylates copolymer, silica, VP/hexadecene copolymer, polysilicone-15, behenyl alcohol, glyceryl stearate, PEG-100 stearate, dimethicone, ethylhexylglycerin, caprylyl methicone, phenoxyethanol, ethylhexyl stearate, BHT, trideceth-6, trimethylsiloxysilicate, sodium polyacrylate, xanthan gum, disodium EDTA, methylparaben, iodopropynyl butylcarbamate, ethylparaben, propylene glycol, fragrance

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Walgreens SPF 55 Dry Touch Lotion

3.4 FL OZ (100 mL)

Walgreens

55 Dry Touch

BROAD SPECTRUM SPF 55 SUNSCREEN UVA/UVB

OIL FREE

LIGHTWEIGHT

- Dermatologist tested
- · Water resistant (80 minutes)

3.4 FL 0Z (100 mL)

Drug Facts

Active ingredients

Avobenzone 3.0% Homosalate 10.0% Octisalate 3.0% Octocrylene 7.0% Oxybenzone 6.0%

Purpose

Sunscreen

Uses + helps prevent surburn + if used as directed with other sun protection measures (see Directions), decreases the risk of skin canger and early skin aging caused by the sun

Warnings

For external use only

Do not use + on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- . apply liberally 15 minutes before sun exposure
- . after 80 minutes of swimming or sweating
- · immediately after towel drying
- . at least every 2 hours
- children under 6 months of age: ask a dictor
- Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:

 • limit time in the sun, especially from 10 a.m. - 2 p.m.
- · wear long-sleeve shirts, pants, hats, and sunglasses

Other information

protect this product from excessive heat and direct sun
 may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, butyloctyl salicylate, styrene/acrylates copolymer, silica, VP/hexadecene copolymer, polysilicone-15, behenyl alcohol, glyceryl stearate, PEG-100 stearate, dimethicone, ethylhexylglycerin, caprylyl methicone, phenoxyethanol, ethylhexyl stearate, BHT, trideceth-6, trimethylsloxysiliqate, socilum

polyacrylate, xanthan gum, disodium EDTA, propylene glycol, methylparaben, iodopropynyl butylcarljamate, ethylparaben, propylparaben, fragrance

(Questions or comments? Call toll free 1-800-925-4733

Walgreens Pharmacist Recommended Walgreens Pharmacist Survey

DISTRIBUTED BY: WALGREEN CO. 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED walgreens.com @2017 Walgreen Co.





084

0

m

ORG0717-F_R1

WALGREENS SPF 55 DRY TOUCH

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:0363-0963

Route of Administration TOPICAL

| Active Ingredient/Active Moiety | | | |
|--|--------------------------|----------------|--|
| Ingredient Name | Basis of Strength | Strength | |
| OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM) | OCTOCRYLENE | 70 mg in 1 mL | |
| OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W) | OCTISALATE | 30 mg in 1 mL | |
| HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S) | HOMOSALATE | 100 mg in 1 mL | |
| AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX) | AVOBENZONE | 30 mg in 1 mL | |
| OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y) | OXYBENZONE | 60 mg in 1 mL | |

| Inactive Ingredients | |
|--|----------|
| Ingredient Name | Strength |
| EDETATE DISODIUM (UNII: 7FLD91C86K) | |
| METHYLPARABEN (UNII: A2I8C7HI9T) | |
| TRIDECETH-6 (UNII: 3T5PCR2H0C) | |
| TRIMETHYLSILOXYSILICATE (M/Q 0.8-1.0) (UNII: 25LXE464L2) | |
| IODOPROPYNYL BUTYLCARBAMATE (UNII: 603P14DHEB) | |
| ETHYLPARABEN (UNII: 14255EXE39) | |
| XANTHAN GUM (UNII: TTV12P4NEE) | |
| ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5) | |
| BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K) | |
| PHENOXYETHANOL (UNII: HIE492ZZ3T) | |
| CAPRYLYL TRISILOXANE (UNII: Q95M2P1KJL) | |
| ETHYLHEXYLGLYCERIN (UNII: 147D247K3P) | |
| DIMETHICONE (UNII: 92RU3N3Y10) | |
| WATER (UNII: 059QF0KO0R) | |
| BUTYLOCTYL SALICYLATE (UNII: 2EH13UN8D3) | |
| BUTYL METHACRYLATE/METHYL METHACRYLATE/METHACRYLIC ACID/STYRENE CROSSPOLYMER (UNII: V5RS026Q0H) | |
| SILICON DIOXIDE (UNII: ETJ7Z6XBU4) | |
| POLYSILICONE-15 (UNII: F8DRP5BB29) | |
| VINYLPYRROLIDONE/HEXADECENE COPOLYMER (UNII: KFR5QEN0N9) | |
| DOCOSANOL (UNII: 9G10E216XY) | |
| GLYCERYL MONOSTEARATE (UNII: 2300U9XXE4) | |
| PEG-100 STEARATE (UNII: YD01N1999R) | |
| SODIUM POLYACRYLATE (8000 MW) (UNII: 285CYO341L) | |
| PROPYLPARABEN (UNII: Z8IX2SC1OH) | |
| PROPYLENE GLYCOL (UNII: 6DC9Q167V3) | |

| l | P | Packaging | | | |
|---|---|----------------------|---|-------------------------|-----------------------|
| | # | Item Code | Package Description | Marketing Start Date | Marketing End Date |
| | 1 | NDC:0363-0963- 66 | 100 mL in 1 TUBE; Type 0: Not a Combination Product | 03/23/2012 | |

| Marketing In | rketing Information | | | |
|---------------------|---------------------------------|-----------------|---------------|--|
| Marketing | Application Number or Monograph | Marketing Start | Marketing End | |
| Category | Citation | Date | Date | |

| OTC monograph not final | part352 | 03/23/2012 | |
|-------------------------|---------|------------|--|
| | | | |

Labeler - WALGREEN COMPANY (008965063)

Revised: 7/2021 WALGREEN COMPANY