

**OMEPRAZOLE- omeprazole tablet, delayed release**  
**HARRIS TEETER**

-----  
**Omeprazole**

***Drug Facts***

**Active ingredient (in each tablet)**

Omeprazole USP 20 mg

**Purpose**

Acid reducer

**Use**

- treats frequent heartburn (occurs ***2 or more*** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

**Warnings**

**Allergy alert**

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions.  
Symptoms may include:
  - skin reddening
  - blisters
  - rash

If an allergic reaction occurs, stop use and seek medical help right away.

**Do not use if you have**

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting

- stomach pain

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

**Directions**

- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

**14-Day Course of Treatment**

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

**Repeated 14-Day Courses (if needed)**

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.

**Other information**

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20 to 25° C (68 to 77° F) and protect from moisture

**Inactive ingredients**

anhydrous lactose, hypromellose, hypromellose acetate succinate, iron oxide red, iron oxide yellow, lactose monohydrate, methyl cellulose, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, triethyl citrate and titanium dioxide.

The imprinting ink contains ammonium hydroxide, black iron oxide, n-butyl alcohol,

propylene glycol and shellac.

**Questions or Comments?**

Call toll free 1-800-818-4555 weekdays.

**PROUDLY DISTRIBUTED BY:  
HARRIS TEETER, LLC  
MATTHEWS, NC 28105**

**PRINCIPAL DISPLAY PANEL - 20 mg Tablet Bottle Carton**

†Compare To Prilosec OTC®

Harris Teeter™

NDC 72036-981-14

See new warning information

OMEPRAZOLE

Delayed-release Tablets

20 mg / ACID REDUCER

Treats FREQUENT Heartburn! 24 HR

SWALLOW - DO NOT CHEW

ACTUAL SIZE

One 14-day course of treatment

May take 1 to 4 days for full effect

14

TABLETS



### Drug Facts (continued)

#### Other information

- read the directions and warnings before use
- keep the carton. It contains important information.
- store at 20 to 25° C (68 to 77° F) and protect from moisture

**Inactive ingredients** anhydrous lactose, hypromellose, hypromellose acetate succinate, iron oxide red, iron oxide yellow, lactose monohydrate, methyl cellulose, monoethanolamine, propylene glycol, sodium lauryl sulfate, sodium starch glycolate, sodium stearate, sodium stearyl fumarate, talc, triethyl citrate and titanium dioxide.

The imprinting ink contains ammonium hydroxide, black iron oxide, n-butyl alcohol, propylene glycol and shellac.

#### Questions or Comments?

Call toll free 1-800-818-4555 weekdays.

#### Tips for Managing Heartburn

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, caffeine, alcohol and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Safety Feature - Do not use if printed seal under cap is broken or missing.**

**1 BOTTLE INSIDE**

<sup>†</sup>All trademarks are the property of their respective owner. This product is not affiliated with the maker/owner of Prilosec OTC<sup>®</sup>.

<sup>†</sup>Compare To Prilosec OTC<sup>®</sup>



NDC 72036-981-14

See new warning information

# OMEPRAZOLE

**Delayed-release Tablets**  
**20 mg / ACID REDUCER**

Treats **FREQUENT** Heartburn! **24 HR**

**SWALLOW - DO NOT CHEW**



ACTUAL SIZE

One 14-day course of treatment  
May take 1 to 4 days for full effect

**14**  
**TABLETS**

PROUDLY DISTRIBUTED BY:  
HARRIS TEETER, LLC  
MATTHEWS, NC 28105

MADE IN INDIA

**yourplus** guarantee.  
If you are not 100% satisfied with this product

If you are not 100% satisfied with this product, simply return it with your VIC card for a full refund. Plus we will replace it with a like item of your choice. For full details: 1-800-432-6111 or harristeeter.com.

5 2 3 3 4 1 0

Glue-NO COATING

### Drug Facts

<b>Active ingredient (in each tablet)</b>	<b>Purpose</b>
Omeprazole USP 20 mg .....	Acid reducer

#### Use

- treats frequent heartburn (occurs **2 or more** days a week)
- not intended for immediate relief of heartburn; this drug may take 1 to 4 days for full effect

#### Warnings

##### Allergy alert:

- do not use if you are allergic to omeprazole.
- omeprazole may cause severe skin reactions.

Symptoms may include:

- skin reddening
- blisters
- rash

If an allergic reaction occurs, stop use and seek medical help right away.

##### Do not use if you have:

- trouble or pain swallowing food, vomiting with blood, or bloody or black stools
- heartburn with **lightheadedness, sweating or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**

These may be signs of a serious condition. See your doctor.

##### Ask a doctor before use if you have:

- had heartburn over 3 months. This may be a sign of a more serious condition.
- frequent wheezing, particularly with heartburn

### Drug Facts (continued)

- unexplained weight loss
- nausea or vomiting
- stomach pain

**Ask a doctor or pharmacist before use if you are** taking a prescription drug. Acid reducers may interact with certain prescription drugs.

##### Stop use and ask a doctor if:

- your heartburn continues or worsens
- you need to take this product for more than 14 days
- you need to take more than 1 course of treatment every 4 months
- you get diarrhea
- you develop a rash or joint pain

**If pregnant or breast-feeding,** ask a health professional before use.

**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

#### Directions


- for adults 18 years of age and older
- this product is to be used once a day (every 24 hours), every day for 14 days
- it may take 1 to 4 days for full effect; some people get complete relief of symptoms within 24 hours

##### 14-Day Course of Treatment

- swallow 1 tablet with a glass of water before eating in the morning
- take every day for 14 days
- do not take more than 1 tablet a day
- do not use for more than 14 days unless directed by your doctor
- swallow whole. Do not chew or crush tablets.

##### Repeated 14-Day Courses (if needed)

- you may repeat a 14-day course every 4 months
- **do not take for more than 14 days or more often than every 4 months unless directed by a doctor**
- children under 18 years of age: ask a doctor. Heartburn in children may sometimes be caused by a serious condition.



## OMEPRAZOLE

omeprazole tablet, delayed release

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:72036-981
<b>Route of Administration</b>	ORAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
<b>OMEPRAZOLE</b> (UNII: KG60484QX9) (OMEPRAZOLE - UNII:KG60484QX9)	OMEPRAZOLE	20 mg

### Inactive Ingredients

Ingredient Name	Strength
<b>ANHYDROUS LACTOSE</b> (UNII: 3SY5LH9PMK)	
<b>HYPROMELLOSE, UNSPECIFIED</b> (UNII: 3NXW29V3WO)	
<b>HYPROMELLOSE ACETATE SUCCINATE 12070923 (3 MM2/S)</b> (UNII: 36BGF0E889)	
<b>FERRIC OXIDE RED</b> (UNII: 1K09F3G675)	
<b>FERRIC OXIDE YELLOW</b> (UNII: EX438O2MRT)	
<b>LACTOSE MONOHYDRATE</b> (UNII: EWQ57Q8I5X)	
<b>MONOETHANOLAMINE</b> (UNII: 5KV86114PT)	
<b>METHYLCELLULOSE (1500 MPA.S)</b> (UNII: PONTE48364)	
<b>PROPYLENE GLYCOL</b> (UNII: 6DC9Q167V3)	
<b>SODIUM STARCH GLYCOLATE TYPE A POTATO</b> (UNII: 5856J3G2A2)	
<b>SODIUM STEARATE</b> (UNII: QU7E2XA9TG)	
<b>SODIUM STEARYL FUMARATE</b> (UNII: 7CV7WJK4UI)	
<b>SODIUM LAURYL SULFATE</b> (UNII: 368GB5141J)	
<b>TRIETHYL CITRATE</b> (UNII: 8Z96QXD6UM)	
<b>TALC</b> (UNII: 7SEV7J4R1U)	

<b>TITANIUM DIOXIDE</b> (UNII: 15FIX9V2JP)	
<b>AMMONIA</b> (UNII: 5138Q19F1X)	
<b>FERROSFERRIC OXIDE</b> (UNII: XM0M87F357)	
<b>BUTYL ALCOHOL</b> (UNII: 8PJ61P6TS3)	
<b>SHELLAC</b> (UNII: 46N107B71O)	

### Product Characteristics

<b>Color</b>	BROWN (brownish pink)	<b>Score</b>	no score
<b>Shape</b>	OVAL (biconvex)	<b>Size</b>	12mm
<b>Flavor</b>		<b>Imprint Code</b>	20
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72036-981-14	1 in 1 CARTON	09/16/2020	
1		14 in 1 BOTTLE; Type 0: Not a Combination Product		
2	NDC:72036-981-42	3 in 1 CARTON	09/16/2020	
2		14 in 1 BOTTLE; Type 0: Not a Combination Product		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA207891	09/16/2020	

**Labeler** - HARRIS TEETER (047279351)

### Establishment

Name	Address	ID/FEI	Business Operations
Sun Pharmaceutical Industries Limited		650445203	ANALYSIS(72036-981) , MANUFACTURE(72036-981)

Revised: 12/2022

HARRIS TEETER