

ACNE DEFENSE SPOT TREATMENT MERLE NORMAN- salicylic acid gel

Merle Norman Cosmetics, Inc

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Acne Defense Spot Treatment

Active Ingredient:	Purpose
Salicylic Acid 2.0%	Acne Treatment

For the treatment of Acne

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away

Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor

- For external use only

Cleanse skin thoroughly before applying. Cover the entire affected area with a thin layer 1 to 3 times daily or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day.

SD Alcohol 40-B, Aqua/Water/Eau, Hamamelis Virginiana (Witch Hazel) Bark/Leaf/Twig Extract, Polyacrylate Crosspolymer 6, Laminaria Saccharina Extract, Thermus Thermophilus Ferment, Opuntia Ficus-Indica Stem Extract, Sea Whip Extract, Bisabolol, Glycerin, Pentylene Glycol, Butylene Glycol, Propylene Glycol, Aminomethyl Propanol, 4-t-Butylcyclohexanol, Hydroxyethylcellulose, Hydroxymethoxyphenyl Decanone, Benzalkonium Chloride

ACNE DEFENSE

SPOT TREATMENT

ACNE TREATMENT GEL

merle norman

14g e

NET WT. .50 OZ.

Invisible formula designed to help clear up acne blemishes. Dermatologist tested.

Directions Cleanse skin thoroughly before applying. Cover the entire affected area with a thin layer 1 to 3 times daily or as directed by a doctor. If bothersome dryness or peeling occurs, reduce application to once a day or every other day. **Warnings For external use only.** Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Mode d'emploi Nettoyez la peau soigneusement avant application. Couvrez l'endroit affecté d'une couche mince 1 à 3 fois par jour. Réduisez l'application à une fois par jour ou tous les deux jours si votre peau se dessèche ou pèle. **Avertissement À usage externe uniquement.** L'utilisation d'un autre médicament à usage externe pour l'acné en même temps ou tout de suite après l'application de ce produit peut rendre la peau plus sèche ou plus irritée. Dans ce cas, seul un médicament devrait être utilisé sauf avis d'un docteur. **Tenir hors de portée des enfants.** En cas d'ingestion consulter un médecin ou contacter de suite un centre contrepoison.

Active (medicinal) Ingredient (w/w) Salicylic Acid 2.0%



MANUFACTURED BY, MERLE NORMAN COSMETICS, LOS ANGELES, CA 90045, MADE IN U.S. OF U.S. AND IMPORTED PARTS, IMPORTED BY, MERLE NORMAN COSMETICS, TORONTO, ONTARIO M1X 1E7

ACNE DEFENSE
SPOT TREATMENT
ACNE TREATMENT GEL
GUERRE À L'ACNÉ CIBLÉE GEL
DE TRAITEMENT DE L'ACNÉ

MERLE NORMAN

14 g e
NET WT. .50 OZ.

WWW.MERLENORMAN.COM
MERLE NORMAN



Drug Facts

Active (medicinal)

Ingredient (w/w):

Salicylic Acid 2.0%

Purpose

Acne treatment

Use • for the treatment of acne.

Warnings For external use only. Using other topical acne medication at the same time or immediately following the use of this product may increase dryness or irritation of the skin. If this occurs, only one medication should be used unless directed by a doctor. **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Avertissement À usage externe uniquement. L'utilisation d'un autre médicament à usage externe pour l'acné en même temps ou tout de suite après l'application de ce produit peut rendre la peau plus sèche ou plus irritée. Dans ce cas, seul un médicament devrait être utilisé sauf avis d'un docteur. **Tenir hors de portée des enfants.** En cas d'ingestion consulter un médecin ou contacter de suite un centre contrepoison.

Directions Cleanse skin thoroughly before applying. Cover the entire affected area with a thin layer 1 to 3 times daily or as directed by a doctor. ▶

If bothersome dryness or peeling occurs, reduce application to once a day or every other day. **Mode d'emploi** Nettoyez la peau soigneusement avant application. Couvrez l'endroit affecté d'une couche mince 1 à 3 fois par jour. Réduisez l'application à une fois par jour ou tous les deux jours si votre peau se dessèche ou pèle.

Inactive (non-medicinal)

Ingredients: SD Alcohol 40-B, Aqua/Water/Eau, Hamamelis Virginiana (Witch Hazel) Bark/Leaf/Twig Extract, Polyacrylate Crosspolymer-6, Laminaria Saccharina Extract, Thermus Thermophilus Ferment, Opuntia Ficus-Indica Stem Extract, Sea Whip Extract, Bisabolol, Glycerin, Pentylene Glycol, Butylene Glycol, Propylene Glycol, Aminomethyl Propanol, 4-t-Butylcyclohexanol, Hydroxyethylcellulose, Hydroxymethoxyphenyl Decanone, Benzalkonium Chloride.

ACNE DEFENSE SPOT TREATMENT ACNE TREATMENT GEL

GUERRE À L'ACNÉ CIBLÉE
GEL DE TRAITEMENT DE L'ACNÉ

Invisible formula
designed to help clear
up acne blemishes.
Dermatologist tested.

MERLE NORMAN
ESTABLISHED IN LOS ANGELES
SINCE 1931



14 g e
NET WT. .50 OZ.



MANUFACTURED BY:
MERLE NORMAN COSMETICS,
LOS ANGELES, CA 90045
MADE IN U.S. OF U.S.
AND IMPORTED PARTS

IMPORTED BY:
MERLE NORMAN COSMETICS
TORONTO, ONTARIO M1X 1E7

ACNE DEFENSE SPOT TREATMENT MERLE NORMAN

salicylic acid gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:57627-201
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
SALICYLIC ACID (UNII: O414PZ4LPZ) (SALICYLIC ACID - UNII:O414PZ4LPZ)	SALICYLIC ACID	2 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
ALCOHOL (UNII: 3K9958V90M)	
WATER (UNII: 059QF0KO0R)	
HAMAMELIS VIRGINIANA TOP (UNII: UDA30A2JJY)	
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)	
THERMUS THERMOPHILUS LYSATE (UNII: 775R692494)	
OPUNTIA FICUS-INDICA STEM (UNII: MUD8892KHL)	
PSEUDOPTEROGORGIA ELISABETHAE (UNII: UDY3H1OUX5)	
LEVOMENOL (UNII: 24WE03BX2T)	
GLYCERIN (UNII: PDC6A3C0OX)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
AMINOMETHYLPROPANOL (UNII: LU49E6626Q)	
4-TERT-BUTYLCYCLOHEXANOL (UNII: K0H1405S9C)	
HYDROXYETHYL CELLULOSE (100 MPA.S AT 2%) (UNII: R33S7TK2EP)	
1-(4-HYDROXY-3-METHOXYPHENYL)-DECAN-3-ONE (UNII: BO24ID7E9U)	
BENZALKONIUM CHLORIDE (UNII: F5UM2KM3W7)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:57627-201-02	1 in 1 CARTON	07/14/2017	
1	NDC:57627-201-01	14 g in 1 TUBE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph final	part358H	07/14/2017	

Labeler - Merle Norman Cosmetics, Inc (008479388)**Registrant** - Merle Norman Cosmetics, Inc (008479388)

Establishment

Name	Address	ID/FEI	Business Operations
Merle Norman Cosmetics, Inc		008479388	manufacture(57627-201)

Revised: 1/2020

Merle Norman Cosmetics, Inc