

CHILDRENS ALLERGY- diphenhydramine hydrochloride liquid
Safeway, Inc.

Drug Facts

Active ingredient (in each 5 mL)

Diphenhydramine HCl 12.5 mg

Purpose

Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:
 - runny nose
 - sneezing
 - itchy, watery eyes
 - itching of the nose or throat

Warnings

Do not use

- to make a child sleepy
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if the child has

- glaucoma
- a breathing problem such as chronic bronchitis
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is

taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of the reach of children.

In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device
- mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

age (yr)	dose (mL)
children 6 to 11 years	5 mL to 10 m
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contain: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used

Inactive ingredients

anhydrous citric acid, D&C red #33, FD&C red #40 flavor glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?

Call **1-888-723-3929 Monday-Friday 7AM-6PM PST**

Principal Display Panel

FOR AGES 6-11 YEARS

Children's Allergy Relief

Diphenhydramine HCl 12.5 mg - Antihistamine

CHERRY FLAVOR

Compare to Children's Benadryl® Allergy active ingredient*

- Relief of: Runny nose, sneezing, itching of the nose or throat & itchy, watery eyes
- Alcohol free
- Dosing cup included

FL OZ (mL)

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributors of Children's Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER THE CAP IS BROKEN OR MISSING.

DISTRIBUTED BY

BETTER LIVING BRANDS LLC

P.O. BOX 99, PLEASANTON, CA 94566-0009

www.betterlivingbrandsLLC.com

Product Label

Drug Facts (continued)

Inactive ingredients citric acid, D&C red #33, FD&C red #40, flavor, glycerin, poloxamer 407, purified water, sodium benzoate, sodium chloride, sodium citrate, sucrose

Questions or comments?
Call 1-877-753-3935 Monday-Friday 9AM-5PM EST

*This product is not manufactured or distributed by McNeil Consumer Healthcare, distributor of Benadryl® Allergy.

TAMPER EVIDENT: DO NOT USE IF CARTON IS OPENED OR IF PRINTED SAFETY SEAL AROUND BOTTLE OR UNDER CAP IS BROKEN OR MISSING.


Dosing Cup Included

DISTRIBUTED BY
BETTER LIVING BRANDS LLC
P.O. BOX 99, PLEASANTON, CA
94566-0009
1-888-723-3929
www.betterlivingbrandsLLC.com

OUR PROMISE
QUALITY & SATISFACTION
100% GUARANTEED
OR YOUR MONEY BACK.

 Scan here for more information

Compare to
Children's Benadryl®
Allergy
active ingredient†
NDC 21130-025-04



Children's Allergy Relief
FOR AGES 6-11 YEARS

Diphenhydramine HCl 12.5 mg/5 mL
- Antihistamine
- Oral Solution

CHERRY FLAVOR 

4 FL OZ (118 mL)

Compare to
Children's Benadryl®
Allergy
active ingredient†
NDC 21130-025-04



Children's Allergy Relief
FOR AGES 6-11 YEARS

Diphenhydramine HCl 12.5 mg/5 mL
- Antihistamine
- Oral Solution

CHERRY FLAVOR 

4 FL OZ (118 mL)

Drug Facts

Active ingredient (in each 5 mL)	Purpose
Diphenhydramine HCl 12.5 mg	Antihistamine

Uses

- temporarily relieves these symptoms due to hay fever or other upper respiratory allergies
- sneezing
- runny nose
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

- with any other product containing diphenhydramine, even one used on the skin
- to make a child sleepy

Ask a doctor before use if the child has

- a breathing problem such as chronic bronchitis
- glaucoma
- a sodium-restricted diet

Ask a doctor or pharmacist before use if the child is taking sedatives or tranquilizers.

When using this product

- marked drowsiness may occur
- sedatives and tranquilizers may increase drowsiness
- excitability may occur, especially in children

Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center (1-800-222-1222) right away.

Directions

- do not take more than 6 doses in 24 hours
- take every 4 to 6 hours, or as directed by a doctor
- measure only with dosing cup provided. Do not use any other dosing device.
- 1 mL = milliliter
- keep dosing cup with product
- find the right dose on the chart below

Age (yr)	Dose (mL)
children 6 to 11 years	5 mL to 10 mL
children 2 to 5 years	do not use unless directed by a doctor
children under 2 years	do not use

Other information

- each 5 mL contains: sodium 6 mg
- store between 20-25°C (68-77°F). Do not refrigerate.
- protect from light. Store in outer carton until contents are used.

S5987 RD20168



3 21130 76072 6

PLD-G241D FC006593

Lot No.:
Exp. Date:

SIGNATURE CARE Children's Allergy Relief Cherry Flavor

CHILDRENS ALLERGY

diphenhydramine hydrochloride liquid

Product Information				
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:21130-025	
Route of Administration	ORAL			
Active Ingredient/Active Moiety				
Ingredient Name		Basis of Strength	Strength	
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)		DIPHENHYDRAMINE HYDROCHLORIDE	12.5 mg in 5 mL	
Inactive Ingredients				
Ingredient Name			Strength	
ANHYDROUS CITRIC ACID (UNII: XF417D3PSL)				
GLYCERIN (UNII: PDC6A3C0OX)				
POLOXAMER 407 (UNII: TUF2IVW3M2)				
WATER (UNII: 059QF0KO0R)				
SODIUM BENZOATE (UNII: OJ245FE5EU)				
SODIUM CHLORIDE (UNII: 451W47IQ8X)				
TRISODIUM CITRATE DIHYDRATE (UNII: B22547B95K)				
SUCROSE (UNII: C151H8M554)				
D&C RED NO. 33 (UNII: 9DBA0SBB0L)				
FD&C RED NO. 40 (UNII: WZB9127XOA)				
Product Characteristics				
Color		Score		
Shape		Size		
Flavor	CHERRY (Cherry Flavor)	Imprint Code		
Contains				
Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:21130-025-04	118 mL in 1 BOTTLE, PLASTIC; Type 0: Not a Combination Product	02/03/2009	
Marketing Information				
Marketing Category	Application Number or Monograph Citation		Marketing Start Date	Marketing End Date
OTC Monograph Drug	M012		02/03/2009	

Labeler - Safeway, Inc. (009137209)

