

**ACID REDUCER PLUS ANTACID- famotidine, calcium carbonate, magnesium hydroxide tablet, chewable**  
**Rite Aid Corporation**

-----  
**Rite Aid Corporation Acid Reducer Plus Antacid Drug Facts**

**Active ingredients (in each chewable tablet)**

Famotidine 10 mg

Calcium carbonate 800 mg

Magnesium hydroxide 165 mg

**Purposes**

Acid reducer

Antacid

**Use**

relieves heartburn associated with acid indigestion and sour stomach

**Warnings**

**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers

**Do not use**

- if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.
- with other acid reducers

**Ask a doctor before use if you have**

- had heartburn over 3 months. This may be a sign of a more serious condition.
- heartburn with **lightheadedness, sweating, or dizziness**
- chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness
- frequent **chest pain**
- frequent wheezing, particularly with heartburn
- unexplained weight loss
- nausea or vomiting
- stomach pain
- kidney disease

**Ask a doctor or pharmacist before use if you are**

taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

**Stop use and ask a doctor if**

- your heartburn continues or worsens
- you need to take this product for more than 14 days

**If pregnant or breast-feeding,**

ask a health professional before use.

**Keep out of reach of children.**

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**

- adults and children 12 years and over:
- **do not swallow tablet whole: chew completely**
- to relieve symptoms, **chew** 1 tablet before swallowing
- do not use more than 2 chewable tablets in 24 hours
- children under 12 years: ask a doctor

**Other information**

- **each tablet contains:** calcium 330 mg; magnesium 80 mg
- Phenylketonurics: Contains phenylalanine 2 mg per tablet
- read the directions and warnings before use
- read the bottle. It contains important information.
- store at 20-25°C (68-77°F)
- protect from moisture

**Inactive ingredients**

anhydrous lactose, aspartame, dextrates, ferric oxide, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, natural peppermint flavor, polyacrylate dispersion, polysorbate 80, povidone, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?**

**1-800-719-9260**

**Principal Display Panel**

SEE NEW WARNINGS

Compare to the active ingredients of Pepcid Complete®

ACID REDUCER PLUS ANTACID

famotidine 10 mg / calcium carbonate 800 mg / magnesium hydroxide 165 mg tablets (chewable)

acid reducer plus antacid

DUAL ACTION

Just one tablet relieves heartburn due to acid indigestion

ACTUAL SIZE

COOL MINT FLAVOR  
50 CHEWABLE TABLETS

**Drug Facts** DO NOT USE IF PRINTED FOIL UNDER CAP IS BROKEN OR MISSING

Active ingredients (in each chewable tablet)	Purposes
Famotidine 10 mg	Acid reducer
Calcium carbonate 800 mg	Antacid
Magnesium hydroxide 165 mg	Antacid

**Use** relieves heartburn associated with acid indigestion and sour stomach

**Warnings**  
**Allergy alert:** Do not use if you are allergic to famotidine or other acid reducers  
 Do not use  
 ■ if you have trouble or pain swallowing food, vomiting with blood, or bloody or black stools. These may be signs of a serious condition. See your doctor.  
 ■ with other acid reducers

**Ask a doctor before use if you have**  
 ■ had heartburn over 3 months. This may be a sign of a more serious condition.  
 ■ heartburn with lightheadedness, sweating, or dizziness  
 ■ chest pain or shoulder pain with shortness of breath; sweating; pain spreading to arms, neck or shoulders; or lightheadedness  
 ■ frequent chest pain ■ frequent wheezing, particularly with heartburn  
 ■ unexplained weight loss ■ nausea or vomiting  
 ■ stomach pain ■ kidney disease

Ask a doctor or pharmacist before use if you are taking a prescription drug. Antacids and acid reducers may interact with certain prescription drugs.

SEE NEW WARNINGS NDC 11822-0223-0

Compare to the active ingredients of Pepcid Complete<sup>®</sup>\*

## ACID REDUCER PLUS ANTACID

famotidine 10 mg / calcium carbonate 800 mg / magnesium hydroxide 165 mg tablets (chewable)

acid reducer plus antacid

**DUAL ACTION**  
Just one tablet relieves heartburn due to acid indigestion

COOL MINT FLAVOR

**RITE AID PHARMACY**

**50 CHEWABLE TABLETS**

: 54671 63 F3

**Tip for Managing Heartburn**

- Do not lie flat or bend over after eating
- Do not wear tight-fitting clothing around the stomach
- Do not eat before bedtime
- Raise the head of your bed
- Avoid heartburn-causing foods such as rich, spicy, fatty or fried foods, chocolate, coffee, alcohol, and certain fruits and vegetables
- Eat slowly and avoid big meals
- If overweight, lose weight
- Quit smoking

**Drug Facts (continued)**

**Stop use and ask a doctor if**  
 ■ your heartburn continues or worsens  
 ■ you need to take this product for more than 14 days

**If pregnant or breast-feeding**, ask a health professional before use.  
**Keep out of reach of children.** In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

**Directions**  
 ■ adults and children 12 years and over:  
 ■ do not swallow tablet whole; chew completely  
 ■ to relieve symptoms, chew 1 tablet before swallowing  
 ■ do not use more than 2 chewable tablets in 24 hours  
 ■ children under 12 years: ask a doctor

**Other information**  
 ■ each tablet contains: calcium 330 mg; magnesium 80 mg  
 ■ Phenylethanolic: Contains Phenylethylamine 2 mg per tablet  
 ■ read the directions and warnings before use  
 ■ read the bottle. It contains important information.  
 ■ store at 20-25°C (68-77°F) ■ protect from moisture

**Drug Facts (continued)**

**Inactive ingredients:** anhydrous lactose, aspartame, dextrates, ferric oxide, glyceryl monostearate, lactose monohydrate, magnesium stearate, microcrystalline cellulose, natural peppermint flavor, polyethylene glycol 400, polyethylene glycol 600, polyethylene glycol 80, polyethylene glycol 150, pregelatinized starch, sodium starch glycolate, talc

**Questions or comments?** 1-800-719-0260

\*This product is not manufactured or distributed by Johnson & Johnson Consumer Inc., distributor of Pepcid Complete<sup>®</sup>. U.S. Pat. No. D01,175

DISTRIBUTED BY: RITE AID  
30 HUNTER LANE, CAMP HILL, PA 17011  
www.riteaid.com

**SATISFACTION GUARANTEE**

If you're not satisfied, we'll happily refund your money.

ACID REDUCER PLUS ANTACID			
famotidine, calcium carbonate, magnesium hydroxide tablet, chewable			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11822-0223
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
FAMOTIDINE (UNII: 5QZO15J2Z8) (FAMOTIDINE - UNII:5QZO15J2Z8)	FAMOTIDINE	10 mg	
CALCIUM CARBONATE (UNII: H0G9379FGK) (CARBONATE ION - UNII:7UJQ5OPE7D, CALCIUM CATION - UNII:2M83C4R6ZB)	CALCIUM CARBONATE	800 mg	
MAGNESIUM HYDROXIDE (UNII: NBZ3QY004S) (MAGNESIUM CATION - UNII:T6V3LHY838, HYDROXIDE ION - UNII:9159UV381P)	MAGNESIUM HYDROXIDE	165 mg	
Inactive Ingredients			
Ingredient Name	Strength		
ANHYDROUS LACTOSE (UNII: 3S Y5LH9 PMK)			
ASPARTAME (UNII: Z0H242BBR1)			
DEXTRATES (UNII: G263MI44RU)			

FERRIC OXIDE RED (UNII: 1K09F3G675)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
LACTOSE MONOHYDRATE (UNII: EWQ57Q8I5X)	
MAGNESIUM STEARATE (UNII: 70097M6I30)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
POLYSORBATE 80 (UNII: 6OZP39ZG8H)	
POVIDONE, UNSPECIFIED (UNII: FZ989GH94E)	
TALC (UNII: 7SEV7J4R1U)	

### Product Characteristics

<b>Color</b>	ORANGE (PEACH WITH WHITE SPECKLES)	<b>Score</b>	no score
<b>Shape</b>	ROUND	<b>Size</b>	18mm
<b>Flavor</b>	MINT	<b>Imprint Code</b>	L546
<b>Contains</b>			

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11822-0223-0	50 in 1 BOTTLE; Type 0: Not a Combination Product	06/03/2010	
2	NDC:11822-0223-1	75 in 1 BOTTLE; Type 0: Not a Combination Product	06/03/2010	10/05/2016

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
ANDA	ANDA077355	06/03/2010	

**Labeler** - Rite Aid Corporation (014578892)