

**SKINPIA 10 SKIN SHIELD RENEWAL- dimethicone cream**  
**EBAIN Corporation Co., Ltd.**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

**ACTIVE INGREDIENT**

Active Ingredient: Dimethicone 1%

**INACTIVE INGREDIENT**

Inactive Ingredients:

Water, Caprylic/Capric Triglyceride, Glycerin, Cetyl Alcohol, Butylene Glycol, Sorbitan Stearate, Glyceryl Stearate, Simmondsia chinensis (jojoba) seed oil, Cetyl Ethylhexanoate, Butyrospermum Parkii (Shea Butter), Stearic Acid, Beeswax, Sorbitan Sesquioleate, Polysorbate 60, Glycine Soja (Soybean) Phytoplacenta Extract, 1,2-Hexanediol, Triethanolamine, Tocopheryl Acetate, Polyacrylamide, Panthenol, Carbomer, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Fragrance, Phenoxyethanol, Linum Usitatissimum (Linseed) Seed Extract, Hibiscus Esculentus Fruit Extract, Arctium Lappa Root Extract, Hibiscus Mutabilis Flower Extract, Corchorus Olitorius Leaf Extract, Hydrolyzed Pea Protein, Caprylhydroxamic Acid, Chamaecyparis Obtusa Water, Portulaca Oleracea Extract, Salix Nigra (Willow) Bark Extract, C13-14 Isoparaffin, Sodium Hyaluronate, Olea Europaea (Olive) Fruit Oil, Squalane, Larix Sibirica Wood Extract, Chrysanthellum Indicum Extract, Rheum Palmatum Root/Stalk Extract, Asarum Sieboldi Root Extract, Quercus Mongolia Leaf Extract, Persicaria Hydropiper Extract, Illicium Verum (Anise) Fruit Extract, Corydalis Turtschaninovii Root Extract, Coptis Japonica Root Extract, Machilus Thunbergii Bark Extract, Allantoin, Disodium EDTA, Adenosine, Aloe Barbadosensis Leaf Juice Powder, Laureth-7, Lecithin, Ethylhexylglycerin, Glycine, Glutamic acid, Serine, Aspartic acid, Leucine, Alanine, Lysine, Arginine, Tyrosine, Phenylalanine, Threonine, Proline, Valine, Isoleucine, Histidine, Methionine, Cysteine, Ceramide 3, Polyglutamic Acid, Oryza Sativa (Rice) Callus Culture Extract, Panax Ginseng Callus Culture Extract, Zanthoxylum Piperitum Fruit Extract, Pulsatilla Koreana Extract, Usnea Barbata (Lichen) Extract, Xanthan Gum

**PURPOSE**

Purpose: Skin Protectant

**WARNINGS**

Warnings:

1. In case of having following symptoms after using this, you're advised to stop using it immediately. If you keep using it, the symptoms will get worse and need to consult a dermatologist.
  - In case of having problems such as red rash, swollenness, itching, stimulation during usage.
  - In case of having the same symptoms above on the part you put this product on by direct sunlight.
2. You are banned to use it on the part where you have a scar, eczema, or dermatitis.
3. In case of getting it into your eyes, you have to wash it immediately.

**KEEP OUT OF REACH OF CHILDREN**

Keep out of reach of children: Keep out of reach of babies and children

## **INDICATIONS AND USAGE**

Indications and usage: After basic skin care, apply adequate amount following the skin texture and gently tap to enhance absorption.

## **DOSAGE AND ADMINISTRATION**

Dosage and administration: Take an adequate amount of this product.

## **PACKAGE LABEL.PRINCIPAL DISPLAY PANEL**

**이바인**  
**스킨피아텐 스킨실드**  
**리뉴얼 크림**

• 주름개선기능성화장품

· 이바인 스킨피아텐 스킨실드 리뉴얼크림은 피부에 보습막을 형성해주며 주름개선 기능성 효능성분인 아데노신을 함유하는 기능성 리뉴얼드리프트먼트 크림입니다.  
· 특성성분인 Skinpia 10 (특허 제 10-1224238 호)과 알로에베라잎즙가루, Barrier Complex 에 함유된 성분들이 수분과 영양공급에 도움을 주며 식물성 키프토글라센타추출물 및 Amino Acid Complex, 피부보호성분인 알란토인이 외부의 유해 환경으로부터의 피부 보호에 도움을 줍니다.

Skinpia 10 (특허 제 10-1224238호)  
사베리안나엽송추출물, 감국추출물, 금문대황 뿌리/줄기추출물, 세신추출물, 신갈나무잎 추출물, 머위 추출물, 팔각회향추출물, 한호색추출물, 황간추출물, 토우박추출물

제조번호/ 사용기한 : 별도표기  
제조업자 : 지디케이화장품(주)  
인천 남동구 남동서로144번길 52  
제조판매업자 : 이바인코퍼레이션(주)  
경기도 성남시 중원구 둔촌대로457번길 8

Made in Korea

본 제품에 이상이 있을 경우 공정거래위원회에서 고시한 '소비자 분쟁해결 기준'에 따라 교환 또는 보상 받을 수 있습니다.  
소비자 상담실 1599-1562



1. Active Ingredient: Dimethicone 1%  
2. Inactive Ingredient: Water, Quercus Mongolia Leaf Extract, Caprylic/Capric Triglyceride, Persicaria Hydropiper Extract, Glycerin, Illicium Verum (Anise) Fruit Extract, Cetyl Alcohol, Corydalis Turtschaninowii Root Extract, Butylene Glycol, Coptis Japonica Root Extract, Sorbitan Stearate, Machilus Thunbergii Bark Extract, Cetyl Stearate, Allantoin, Simmondsia chinensis (Jojoba) seed oil, Disodium EDTA, Cetyl Ethylhexanoate, Adenosine, Butyrospermum Parkii (Shea Butter), Aloe Barbadensis Leaf Juice Powder, Stearic Acid, Laureth-7, Beeswax, Lecithin, Sorbitan Sesquioleate, Ethylhexylglycerin, Polysorbate 60, Glycine, Glycine Soja (Soybean) Phytyloplacenta Extract, Glutamic acid, 1,2-Hexanediol, Serine, Triethanolamine, Aspartic acid, Tocopheryl Acetate, Leucine, Polyacrylamide, Alanine, Panthenol, Lysine, Carbomer, Arginine, Acrylates/C10-30 Alkyl Acrylate Crosspolymer, Tyrosine, Fragrance, Phenylalanine, Phenoxyethanol, Threonine, Linum Usitatissimum (Linseed) Seed Extract, Proline, Hibiscus Esculentus Fruit Extract, Valine, Arctium Lappa Root Extract, Isoleucine, Hibiscus Mutabilis Flower Extract, Histidine, Corchorus Oloritius Leaf Extract, Methionine, Hydrolyzed Pea Protein, Cysteine, Caprylhydroxamic Acid, Ceramide 3, Chamaecyparis Obtusa Water, Polyglutamic Acid, Portulaca Oleracea Extract, Oryza Sativa (Rice) Callus Culture Extract, Salix Nigra (Willow) Bark Extract, Panax Ginseng Callus Culture Extract, C13-14 Isoparaffin, Zanthoxyllum Piperitum Fruit Extract, Sodium Hyaluronate, Pulsatilla Koreana Extract, Olea Europaea (Olive) Fruit Oil, Usnea Barbata (Lichen) Extract, Squalane, Xanthan Gum, Larix Sibirica Wood Extract, Chrysanthellum Indicum Extract, Rheum Palmatum Root/Stalk Extract, Asarum Sieboldii Root Extract

3. Purpose: Skin Protectant  
4. Warnings:  
1. In case of having following symptoms after using this, you're advised to stop using it immediately.  
If you keep using it, the symptoms will get worse and need to consult a dermatologist.  
1-1. In case of having problems such as red rash, swollenness, itching, stimulation during usage.  
1-2. In case of having the same symptoms above on the part you put this product on by direct sunlight.  
2. You are banned to use it on the part where you have a scar, eczema, or dermatitis.  
3. In case of getting it into your eyes, you have to wash it immediately.  
5. Keep out of reach of children. Keep out of reach of babies and children  
6. Indications and usage: After basic skin care, apply adequate amount following the skin texture and gently tap to enhance absorption.  
7. Dosage and administration: Take an adequate amount of this product.



**E.bain**

**SKINPIA 10**  
**SKIN SHIELD**  
**RENEWAL**  
**CREAM**

This Cream is specially formulated for red, irritated skin due to it's soothing. This is an excellent product for use as makeup base or foundation.

50ml / FOR ALL SKIN TYPES

1. 주성분: 디메치콘 1%  
2. 부성분: 정제수, 시달리나무잎추출물, 카프릴리/카프릭트라이글리세리드, 머위추출물, 글리세린, 필기회향추출물, 세틸 알코올, 한호색추출물, 버틸렌 글라이콜, 황간추출물, 소르비탄 스테아레이트, 토우박추출물, 글리세릴 스테아레이트, 알란토인, 호호바씨오일, 디스동이디티에이, 세틸에실헥사노에이트, 아데노신, 세이버드, 알로에베라잎즙가루, 이소스테아릭에시드, 라우레스-7, 비즈왁스, 레시틴, 소르비탄세스퀴올레이트, 에틸헥실글리세린, 폴리소르베이트60, 글라이신, 키프토글라센타추출물, 글루타미크에시드, 1,2-헥산디올, 세린, 트리에탄올아민, 아스파틱에시드, 토크로필아세테이트, 류신, 폴리글락틸아마이드, 알라닌, 판테놀, 라이신, 카보머, 알지닌, 아크릴레이트/C10-30, 일일아크릴레이트크로스 폴리머, 타이로신, 향료, 펩티드알라닌, 페녹시에탄올, 트레오닌, 아미노산추출물, 프롤린, 오코라일메추출물, 발린, 우양추출물, 아소부신, 부양추출물, 히스틴, 모로코아미양추출물, 미치오닌, 하이드롤라이즈드 완두콩단백질, 시스테인, 카프릴하이드록시미네시드, 세라미이드3, 펩티드 폴리글루타미에시드, 미치향추출물, 셀켈라스베아추출물, 화이트윌로우껍질추출물, 인신켈라스베아추출물, C13-14이소파라핀, 초파나무열매추출물, 소동하이알루로네이트, 할미꽃추출물, 올리브오일, 아스나이어추출물, 스쿠알란 전단경, 사베리안나엽송추출물, 감국추출물, 금문대황뿌리/줄기추출물, 세신추출물  
3. 효능효과: 피부보호  
4. 사용시의 주의사항:  
1) 화장품용 사용여부 다음과 같은 증상이 있는 경우에는 사용을 중단하여야 하며, 계속 사용하면 증상이 악화되므로 피부과 전문의 등에게 상담할 하십시오.  
1-1. 사용중 붉은 반점, 부어오름, 가려움증, 자극 등의 이상이 있는 경우  
1-2. 적용 부위가 적사광선에 의하여 위와 같은 이상이 있는 경우  
2) 상처가 있는 부위, 습진 및 피부염 등의 이상이 있는 부위에는 사용을 하지 마십시오  
3) 눈에는 절대 들어가지 아니하도록 하여야 하고, 안면 등에 약액이 부착되었을 때에는 즉시 물로 씻어내야 합니다  
5. 유아, 소아의 손에 닿지 않는 곳에 보관할 것  
6. 사용 표시: 피부 밀착감이 뛰어나고 매끄럽고 촉촉한 크림이 피부와 잘 어울려서 피부를 더 고르게 연출하는데 도움을 줍니다.  
7. 용법용량: 분품 적당량을 위해 얼굴 전체에 골고루 퍼 바른 후 흡수 시켜줍니다.



**SKINPIA 10 SKIN SHIELD RENEWAL**

dimethicone cream

**Product Information**

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:62242-030	
<b>Route of Administration</b>	TOPICAL			
<b>Active Ingredient/Active Moiety</b>				
<b>Ingredient Name</b>		<b>Basis of Strength</b>	<b>Strength</b>	
Dimethicone (UNII: 92RU3N3Y1O) (DIMETHICONE - UNII:92RU3N3Y1O)		Dimethicone	0.5 mg in 50 mL	
<b>Inactive Ingredients</b>				
<b>Ingredient Name</b>			<b>Strength</b>	
Water (UNII: 059QF0KO0R)				
Glycerin (UNII: PDC6A3C0OX)				
<b>Packaging</b>				
<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:62242-030-01	50 mL in 1 CARTON		
<b>Marketing Information</b>				
<b>Marketing Category</b>	<b>Application Number or Monograph Citation</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>	
OTC monograph final	part347	01/02/2014		

**Labeler** - EBAIN Corporation Co., Ltd. (689048989)

**Registrant** - EBAIN Corporation Co., Ltd. (689048989)

**Establishment**

Name	Address	ID/FEI	Business Operations
EBAIN Corporation Co., Ltd.		689048989	manufacture(62242-030)