

ESTEE LAUDER DOUBLE WEAR SOFT GLOW MATTE CUSHION MAKEUP BROAD SPECTRUM SPF 36- octinoxate, titanium dioxide and zinc oxide gel
ESTEE LAUDER INC

ESTÉE LAUDER DOUBLE WEAR SOFT GLOW MATTE CUSHION MAKEUP BROAD SPECTRUM SPF 36

Drug Facts

<i>Active ingredients</i>	<i>Purpose</i>
Octinoxate 6.8%	Sunscreen
Titanium Dioxide 7.6%	Sunscreen
Zinc Oxide 3.6%	Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water\ aqua\ eau • phenyl trimethicone • dimethicone • pentaerythrityl

tetraisostearate•methyl trimethicone•glycerin•propanediol•lauryl peg-9
polydimethylsiloxylethyl dimethicone•silica•isohexadecane•cetyl peg/ppg-10/1
dimethicone•hydroxyethyl urea•sapindus mukorossi fruit extract•sodium
hyaluronate•tremella fuciformis sporocarp extract•glycine soja (soybean) seed
extract•laminaria saccharina extract•lactobacillus ferment•trehalose•dimethicone/vinyl
dimethicone crosspolymer•caprylyl glycol•diisostearyl malate•caffeine•linoleic
acid•phospholipids•polyglyceryl-2 triisostearate•caprylic/capric triglyceride•phytosteryl
canola glycerides•triolein•tocopheryl acetate•hydrogenated coco-
glycerides•methicone•caesalpinia spinosa gum•jojoba esters•acetyl hexapeptide-
8•peg-75•triethoxycaprylylsilane•alumina•disteardimonium hectorite•propylene
carbonate•betaine•dimethicone silylate•tocopherol•dimethicone/peg-10/15
crosspolymer•magnesium sulfate•palmitic acid•oleic
acid•polymethylsilsesquioxane•butylene glycol•dipropylene glycol•stearic
acid•polysilicone-11•sodium citrate•glyceryl stearate•stearyl alcohol•cetearyl
alcohol•ammonium polyacryloyldimethyl taurate•polysorbate
80•trimethylsiloxysilicate•polysorbate 20•behenyl
alcohol•dimethicone/divinyldimethicone silsesquioxane crosspolymer•fragrance
(parfum)•linalool•limonene•alpha-isomethyl ionone•disodium
edta•bht•phenoxyethanol•potassium sorbate•[+/- titanium dioxide (ci 77891)•iron
oxides (ci 77492)•iron oxides (ci 77491)•iron oxides (ci 77499)•mica] <iln49800>

Other information

protect the product in this container from excessive heat and direct sun

PRINCIPAL DISPLAY PANEL - 28 g Cartridge Carton

ESTÉE LAUDER

Double Wear
Soft Glow Matte
Cushion Makeup
Broad Spectrum SPF 36

Plus 1 Refill

TOTAL POIDS NET WT. .98 OZ./28g e (14g X2)



ESTÉE LAUDER

Double Wear
Soft Glow Matte
Cushion Makeup
Broad Spectrum SPF 36

Plus 1 Refill

TOTAL POIDS NET WT. .98 OZ./28g e (14g X2)

Double Wear
Soft Glow Matte
Cushion Makeup
Broad Spectrum SPF 36

Luminous matte makeup with 24-hour wear. This true multi-dimensional matte creates a finish that's soft and fluffy, not opaque or flat. Lightweight with a fresh, floral-citrus scent. The comfortable, flexible texture becomes one with your skin for a natural flawless look. Diffuses the appearance of imperfections. Stays color true for 24 hours. Controls oil. Doesn't streak or cake. Won't settle into pores. Medium-to-full buildable coverage. Refillable.

To use: Press sponge applicator into cushion, pat onto face and smooth out to blend. Repeat to build coverage. Close compact tightly after each use.

© ESTÉE LAUDER, DIST, NEW YORK, N.Y. 10022
WLB LTD, CUL32 3DD, UK • WLB5 NV, OIEVEL BE-2260
NEW YORK • LONDON • PARIS
MADE IN BELGIUM. CIR9
esteeauder.com



Drug Facts

Active ingredients

Octinoxate 6.8%
Titanium Dioxide 7.6%
Zinc Oxide 3.6%

Purpose

Sunscreen
Sunscreen
Sunscreen

Use

helps prevent sunburn

Warnings

For external use only

Do not use on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if rash occurs

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

For sunscreen use:

- apply liberally 15 minutes before sun exposure
- reapply at least every two hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats and sunglasses
- children under 6 months of age: ask a doctor

Inactive ingredients

water/aqua/eau • phenyl trimethicone • dimethicone • pentaerythrityl tetraisostearate • methyl trimethicone • glycerin • propanediol • lauryl peg-9 polydimethylsiloxyethyl dimethicone • silica ▶

Drug Facts (continued)

isohexadecane • cetyl peg/ppg-10/1 dimethicone • hydroxyethyl urea • sapindus mukorossi fruit extract • sodium hyaluronate • tremella fuciformis sporocarp extract • glycine soja (soybean) seed extract • laminaria saccharina extract • lactobacillus ferment • trehalose • dimethicone/vinyl dimethicone crosspolymer • caprylyl glycol • dilsostearyl malate • caffeine • linoleic acid • phospholipids • polyglyceryl-2 trisostearate • caprylyl/capric triglyceride • phytosteryl canola glycerides • triolein • tocopheryl acetate • hydrogenated coco-glycerides • methicone • caesalpinia spinosa gum • jojoba esters • acetyl hexapeptide-8 • peg-75 • triethoxycaprylylsilane • alumina • disteardimonium hectorite • propylene carbonate • betaine • dimethicone silylate • tocopherol • dimethicone/peg-10/15 crosspolymer • magnesium sulfate • palmitic acid • oleic acid • polymethylsilsesquioxane • butylene glycol • dipropylene glycol • stearic acid • polysilicone-11 • sodium citrate • glyceryl stearate • stearyl alcohol • cetearyl alcohol • ammonium polyacryloyldimethyl taurate • polysorbate 80 • trimethylsiloxy silicate • polysorbate 20 • behenyl alcohol • dimethicone/divinyldimethicone silsesquioxane crosspolymer • fragrance (parfum) • linalool • limonene • alpha-isomethyl ionone • disodium edta • bht • phenoxyethanol • potassium sorbate • +/- titanium dioxide (ci 77891) • iron oxides (ci 77492) • iron oxides (ci 77491) • iron oxides (ci 77499) • mica] <ln49800>

Other information

protect the product in this container from excessive heat and direct sun

UPC/FPO

GIR9-01-1111

ESTEE LAUDER DOUBLE WEAR SOFT GLOW MATTE CUSHION MAKEUP BROAD SPECTRUM SPF 36

octinoxate, titanium dioxide and zinc oxide gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:11559-062
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	68 mg in 1 g
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	76 mg in 1 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC OXIDE - UNII:SOI2LOH54Z)	ZINC OXIDE	36 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
CANOLA OIL (UNII: 331KBJ17RK)	
GLYCERYL TRIOLEATE (UNII: O05EC62663)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
HYDROGENATED COCO-GLYCERIDES (UNII: XDD37N2GPR)	
METHICONE (20 CST) (UNII: 6777U11MKT)	
CAESALPINIA SPINOSA RESIN (UNII: WL3883U2PO)	
POTASSIUM HYDROLYZED JOJOBA ESTERS (UNII: CH428W5O62)	
ACETYL HEXAPEPTIDE-8 (UNII: L4EL31FWL)	
PEG-75 DILAURATE (UNII: K881554QIN)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
ALUMINUM OXIDE (UNII: LMI26O6933)	
DISTEARDIMONIUM HECTORITE (UNII: X687XDK09L)	
PROPYLENE CARBONATE (UNII: 8D08K3S51E)	
BETAINE (UNII: 3SCV180C9W)	
SILICA DIMETHYL SILYLATE (UNII: EU2PSP0G0W)	
TOCOPHEROL (UNII: R0ZB2556P8)	
DIMETHICONE/PEG-10/15 CROSSPOLYMER (UNII: 21AS8B1BSS)	
MAGNESIUM SULFATE, UNSPECIFIED FORM (UNII: DE08037SAB)	
PALMITIC ACID (UNII: 2V16EO95H1)	
OLEIC ACID (UNII: 2UMI9U37CP)	
POLYMETHYLSILSESQUIOXANE (11 MICRONS) (UNII: Z570VEV8XK)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
DIPROPYLENE GLYCOL (UNII: E107L85C40)	
STEARIC ACID (UNII: 4ELV7Z65AP)	
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (SOFT PARTICLE) (UNII: 9E4CO0W6C5)	
SODIUM CITRATE, UNSPECIFIED FORM (UNII: 1Q73Q2JULR)	
GLYCERYL STEARATE SE (UNII: FCZ5MH785I)	
STEARYL ALCOHOL (UNII: 2KR89I4H1Y)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	

AMMONIUM POLYACRYLOYLDIMETHYL TAURATE (55000 MPA.S) (UNII: F01RIY4371)
POLYSORBATE 80 (UNII: 6OZP39ZG8H)
TRIMETHYLSILOXYSILICATE (M/Q 0.6-0.8) (UNII: 5041RX63GN)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
DOCOSANOL (UNII: 9G1OE216XY)
DIMETHICONE/DIVINYLDIMETHICONE/SILSESQUIOXANE CROSSPOLYMER (UNII: T3064TZ75A)
FRAGRANCE CLEAN ORC0600327 (UNII: 329LCV5BTF)
LINALOOL, (+)- (UNII: F4VNO44C09)
LIMONENE, (+)- (UNII: GFD7C86Q1W)
ISOMETHYL-.ALPHA.-IONONE (UNII: 9XP4LC555B)
DISODIUM EDTA-COPPER (UNII: 6V475AX06U)
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)
FERRIC OXIDE RED (UNII: 1K09F3G675)
FERROSFERRIC OXIDE (UNII: XM0M87F357)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0KO0R)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)
DIMETHICONE (UNII: 92RU3N3Y1O)
PENTAERYTHRITYL TETRAISOSTEARATE (UNII: 9D7IK5483F)
METHYL TRIMETHICONE (UNII: S73ZQI0GXM)
GLYCERIN (UNII: PDC6A3C0OX)
PROPANEDIOL (UNII: 5965N8W85T)
LAURYL PEG-9 POLYDIMETHYLSILOXYETHYL DIMETHICONE (UNII: 25G622K2RA)
SILICA, TRIMETHYLSILYL CAPPED (UNII: VU10KU4B9S)
ISOHEXADECANE (UNII: 918X1OUF1E)
CETYL PEG/PPG-10/1 DIMETHICONE (HLB 2) (UNII: V2W71V8T0X)
HYDROXYETHYL UREA (UNII: MBQ7DDQ7AR)
SAPINDUS MUKOROSI FRUIT (UNII: 66H9NW427Y)
HYALURONATE SODIUM (UNII: YSE9PPT4TH)
TREMELLA FUCIFORMIS FRUITING BODY (UNII: GG8N28393G)
SOYBEAN (UNII: L7HT8F1ZOD)
SACCHARINA LATISSIMA (UNII: 68CMP2MB55)
LIMOSILACTOBACILLUS REUTERI (UNII: 9913I24QEE)
TREHALOSE (UNII: B8WCK70T7I)
DIMETHICONE/VINYL DIMETHICONE CROSSPOLYMER (HARD PARTICLE) (UNII: H895X08VNO)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
DIISOSTEARYL MALATE (UNII: QBS8A3XZGQ)
CAFFEINE (UNII: 3G6A5W338E)
LINOLEIC ACID (UNII: 9KJL21T0QJ)
PHOSPHOLIPID PHOSPHATASE 1 (UNII: IP029363WQ)
POLYGLYCERYL-2 TRIISOSTEARATE (UNII: 68DUY2D39A)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:11559-062-	1 in 1 CARTON	07/07/2021	12/31/2022

1	01	1 in 1 CARTON	07/07/2021	12/31/2023
1		28 g in 1 CARTRIDGE; Type 0: Not a Combination Product		
2	NDC:11559-062-02	1 in 1 CARTON	12/21/2023	
2		24 g in 1 CARTRIDGE; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	07/07/2021	

Labeler - ESTEE LAUDER INC (005914387)

Registrant - Estee Lauder Companies Inc. (790802086)

Establishment

Name	Address	ID/FEI	Business Operations
Estee Lauder N.V.		370151326	manufacture(11559-062) , pack(11559-062) , label(11559-062)

Establishment

Name	Address	ID/FEI	Business Operations
COSMAX INC		689049693	manufacture(11559-062)

Revised: 12/2023

ESTEE LAUDER INC