BARYTA BROMATA- baryta bromata pellet Hahnemann Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BARYTA BROMATA 12C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 9490
TWIST TO OPEN - USE ONLY IF SEALED

BARYTA BROMATA 6C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: If pregnant or breast-feeding, ask a health professional before use. If symptoms persist beyond 3 days, consult a health professional. Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a health professional before use. • If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BARYTA BROMATA 6C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

BARYTA BROMATA 12C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BARYTA BROMATA 12C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

BARYTA **BROMATA 30C**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache Keep out of reach of children Directions: Take 5 pellets orally once

sucrose

00000

Inactive ingredients:

BARYTA BROMATA 30C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BARYTA BROMATA 30C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a health professional before use. • If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BARYTA BROMATA 30C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

TWIST TO OPEN - USE ONLY IF SEALED

Hahnemann Labs Inc.

BARYTA BROMATA 100C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache
Keep out of reach
of children
Directions: Take 5

Inactive ingredients: sucrose

pellets orally once

|||||||||||||| 00000 nemann Labs Inc. 1940 Fourth St. San Rafael, C
TWIST TO OPEN - USE ONLY IF SEALI

BARYTA BROMATA 100C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BARYTA BROMATA 100C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



BARYTA BROMATA 100C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

BARYTA BROMATA 200C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache
Keep out of reach
of children
Directions: Take 5
pellets orally once

00000

sucrose

Inactive ingredients:

nn Labs Inc. 1940 Fourth St. San Rafael, CA 9.

BARYTA BROMATA 200C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BARYTA BROMATA 200C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



BARYTA BROMATA 200C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

BARYTA BROMATA 500C

Min. net wt: 1g
HOMEOPATHIC
MEDICINE
Active ingredient:
Listed above
Use:Traditional use
such as headache
Keep out of reach
of children
Directions: Take 5

Directions: Take 5 pellets orally once Inactive ingredients: sucrose

00000

memann Labs Inc. 1940 Fourth St. San Rafael, C TWIST TO OPEN - USE ONLY IF SEAL

BARYTA BROMATA 500C

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BARYTA BROMATA 500C

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



BARYTA BROMATA 500C

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use.

• If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc.

BARYTA **BROMATA 1M**

Min. net wt: 1g **HOMEOPATHIC** MEDICINE Active ingredient: Listed above Use: Traditional use such as headache Keep out of reach of children Directions: Take 5 pellets orally once

00000

sucrose

Inactive ingredients:

BARYTA BROMATA 1M

Min. net wt: 5g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a health professional before use. ■ If symptoms persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose



BARYTA BROMATA 1M

Min. net wt: 30g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: ■ If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



Hahnemann Labs Inc. 1940 Fourth St. San Rafael, CA 94901

BARYTA BROMATA **1M**

Min. net wt: 100g of pellets

HOMEOPATHIC MEDICINE

Drug Facts: Active ingredients: Listed above

Uses: This product is intended for traditional

homeopathic use such as headache.

Warnings: • If pregnant or breast-feeding, ask a

health professional before use. ■ If symptoms

persist beyond 3 days, consult a health professional.

Keep out of reach of children.

Directions: Take 5 pellets orally once, or as

directed by a health professional

Inactive ingredients: sucrose

Questions? Call toll free 888-427-6422

Do not use if safety seal is broken.



00000

BARYTA BROMATA

baryta bromata pellet

100		104	ori	2	-10	210
				116		

Product Type HUMAN OTC DRUG

Route of Administration

ORAL

Item Code (Source)

NDC:63545-368

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW)	BARIUM BROMIDE	6 [hp C]

Inactive Ingredients				
Ingredient Name	Strength			
SUCROSE (UNII: C151H8M554)				

Product Characteristics					
Color white Score no score					
Shape	ROUND	Size	3mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 368-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021			
2	NDC:63545- 368-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			
3	NDC:63545- 368-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			

Marketing Information				
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date	
unapproved homeopathic		07/06/2021		

baryta bromata pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-374		
Route of Administration	ORAL				

Active Ingredient/Active Moiety				
Ingredient Name	Basis of Strength	Strength		
BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW)	BARIUM BROMIDE	1 [hp_M]		
Diagon Brown Brown Scotting (Branch Brown Brown Scotting)	Bration Brioting	_ [b_']		

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics						
Color	white	Score	no score			
Shape	ROUND	Size	2mm			
Flavor		Imprint Code				
Contains	Contains					

F	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 374-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021			
2	NDC:63545- 374-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			
3	NDC:63545- 374-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			
4	NDC:63545- 374-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021			

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		07/06/2021		

baryta bromata pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-369
Route of Administration	ORAL		

Active Ingredient/Active Moiety		
Ingredient Name	Basis of Strength	Strength
RARIUM RROMIDE (LINII) TIRNM689HW (RARIUM BROMIDE - LINII) TIRNM689HW	BARILIM BROMIDE	12 [hn C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color white Score no score					
Shape	Size	3mm			
Flavor Imprint Code					
Contains					

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 369-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021		
2	NDC:63545- 369-02	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021		
3	NDC:63545- 369-03	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021		

Marketing Ir	Marketing Information			
Marketing Application Number or Monograph Marketing Start Marketing En Category Citation Date Date				
unapproved homeopathic		07/06/2021		
поттеориите				

baryta bromata pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-370
Route of Administration	ORAL		

Active Ingredient/Active Moiety Ingredient Name BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW) BARIUM BROMIDE (UNII: TI8NM689HW) BARIUM BROMIDE 30 [hp_C]

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
ColorwhiteScoreno score					
Shape	ROUND	Size	3mm		
Flavor Imprint Code					

Contains

P	Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date	
1	NDC:63545- 370-02	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021		
2	NDC:63545- 370-03	1200 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021		
3	NDC:63545- 370-04	4000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021		
4	NDC:63545- 370-01	80 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021		

Marketing Information			
eting End Date			

BARYTA BROMATA

baryta bromata pellet

Product Information					
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:63545-371		
Pouto of Administration	ORAL				

Active Ingredient/Active Moiety Ingredient Name BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW) BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW) BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW)

Inactive Ingredients	
Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Product Characteristics					
Color	white	Score	no score		
Shape	ROUND	Size	2mm		
Flavor		Imprint Code			
Contains					

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 371-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021			
2	NDC:63545- 371-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			
3	NDC:63545- 371-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			
4	NDC:63545- 371-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021			

Marketing Information					
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date					
unapproved homeopathic		07/06/2021			
потпеоранне					

baryta bromata pellet

Product	Information
----------------	-------------

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-373

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW) BARIUM BROMIDE 500 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

Packaging

Item Code Package Description Marketing Start Date Date

1	NDC:63545- 373-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021	
2	NDC:63545- 373-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021	
3	NDC:63545- 373-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021	
4	NDC:63545- 373-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021	

Marketing Information				
Marketing Application Number or Monograph Marketing Start Marketing End Category Citation Date Date				
unapproved homeopathic		07/06/2021		

baryta bromata pellet

Product Information

Product Type HUMAN OTC DRUG Item Code (Source) NDC:63545-372

Route of Administration ORAL

Active Ingredient/Active Moiety

Ingredient Name Basis of Strength Strength

BARIUM BROMIDE (UNII: TI8NM689HW) (BARIUM BROMIDE - UNII:TI8NM689HW) BARIUM BROMIDE 200 [hp_C]

Inactive Ingredients

Ingredient Name Strength

SUCROSE (UNII: C151H8M554)

Product Characteristics

Color	white	Score	no score
Shape	ROUND	Size	2mm
Flavor		Imprint Code	
Contains			

P	Packaging					
#	Item Code	Package Description	Marketing Start Date	Marketing End Date		
1	NDC:63545- 372-02	500 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021			
2	NDC:63545- 372-03	3000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021			

	NDC:63545- 372-04	10000 in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	07/06/2021	
4	NDC:63545- 372-01	200 in 1 VIAL, GLASS; Type 0: Not a Combination Product	07/06/2021	

Marketing Information					
Application Number or Monograph Citation	Marketing Start Date	Marketing End Date			
	07/06/2021				
	Application Number or Monograph	Application Number or Monograph Marketing Start Citation Date			

Labeler - Hahnemann Laboratories, Inc. (147098081)

Establishment				
Name	Address	ID/FEI	Business Operations	
Hahnemann Laboratories, Inc.		147098081	manufacture(63545-368, 63545-369, 63545-370, 63545-371, 63545-372, 63545-373, 63545-374)	

Revised: 7/2021 Hahnemann Laboratories, Inc.