

CANDID-Y- adrenalinum, candida albicans, thyroidinum, torula cerevisiae, triticum, ustilago maidis, antimon. crud, arsenicum alb., baptisia, berber. aqui., bryonia, calc. phos., cinchona, helonias dioica, hydrastis, iodium, iris versicolor, kali carb., lachesis, lycopodium, merc. viv., nat.carb., nat. phos, nitricum ac., phosphorus, podoph. pelt, pulsatilla, sepia, echinacea, ginkgo, juglans regia, lappa, thuja occ. pellet
Newton Laboratories, Inc.

Disclaimer: This homeopathic product has not been evaluated by the Food and Drug Administration for safety or efficacy. FDA is not aware of scientific evidence to support homeopathy as effective.

Candid-Y 2567P

WARNINGS SECTION

WARNINGS: Keep out of reach of children. Do not use if tamper-evident seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If **pregnant or breast-feeding**, ask a doctor before use.

OTC - KEEP OUT OF REACH OF CHILDREN SECTION

Keep out of reach of children.

OTC - PREGNANCY OR BREAST FEEDING SECTION

If **pregnant or breast-feeding**, ask a doctor before use.

QUESTIONS SECTION

newtonlabs.net - Questions? 800 448-7256

Newton Laboratories, Inc. FDA Est # 1051203 - Conyers, GA 30013

INACTIVE INGREDIENT SECTION

Glutun-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

OTC - PURPOSE SECTION

Formulated for associated symptoms such as gas, bloating, fatigue mental fogginess, itching, and discharge.

OTC - ACTIVE INGREDIENT SECTION

Equal parts of Echinacea 6x, Ginkgo 6x, Juglans reg. 6x, Lappa 6x, Thuja occ. 6x, Antimon. crud. 15x, Baptisia 15x, Berber. aqui. 15x, Bryonia 15x, Calc. phos. 15x,

Cinchona 15x, Helonias 15x, Hydrastis 15x, Iodium 15x, Iris vers. 15x, Kali carb. 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nat.carb. 15x, Nat. phos. 15x, Nitricum ac. 15x, Phos. 15x, Podoph. pelt. 15x, Pulsatilla 15x, Sepia 15x, Adrenalinum 15x, Arsenicum alb. 15x, Candida alb.15x, Thyroidinum 15x, Triticum 15x, Ustilago maidis 15x, Torula cerevisiae 16x.

DOSAGE & ADMINISTRATION SECTION

Ages 12 and up, take 6 pellets by mouth (0 to 11, take 3 pellets) one to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

INDICATIONS & USAGE SECTION

Formulated to associated symptoms such as gas, bloating, fatigue, mental fogginess, itching and discharge.

PACKAGE LABEL

The image shows the front of a yellow rectangular box for Newton Homeopathics Candid-Y. The top left corner features the text 'newtonlabs.net ~ Questions? 800.448.7256' and 'Newton Laboratories, Inc. FDA Est #1051203 • Compens. GA 30013'. Below this is a vertical warning: 'Label statements have not been reviewed by the FDA. WARNINGS: Keep out of reach of children. Do not use if imper-ent seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.' The center of the box has the 'NEWTON homeopathics' logo with a butterfly icon and 'Since 1987'. Below the logo is the product name 'Candid-Y' in large, bold, brown letters, followed by the description 'Formulated for associated symptoms such as gas, bloating, fatigue, mental fogginess, itching and discharge.' The bottom right corner indicates '1 OZ (28 G)'. The bottom left corner shows the NDC number 'NDC# 55714-2567-1'. On the right side of the box, there is a section for 'Directions' and 'Active Ingredients'. The 'Directions' text reads: 'Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.' The 'Active Ingredients' list includes: 'Equal parts of Echinacea 6x, Ginkgo 6x, Juglans reg. 6x, Lappa 6x, Thuja occ. 6x, Adrenalinum 15x, Antimon. crud. 15x, Arsenicum alb. 15x, Baptisia 15x, Berber. aqu. 15x, Bryonia 15x, Calc. phos. 15x, Candida alb. 15x, Cinchona 15x, Helonias 15x, Hydrastis 15x, Iodium 15x, Iris vers. 15x, Kali carb. 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. phos. 15x, Nitricum ac. 15x, Phos. 15x, Podoph. pelt. 15x, Pulsatilla 15x, Sepia 15x, Thyroidinum 15x, Triticum 15x, Ustilago maidis 15x, Torula cerevisiae 16x.' Below this is the 'Inactive Ingredients' section: 'Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.' At the very bottom right, it says 'Stock# N016 Lot#'. The entire label is set against a yellow background with brown and black text.

newtonlabs.net ~ Questions? 800.448.7256
Newton Laboratories, Inc. FDA Est #1051203 • Compens. GA 30013

Label statements have not been reviewed by the FDA.
WARNINGS: Keep out of reach of children. Do not use if imper-ent seal is broken or missing. If symptoms worsen or persist for more than a few days, consult a doctor. If pregnant or breast-feeding, ask a doctor before use.

NEWTON homeopathics
Since 1987

NDC# 55714-2567-1

Candid-Y
Formulated for associated symptoms such as gas, bloating, fatigue, mental fogginess, itching and discharge.

1 OZ (28 G)

Directions: Ages 12 and up, take 6 pellets by mouth (ages 0 to 11, give 3 pellets) one to four times daily or as directed by a health professional. Under age 2, crush/dissolve pellets in purified water. Sensitive persons begin with 1 pellet and gradually increase to full dose.

Active Ingredients: Equal parts of Echinacea 6x, Ginkgo 6x, Juglans reg. 6x, Lappa 6x, Thuja occ. 6x, Adrenalinum 15x, Antimon. crud. 15x, Arsenicum alb. 15x, Baptisia 15x, Berber. aqu. 15x, Bryonia 15x, Calc. phos. 15x, Candida alb. 15x, Cinchona 15x, Helonias 15x, Hydrastis 15x, Iodium 15x, Iris vers. 15x, Kali carb. 15x, Lachesis 15x, Lycopodium 15x, Merc. viv. 15x, Nat. carb. 15x, Nat. phos. 15x, Nitricum ac. 15x, Phos. 15x, Podoph. pelt. 15x, Pulsatilla 15x, Sepia 15x, Thyroidinum 15x, Triticum 15x, Ustilago maidis 15x, Torula cerevisiae 16x.

Inactive Ingredients: Gluten-free, non-GMO, organic beet-derived sucrose (lactose-free) pellets.

Stock# N016 Lot#

CANDID-Y

adrenalinum, candida albicans, thyroidinum, torula cerevisiae, triticum, ustilago maidis, antimon. crud, arsenicum alb., baptisia, berber. aqu., bryonia, calc. phos., cinchona, helonias dioica, hydrastis, iodium, iris versicolor, kali carb., lachesis, lycopodium, merc. viv., nat.carb., nat. phos, nitricum ac., phosphorus, podoph. pelt, pulsatilla, sepia, echinacea, ginkgo, juglans regia, lappa, thuja occ. pellet

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55714-2567
Route of Administration	ORAL		
Active Ingredient/Active Moiety			
Ingredient Name		Basis of Strength	Strength
EPINEPHRINE (UNII: YKH834O4BH) (EPINEPHRINE - UNII:YKH834O4BH)		EPINEPHRINE	15 [hp_X] in 1 g
CANDIDA ALBICANS (UNII: 4D7G21HDBC) (CANDIDA ALBICANS - UNII:4D7G21HDBC)		CANDIDA ALBICANS	15 [hp_X] in 1 g
THYROID, UNSPECIFIED (UNII: 0B4FDL9I6P) (THYROID, UNSPECIFIED - UNII:0B4FDL9I6P)		THYROID, UNSPECIFIED	15 [hp_X] in 1 g
SACCHAROMYCES CEREVISIAE (UNII: 978D8U419H) (SACCHAROMYCES CEREVISIAE - UNII:978D8U419H)		SACCHAROMYCES CEREVISIAE	16 [hp_X] in 1 g
ELYMUS REPENS ROOT (UNII: 3IXW0F6P8W) (ELYMUS REPENS ROOT - UNII:3IXW0F6P8W)		ELYMUS REPENS ROOT	15 [hp_X] in 1 g
USTILAGO MAYDIS (UNII: 4K7Z7K7SWG) (USTILAGO MAYDIS - UNII:4K7Z7K7SWG)		USTILAGO MAYDIS	15 [hp_X] in 1 g
ANTIMONY TRISULFIDE (UNII: F79059A38U) (ANTIMONY TRISULFIDE - UNII:F79059A38U)		ANTIMONY TRISULFIDE	15 [hp_X] in 1 g
ARSENIC TRIOXIDE (UNII: S7V92P67HO) (ARSENIC CATION (3+) - UNII:C96613F5AV)		ARSENIC TRIOXIDE	15 [hp_X] in 1 g
BAPTISIA TINCTORIA (UNII: 5K1UO2888Y) (BAPTISIA TINCTORIA - UNII:5K1UO2888Y)		BAPTISIA TINCTORIA	15 [hp_X] in 1 g
MAHONIA AQUIFOLIUM ROOT BARK (UNII: VZJ9F3C3SB) (MAHONIA AQUIFOLIUM ROOT BARK - UNII:VZJ9F3C3SB)		MAHONIA AQUIFOLIUM ROOT BARK	15 [hp_X] in 1 g
BRYONIA ALBA ROOT (UNII: T7J046YI2B) (BRYONIA ALBA ROOT - UNII:T7J046YI2B)		BRYONIA ALBA ROOT	15 [hp_X] in 1 g
TRIBASIC CALCIUM PHOSPHATE (UNII: 91D9GV0Z28) (PHOSPHATE ION - UNII:NK08V8K8HR)		TRIBASIC CALCIUM PHOSPHATE	15 [hp_X] in 1 g
CINCHONA OFFICINALIS BARK (UNII: S003A158SB) (CINCHONA OFFICINALIS BARK - UNII:S003A158SB)		CINCHONA OFFICINALIS BARK	15 [hp_X] in 1 g
CHAMAELIRIUM LUTEUM ROOT (UNII: DQV54Y5H3U) (CHAMAELIRIUM LUTEUM ROOT - UNII:DQV54Y5H3U)		CHAMAELIRIUM LUTEUM ROOT	15 [hp_X] in 1 g
GOLDENSEAL (UNII: ZW3Z11D0JV) (GOLDENSEAL - UNII:ZW3Z11D0JV)		GOLDENSEAL	15 [hp_X] in 1 g
IODINE (UNII: 9679TC07X4) (IODINE - UNII:9679TC07X4)		IODINE	15 [hp_X] in 1 g
IRIS VERSICOLOR ROOT (UNII: X43D4L3DQC) (IRIS VERSICOLOR ROOT - UNII:X43D4L3DQC)		IRIS VERSICOLOR ROOT	15 [hp_X] in 1 g
POTASSIUM CARBONATE (UNII: BQN1B9B9HA) (CARBONATE ION - UNII:7UJQ5OPE7D)		POTASSIUM CARBONATE	15 [hp_X] in 1 g
LACHESIS MUTA VENOM (UNII: VSW71SS07I) (LACHESIS MUTA VENOM - UNII:VSW71SS07I)		LACHESIS MUTA VENOM	15 [hp_X] in 1 g
LYCOPODIUM CLAVATUM SPORE (UNII: C88X29Y479) (LYCOPODIUM CLAVATUM SPORE - UNII:C88X29Y479)		LYCOPODIUM CLAVATUM SPORE	15 [hp_X] in 1 g
MERCURY (UNII: FXS1BY2PGL) (MERCURY - UNII:FXS1BY2PGL)		MERCURY	15 [hp_X] in 1 g
SODIUM CARBONATE (UNII: 45P3261C7T) (CARBONATE ION - UNII:7UJQ5OPE7D)		SODIUM CARBONATE	15 [hp_X] in 1 g
SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE (UNII: 70WT22SF4B) (PHOSPHATE ION - UNII:NK08V8K8HR)		SODIUM PHOSPHATE, DIBASIC, HEPTAHYDRATE	15 [hp_X] in 1 g
NITRIC ACID (UNII: 411VRN1TV4) (NITRIC ACID - UNII:411VRN1TV4)		NITRIC ACID	15 [hp_X] in 1 g
PHOSPHORUS (UNII: 27YLU75U4W) (PHOSPHORUS - UNII:27YLU75U4W)		PHOSPHORUS	15 [hp_X] in 1 g

PODOPHYLLUM (UNII: 2S713A4VP3) (PODOPHYLLUM - UNII:2S713A4VP3)	PODOPHYLLUM	15 [hp_X] in 1 g
ANEMONE PULSATILLA (UNII: I76KB35JEV) (ANEMONE PULSATILLA - UNII:I76KB35JEV)	ANEMONE PULSATILLA	15 [hp_X] in 1 g
SEPIA OFFICINALIS JUICE (UNII: QDL83WN8C2) (SEPIA OFFICINALIS JUICE - UNII:QDL83WN8C2)	SEPIA OFFICINALIS JUICE	15 [hp_X] in 1 g
ECHINACEA, UNSPECIFIED (UNII: 4N9P6CC1DX) (ECHINACEA, UNSPECIFIED - UNII:4N9P6CC1DX)	ECHINACEA, UNSPECIFIED	6 [hp_X] in 1 g
GINKGO (UNII: 19FUJ2C58T) (GINKGO - UNII:19FUJ2C58T)	GINKGO	6 [hp_X] in 1 g
ENGLISH WALNUT (UNII: 1V3SHR7QB7) (ENGLISH WALNUT - UNII:1V3SHR7QB7)	ENGLISH WALNUT	6 [hp_X] in 1 g
ARCTIUM LAPPA ROOT (UNII: 597E9BI3Z3) (ARCTIUM LAPPA ROOT - UNII:597E9BI3Z3)	ARCTIUM LAPPA ROOT	6 [hp_X] in 1 g
THUJA OCCIDENTALIS LEAFY TWIG (UNII: 1NT28V9397) (THUJA OCCIDENTALIS LEAFY TWIG - UNII:1NT28V9397)	THUJA OCCIDENTALIS LEAFY TWIG	6 [hp_X] in 1 g

Inactive Ingredients

Ingredient Name	Strength
SUCROSE (UNII: C151H8M554)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55714-2567-1	28 g in 1 BOTTLE, GLASS; Type 0: Not a Combination Product	02/01/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved homeopathic		02/01/2021	

Labeler - Newton Laboratories, Inc. (788793610)

Registrant - Newton Laboratories, Inc. (788793610)

Establishment

Name	Address	ID/FEI	Business Operations
Newton Laboratories, Inc.		788793610	manufacture(55714-2567)

Revised: 2/2021

Newton Laboratories, Inc.