GOOD NEIGHBOR PHARMACY CHILDRENS ALL DAY ALLERGY- cetirizine hcl solution Amerisource Bergen

Amerisource Bergen Children's All Day Allergy Drug Facts

Active ingredient (in each 5 mL)

Cetirizine HCl 5 mg

Purpose

Antihistamine

Uses

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
- sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use

if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have

liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are

taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if

an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10
	mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in
	24 hours.
children 2 to under 6 years	2.5 mL once daily. If needed, dose can be
of age	increased to a maximum of 5 mL once daily or
	2.5 mL every 12 hours. Do not give more than
	5 mL in 24 hours.
children under 2 years of	ask a doctor
age	
consumers with liver or	ask a doctor
kidney disease	

Other information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

2 YEARS & OLDER

Children's All Day Allergy

cetirizine hydrochloride

oral solution 1 mg/mL

antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

Sneezing – Runny Nose

Itchy, Watery Eyes

Itchy Throat or Nose


Dosing Cup Included

Grape Flavored

Sugar-Free

Dye-Free

4 fl oz (120 mL)



NDC 46122-203-26

Compare to Children's Zyrtec[®] active ingredient



2 YEARS & OLDER

Children's All Day Allergy

cetirizine hydrochloride oral solution 1 mg/mL antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

- Sneezing Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Dosing Cup Included

Grape Flavored

Sugar-Free

Dye-Free

4 fl oz (120 mL)



NDC 46122-203-26



2 YEARS & OLDER

Compare to

Children's All Day Allergy

cetirizine hydrochloride oral solution 1 mg/mL antihistamine

Indoor & Outdoor Allergies

24 Hour Relief of:

- Sneezing Runny Nose
- Itchy, Watery Eyes
- Itchy Throat or Nose

Dosing Cup Included


Grape Flavored

Sugar-Free

Dye-Free













2 YEARS & OLDER

Children's All Day Allergy

Drug Facts

Active Ingredient (In each 5 mL)

Purpose

Cetirizine HCl 5 mg.....Antihistamine

temporarily relieves these symptoms due to hay fever or other upper respiratory allergies:

- runny nose
 sneezing
- itchy, watery eyes
- itching of the nose or throat

Warnings

Do not use if you have ever had an allergic reaction to this product or any of its ingredients or to an antihistamine containing hydroxyzine.

Ask a doctor before use if you have liver or kidney disease. Your doctor should determine if you need a different dose.

Ask a doctor or pharmacist before use if you are taking tranquilizers or sedatives.

When using this product

- drowsiness may occur
- avoid alcoholic drinks
- alcohol, sedatives, and tranquilizers may increase drowsiness
- be careful when driving a motor vehicle or operating machinery

Stop use and ask a doctor if an allergic reaction to this product occurs. Seek medical help right away.

If pregnant or breast-feeding:

- if breast-feeding: not recommended
- if pregnant: ask a health professional before use. Keep out of reach of children. In case of overdose, get medical help or contact a Poison Control Center right away. (1-800-222-1222)

Drug Facts (continued)

Directions

- use only with enclosed dosing cup
- find right dose on chart below
- mL = milliliter

adults and children 6 years and over	5 mL or 10 mL once daily depending upon severity of symptoms; do not take more than 10 mL in 24 hours.
adults 65 years and over	5 mL once daily; do not take more than 5 mL in 24 hours.
children 2 to under 6 years of age	2.5 mL once daily. If needed, dose can be increased to a maximum of 5 mL once daily or 2.5 mL every 12 hours. Do not give more than 5 mL in 24 hours.
children under 2 years of age	ask a doctor
consumers with liver or kidney disease	ask a doctor

Other Information

- store between 20° to 25°C (68° to 77°F)
- do not use if carton is opened, or if printed neckband is broken or missing
- see bottom panel for lot number and expiration date

Inactive ingredients

anhydrous citric acid, artificial grape flavor, propylene glycol, purified water, sodium benzoate, sorbitol solution, sucralose

Ouestions or comments? 1-800-719-9260


Good Neighbor Pharmacy® Children's All Day Allergy is not manufactured or distributed by McNeil Consumer Healthcare, Division of McNeil-PPC, Inc., distributor of Children's Zyrtec.

> Dosing cup should be washed and left to air dry after each use.

GLUTEN FREE

Distributed By AmerisourceBergen 1300 Morris Drive Chesterbrook, PA 19087 Questions or Concerns?





GOOD NEIGHBOR PHARMACY CHILDRENS ALL DAY ALLERGY

cetirizine hcl solution

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:46122-203

Route of Administration ORAL

l	Active Ingredient/Active Moiety		
	Ingredient Name	Basis of Strength	Strength
	CETIRIZINE HYDRO CHLO RIDE (UNII: 64O047KTOA) (CETIRIZINE - UNII:YO7261ME24)	CETIRIZINE HYDROCHLORIDE	5 mg in 5 mL

Inactive Ingredients			
Ingredient Name	Strength		
ANHYDRO US CITRIC ACID (UNII: XF417D3PSL)			
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)			
WATER (UNII: 059QF0KO0R)			
SODIUM BENZOATE (UNII: OJ245FE5EU)			
SORBITOL (UNII: 506T60A25R)			
SUCRALOSE (UNII: 96K6UQ3ZD4)			

Product Characteristics			
Color		Score	
Shape		Size	
Flavor	GRAPE	Imprint Code	
Contains			

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:46122-203-26	1 in 1 CARTON	11/10/2015	
1		120 mL in 1 BOTTLE; Type 0: Not a Combination Product		
Marketing Information				
IVI	larketing Categor	y Application Number or Monograph Citation	Marketing Start Date	Marketing End Date

Labeler - Amerisource Bergen (007914906)

Revised: 12/2018 Amerisource Bergen