

NEUTROGENA HEALTHY SKIN GLOW SHEERS ILLUMINATING TINTED MOISTURIZER - IVORY TO FAIR 10 SUNSCREEN BROAD SPECTRUM SPF30-homosalate, octinoxate, octisalate, oxybenzone, and titanium dioxide liquid
NEUTROGENA HEALTHY SKIN GLOW SHEERS ILLUMINATING TINTED MOISTURIZER - FAIR TO LIGHT 20 SUNSCREEN BROAD SPECTRUM SPF30-homosalate, octinoxate, octisalate, oxybenzone, and titanium dioxide liquid
NEUTROGENA HEALTHY SKIN GLOW SHEERS ILLUMINATING TINTED MOISTURIZER - LIGHT TO MEDIUM 30 SUNSCREEN BROAD SPECTRUM SPF30-homosalate, octinoxate, octisalate, oxybenzone, and titanium dioxide liquid
Johnson & Johnson Consumer Inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Neutrogena healthy skin glow sheers[®] illuminating tinted moisturizer with sunscreen broad spectrum SPF 30

Drug Facts

Active ingredients

Homosalate 5%, Octinoxate 7.5%, Octisalate 5%, Oxybenzone 2%, Titanium Dioxide 2.9%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

- **Do not use** on damaged or broken skin
- **When using this product** keep out of eyes . Rinse with water to remove.
- **Stop use and ask a doctor if** rash occurs
- **Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

Directions

For Sunscreen Use:

- apply liberally 15 minutes before sun exposure
- reapply at least every 2 hours
- use a water resistant sunscreen if swimming or sweating
- **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging . To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- children under 6 months of age: Ask a doctor

Other information

- protect this product from excessive heat and direct sun
- may stain some fabrics

Inactive ingredients

water, phenyl trimethicone, cetyl dimethicone, butylene glycol, silica, cetearyl alcohol, glyceryl stearate, PEG 100 stearate, barium sulfate, pantothenic acid, ascorbic acid, tocopheryl acetate, retinyl palmitate, squalane, bisabolol, dipotassium glycyrrhizate, polysorbate 60, PEG-12 dimethicone, polymethyl methacrylate, polysorbate 20, magnesium aluminum silicate, cetyl hydroxyethylcellulose, tetrasodium EDTA, xanthan gum, hydroxyethyl acrylate/sodium acryloyldimethyl taurate, caprylyl glycol, sorbic acid, phenoxyethanol **May contain:** iron oxides, mica, titanium dioxide

Questions?

Visit www.neutrogena.com or call toll-free **800-480-4812** or **215-273-8755** (collect)

Distributed by:
JOHNSON & JOHNSON
CONSUMER INC.
Skillman, NJ 08558

PRINCIPAL DISPLAY PANEL - 32 mL Tube Label - Ivory to Fair 10

Neutrogena
healthy skin
glow sheers®

illuminating
tinted moisturizer


with
sunscreen

broad spectrum
SPF 30

lightweight
antioxidant blend
oil-free

ivory to fair 10
1.1 FL. OZ. (32mL)



30033967  PEEL HERE ▶

Sheer, natural coverage and just a touch of shimmer for a healthy radiant look.

Directions: Apply with fingers or a sponge all over face for a natural glow.


Drug Facts

Active ingredients
 Homosalate 5%, Octinoxate 7.5%, Octisalate 5%, Oxybenzone 2%, Titanium Dioxide 2.9%

Purpose Sunscreen

Uses • helps prevent sunburn
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Distributed by:
 JOHNSON & JOHNSON
 CONSUMER INC.
 Skillman, NJ 08558
 © J&J 2017
 20077229

 FPO UPC - 088800124412
 0 86800 12441 2

Drug Facts (continued)

Warnings
 For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove.
 • Stop use and ask a doctor if rash occurs
 • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

H
I
N
G
E

Drug Facts (continued)

Other information
 • protect this product from excessive heat and direct sun
 • may stain some fabrics

Inactive ingredients water, phenyl trimethicone, cetyl dimethicone, butylene glycol, silica, cetearyl alcohol, glyceryl stearate, PEG 100 stearate, barium sulfate, pantothenic acid, ascorbic acid, tocopheryl acetate, retinyl palmitate, squalane, bisabolol, dipotassium glycyrrhizate, polysorbate 60, PEG-12 dimethicone, polymethyl methacrylate, polysorbate 20, magnesium aluminum silicate, cetyl hydroxyethylcellulose, tetrasodium EDTA, xanthan gum, hydroxyethyl acrylate/sodium acryloyldimethyl taurate, caprylyl glycol, sorbic acid, phenoxethanol
 May contain: iron oxides, mica, titanium dioxide

Questions? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

H
I
N
G
E



PRINCIPAL DISPLAY PANEL - 32 mL Tube Label - Fair to Light 20

Neutrogena
healthy skin
glow sheers[®]

illuminating
tinted moisturizer

with
sunscreen

broad spectrum
SPF 30

lightweight
antioxidant blend
oil-free

fair to light 20
1.1 FL. OZ. (32mL)



30302776

Neutrogena
healthy skin
glow sheers®

illuminating
tinted moisturizer

with
sunscreen
broad spectrum
SPF 30
lightweight
antioxidant blend
oil-free

fair to light 20
1.1 FL. OZ. (32mL)



ECL
FPO

30033961



Sheer, natural coverage and just a touch of shimmer for a healthy radiant look.

Directions: Apply with fingers or a sponge all over face for a natural glow.

Drug Facts

Active ingredients

Homosalate 5%, Octinoxate 7.5%, Octisalate 5%, Oxybenzone 2%, Titanium Dioxide 2.9%

Purpose Sunscreen

Uses • helps prevent sunburn
• If used as directed with other sun protection measures (see Directions), decreases the risk of skin cancer and early skin aging caused by the sun

Distributed by:
JOHNSON & JOHNSON
CONSUMER INC.
Skillman, NJ 08558
© J&J 2017



Drug Facts (continued)

Warnings

For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age: Ask a doctor

H
I
N
G
E

Drug Facts (continued)

Other information

• protect this product from excessive heat and direct sun
• may stain some fabrics

Inactive ingredients

water, phenyl trimethicone, cetyl dimethicone, butylene glycol, silica, cetearyl alcohol, glyceryl stearate, PEG 100 stearate, barium sulfate, pantothenic acid, ascorbic acid, tocopheryl acetate, retinyl palmitate, squalene, bisabolol, dipotassium glycyrrhizate, polysorbate 60, PEG-12 dimethicone, polymethyl methacrylate, polysorbate 20, magnesium aluminum silicate, cetyl hydroxyethylcellulose, tetrasodium EDTA, xanthan gum, hydroxyethyl acrylate/sodium acryloyldimethyl taurate, caprylyl glycol, sorbic acid, phenoxethanol. May contain: iron oxides, mica, titanium dioxide

Questions?

Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-272-8765 (collect)

H
I
N
G
E



PRINCIPAL DISPLAY PANEL - 32 mL Tube Label - Light to Medium 30

Neutrogena
healthy skin
glow sheers[®]

illuminating
tinted moisturizer

with
sunscreen

broad spectrum
SPF 30

lightweight
antioxidant blend
oil-free

light to medium 30
1.1 FL. OZ. (32mL)


 000274

Neutrogena
 healthy skin
 glow sheers®

illuminating
 tinted moisturizer

with
 sunscreen


broad spectrum
 SPF 30

lightweight
 antioxidant blend
 oil-free

light to medium 30
 1.1 FL. OZ. (32mL)



ECL
FPO

30033969  **PEEL HERE** ▶

Sheer, natural coverage and just a touch of shimmer for a healthy radiant look.

Directions: Apply with fingers or a sponge all over face for a natural glow.

Drug Facts

Active ingredients
 Homosalate 5%, Octinoxate 7.5%, Octisalate 5%, Oxybenzone 2%, Titanium Dioxide 2.9%

Purpose Sunscreen

Uses • helps prevent sunburn
 • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Distributed by:
 JOHNSON & JOHNSON
 CONSUMER INC.
 Skillman, NJ 08558
 © J&J 2017

6

FPO UPC - 088800124412

8680012443

0

Drug Facts (continued)

Warnings
 For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove.
 • Stop use and ask a doctor if rash occurs
 • Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions For Sunscreen Use: • apply liberally 15 minutes before sun exposure • reapply at least every 2 hours • use a water resistant sunscreen if swimming or sweating • Sun Protection Measures: Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m.–2 p.m. • wear long-sleeved shirts, pants, hats, and sunglasses • children under 6 months of age. Ask a doctor

HINGE

Drug Facts (continued)

Other information
 • protect this product from excessive heat and direct sun
 • may stain some fabrics

Inactive ingredients water, phenyl trimethicone, cetyl dimethicone, butylene glycol, silica, cetearyl alcohol, glyceryl stearate, PEG 100 stearate, barium sulfate, pantothenic acid, ascorbic acid, tocopheryl acetate, retinyl palmitate, squalene, bisabolol, dipotassium glycyrrhizate, polysorbate 60, PEG-12 dimethicone, polymethyl methacrylate, polysorbate 20, magnesium aluminum silicate, cetyl hydroxyethylcellulose, tetrasodium EDTA, xanthan gum, hydroxyethyl acrylate/sodium acryloyldimethyl taurate, caprylyl glycol, sorbic acid, phenoxyethanol. May contain: iron oxides, mica, titanium dioxide

Questions? Visit www.neutrogena.com or call toll-free 800-480-4812 or 215-273-8755 (collect)

HINGE

NEUTROGENA HEALTHY SKIN GLOW SHEERS ILLUMINATING TINTED MOISTURIZER - IVORY TO FAIR 10 SUNSCREEN BROAD SPECTRUM SPF30

homosalate, octinoxate, octisalate, oxybenzone, and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0116
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	29 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SQUALANE (UNII: GW89575KF9)	
LEVOMENOL (UNII: 24WE03BX2T)	
GLICYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
EDETATE SODIUM (UNII: MP1J8420LU)	
XANTHAN GUM (UNII: TTV12P4NEE)	

HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)

CAPRYLYL GLYCOL (UNII: 00YIU5438U)

SORBIC ACID (UNII: X045WJ989B)

PHENOXYETHANOL (UNII: HIE492ZZ3T)

FERRIC OXIDE RED (UNII: 1K09F3G675)

MICA (UNII: V8A1AW0880)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0116-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	05/23/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/23/2013	

NEUTROGENA HEALTHY SKIN GLOW SHEERS ILLUMINATING TINTED MOISTURIZER - FAIR TO LIGHT 20 SUNSCREEN BROAD SPECTRUM SPF30

homosalate, octinoxate, octisalate, oxybenzone, and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0115
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OXYBENZONE (UNII: 950OS7VE0Y) (OXYBENZONE - UNII:950OS7VE0Y)	OXYBENZONE	20 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	29 mg in 1 mL
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	

PEG-100 STEARATE (UNII: YD01N1999R)
BARIUM SULFATE (UNII: 25BB7EKE2E)
PANTOTHENIC ACID (UNII: 19F5HK2737)
ASCORBIC ACID (UNII: PQ6CK8PD0R)
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)
SQUALANE (UNII: GW89575KF9)
LEVOMENOL (UNII: 24WE03BX2T)
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)
POLYSORBATE 60 (UNII: CAL22UVI4M)
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)
POLYSORBATE 20 (UNII: 7T1F30V5YH)
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)
EDETATE SODIUM (UNII: MP1J8420LU)
XANTHAN GUM (UNII: TTV12P4NEE)
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)
CAPRYLYL GLYCOL (UNII: 00YIU5438U)
SORBIC ACID (UNII: X045WJ989B)
PHENOXYETHANOL (UNII: HIE492ZZ3T)
FERRIC OXIDE RED (UNII: 1K09F3G675)
MICA (UNII: V8A1AW0880)
WATER (UNII: 059QF0K00R)
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0115-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	05/23/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/23/2013	

NEUTROGENA HEALTHY SKIN GLOW SHEERS ILLUMINATING TINTED MOISTURIZER - LIGHT TO MEDIUM 30 SUNSCREEN BROAD SPECTRUM SPF30

homosalate, octinoxate, octisalate, oxybenzone, and titanium dioxide liquid

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:69968-0114
---------------------	----------------	---------------------------	----------------

Route of Administration TOPICAL

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	50 mg in 1 mL
OCTINOXATE (UNII: 4Y5P7MUD51) (OCTINOXATE - UNII:4Y5P7MUD51)	OCTINOXATE	75 mg in 1 mL
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	20 mg in 1 mL
TITANIUM DIOXIDE (UNII: 15FIX9V2JP) (TITANIUM DIOXIDE - UNII:15FIX9V2JP)	TITANIUM DIOXIDE	29 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
PHENYL TRIMETHICONE (UNII: DR0K5NOJ4R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)	
GLYCERYL MONOSTEARATE (UNII: 230OU9XXE4)	
PEG-100 STEARATE (UNII: YD01N1999R)	
BARIUM SULFATE (UNII: 25BB7EKE2E)	
PANTOTHENIC ACID (UNII: 19F5HK2737)	
ASCORBIC ACID (UNII: PQ6CK8PD0R)	
.ALPHA.-TOCOPHEROL ACETATE (UNII: 9E8X80D2L0)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SQUALANE (UNII: GW89575KF9)	
LEVOMENOL (UNII: 24WE03BX2T)	
GLYCYRRHIZINATE DIPOTASSIUM (UNII: CA2Y0FE3FX)	
POLYSORBATE 60 (UNII: CAL22UVI4M)	
PEG-12 DIMETHICONE (300 CST) (UNII: ZEL54N6W95)	
POLY(METHYL METHACRYLATE; 450000 MW) (UNII: Z47NNT4J11)	
POLYSORBATE 20 (UNII: 7T1F30V5YH)	
MAGNESIUM ALUMINUM SILICATE (UNII: 6M3P64V0NC)	
EDETATE SODIUM (UNII: MP1J8420LU)	
XANTHAN GUM (UNII: TTV12P4NEE)	
HYDROXYETHYL ACRYLATE/SODIUM ACRYLOYLDIMETHYL TAURATE COPOLYMER (100000 MPA.S AT 1.5%) (UNII: 86FQE96TZ4)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
SORBIC ACID (UNII: X045WJ989B)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	
MICA (UNII: V8A1AW0880)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:69968-0114-1	32 mL in 1 TUBE; Type 0: Not a Combination Product	05/23/2013	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	05/23/2013	

Labeler - Johnson & Johnson Consumer Inc. (118772437)

Revised: 1/2023

Johnson & Johnson Consumer Inc.