

**TOLNAFATE- tolnaftate powder spray aerosol, spray  
HEB**

-----  
**HEB Antifungal Tolnaftate (Athlete's Foot) Powder Spray**

***Active ingredient***

Tolnaftate 1%

***Purpose***

Antifungal

***Uses***

- cures most athlete's foot (tinea pedis) and ringworm (tinea corporis)
- if used daily, can prevent recurrence of athlete's foot
- relieves symptoms of athlete's foot, including itching, burning and cracking

**For external use only.**

**Flammable:**

Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F

**When using this product**

- do not get into eyes or mouth, if products get into eyes, rinse eyes thoroughly with water
- use only as directed

Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**Stop use and ask a doctor if**

- irritation occurs
- no improvement within 4 weeks

**Keep out of reach of children.**

If swallowed, get medical help or contact a Poison Control Center right away. Do not use on children under 2 years of age unless directed by a doctor.

***Directions***

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night)
- supervise children in the use of this product

- for athlete's foot: pay special attention to spaces between the toes, wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks; if conditions persist, consult a doctor to prevent athlete's foot, apply once or twice daily (morning and/or night) in case of clogging, clear nozzle under running water

### ***Other information***

store between 20° and 30°C (68°F and 86°F)

### ***Inactive ingredients***

BHT, Isobutane, Kaolin, PPG-12-Buteth-16, SD Alcohol 40-B, Zea Mays (Corn) Starch

### ***Questions?***

call 1-866-964-0939

### **Principal Display Panel**

**HEB**

**Athlete's Foot**

**Tolnaftate 1%**

Antifungal Powder Spray

- Prevents Most Athlete's Foot
- Relieves Itching & Burning
- Talc-Free

**NET WT 4.6 OZ (130g)**

Compare to TINACTIN® active ingredient\*



**H-E-B**  
**Athlete's Foot**  
 Tolnaftate 1%  
 Antifungal Powder Spray

- Prevents Most Athlete's Foot
- Relieves Itching, Cracking and Burning
- Talc-Free

NET WT. 4.6 OZ (130g)

**Drug Facts**

Active ingredient	Purpose
Tolnaftate 1%	Antifungal

**Uses**

- cures most athlete's foot (tinea pedis), ringworm (tinea corporis) and jock itch (tinea cruris)
- can prevent recurrence of most athlete's foot
- relieves symptoms of athlete's foot, including itching, burning, cracking, and chafing associated with jock itch

**Warnings**

**For external use only.**

**Flammable:** Do not use while smoking or near heat or flame. Do not puncture or incinerate. Contents under pressure. Do not store at temperature above 120°F. Intentional misuse by deliberately concentrating and inhaling contents can be harmful or fatal.

**When using this product**

- avoid contact with the eyes or mouth
- use only as directed

**Stop use and ask a doctor if**

- no improvement within 4 weeks for athlete's foot and ringworm; 2 weeks for jock itch
- irritation occurs

**Do not use** on children under 2 years of age unless directed by a doctor.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**

- wash affected area and dry thoroughly
- shake can well and spray a thin layer over affected area twice daily (morning and night) or as directed by a doctor
- supervise children in the use of this product
- to prevent athlete's foot, apply once or twice daily (morning and/or night)
- for athlete's foot, pay special attention to spaces between the toes; wear well-fitting, ventilated shoes and change shoes and socks at least once daily
- use daily for 4 weeks for athlete's foot and ringworm; use daily for 2 weeks for jock itch
- if condition persists, consult a doctor
- this product is not effective on the scalp or nails
- if nozzle clogs, clean with a pin

**Other information**

store between 20° and 30°C (68° and 86°F)

**Inactive ingredients**

BHT, isobutane, kaolin, PPG-12-buteth-16, SD alcohol 40-B, zeo mays (corn) starch

**Questions?** Call 1-866-964-0939

**100% GUARANTEE promise**

If you aren't completely pleased with this product, we'll be happy to replace it or refund your money. You have our word on it.

\* This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark "Tinactin".



7990-1707  
 0 41220 29302 5  
MADE WITH PAPER AND OTHER RECYCLED MATERIALS  
 50% RECYCLED, 15% POST CONSUMER WASTE

10-060HE-01

## TOLNAFATE

tolnaftate powder spray aerosol, spray

### Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:37808-530
Route of Administration	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
TOLNAFTATE (UNII: 06KB629TKV) (TOLNAFTATE - UNII:06KB629TKV)	TOLNAFTATE	1.3 g in 130 g

### Inactive Ingredients

Ingredient Name	Strength
BUTYLATED HYDROXYTOLUENE (UNII: 1P9D0Z171K)	
ISOBUTANE (UNII: BXR49TP611)	
KAOLIN (UNII: 24H4NWX5CO)	
PPG-12-BUTETH-16 (UNII: 58CG7042J1)	
ALCOHOL (UNII: 3K9958V90M)	

**ZEAMAYS SUBSP. MAYS WHOLE** (UNII: 1G5HNE09V8)

**Packaging**

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:37808-530-46	130 g in 1 CAN; Type 0: Not a Combination Product	12/22/2017	

**Marketing Information**

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M005	12/22/2017	

**Labeler -** HEB (007924756)

Revised: 1/2024

HEB