

**GLADIATOR PREP MAX ACTIVATOR- lactic acid pre dip liquid**  
**BouMatic, LLC**

*Disclaimer: This drug has not been found by FDA to be safe and effective, and this labeling has not been approved by FDA. For further information about unapproved drugs, click here.*

-----  
**Gladiator PrepMax Activator**

**CAUTION**

**KEEP OUT OF REACH OF CHILDREN**

**NOT FOR HUMAN USE**

**FIRST AID:**

If in eyes: Hold eye open and rinse slowly and gently with water for 15-20 minutes. Remove contact lenses, if present after the first 5 minutes, then continue rinsing. Contact a physician immediately. If swallowed: Have person sip a glass of water if able to swallow. Do not give anything to an unconscious person. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs: Move person to fresh air. Contact a physician immediately. If on skin: Take off contaminated clothing. Rinse skin with soap and water. If irritation develops and persists, contact a physician.

Have the product container or label with you when going for treatment, calling a physician, the emergency number listed on this label or MSDS, or a poison control center.

**PRECAUTION:**

Avoid eye contact. Do not ingest. Do not mix with any chemicals except as directed.

**STORAGE:**

Store in a closed container away from sources of heat. If product becomes frozen, thaw and mix well before use.

**SEE MATERIAL SAFETY DATA SHEET**

Helps reduce the spread of organisms which may cause Mastitis

**USE DIRECTIONS**

**NOT FOR HUMAN USE**

**FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than GLADIATOR™ PREP MAX BASE, and water.

In a well-ventilated area, mix 1 part GLADIATOR PREP MAX ACTIVATOR and 1 part GLADIATOR PREP MAX BASE and 20 parts water. Do not mix more product than will be used in 24-hours.

**PRE-DIPPING:**

Before milking, dip or spray entire teat with the mixed product. Wipe teats dry after application using single-service towels to avoid cross contamination.



# Gladiator PrepMax Activator

**TEAT DIP CONCENTRATE ACTIVATOR**

**NE PAS EMPLOYER POUR L'HUMAIN**

**USE DIRECTIONS FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than those specified in the directions. When used as a wet-vestibular rinse, use 1 part GLADIATOR PREPMax ACTIVATOR and 1 part water. Do not mix more product than will be used in 24 hours.

**PRE-DIPPING:** Before milking, dip or pre-dip teats with any chemical as directed on the label. Do not use with any chemical which may cause mastitis.

**PRE-TAITE:** Avant le traite, trempez ou pré-taitez les mamelles avec le produit mélangé. N'utilisez que le produit mélangé. Utilisez la vaisselle à usage unique pour éviter la contamination du lait, afin d'éviter la contamination du lait.

**BAIN DE TRAYON CONCENTRÉ ACTIVATOR**

**NE PAS EMPLOYER POUR L'HUMAIN**

**USE DIRECTIONS FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than those specified in the directions. When used as a wet-vestibular rinse, use 1 part GLADIATOR PREPMax ACTIVATOR and 1 part water. Do not mix more product than will be used in 24 hours.

**PRE-DIPPING:** Before milking, dip or pre-dip teats with any chemical as directed on the label. Do not use with any chemical which may cause mastitis.

**PRE-TAITE:** Avant le traite, trempez ou pré-taitez les mamelles avec le produit mélangé. N'utilisez que le produit mélangé. Utilisez la vaisselle à usage unique pour éviter la contamination du lait, afin d'éviter la contamination du lait.

**CONCENTRADO ACTIVO DE SELLADOR DE PEZONES**

**NE PAS EMPLOYER PARA USO EXTERNO SOLOAMENTE**

**USE DIRECTIONS FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than those specified in the directions. When used as a wet-vestibular rinse, use 1 part GLADIATOR PREPMax ACTIVATOR and 1 part water. Do not mix more product than will be used in 24 hours.

**PRE-DIPPING:** Before milking, dip or pre-dip teats with any chemical as directed on the label. Do not use with any chemical which may cause mastitis.

**PRE-TAITE:** Avant le traite, trempez ou pré-taitez les mamelles avec le produit mélangé. N'utilisez que le produit mélangé. Utilisez la vaisselle à usage unique pour éviter la contamination du lait, afin d'éviter la contamination du lait.

Lot #:

Expires:

Net Contents: 55 Gal.(208L)

SKU: \*8524619\*

**TEAT DIP CONCENTRATE ACTIVATOR**

**NE PAS EMPLOYER POUR L'HUMAIN**

**USE DIRECTIONS FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than those specified in the directions. When used as a wet-vestibular rinse, use 1 part GLADIATOR PREPMax ACTIVATOR and 1 part water. Do not mix more product than will be used in 24 hours.

**PRE-DIPPING:** Before milking, dip or pre-dip teats with any chemical as directed on the label. Do not use with any chemical which may cause mastitis.

**PRE-TAITE:** Avant le traite, trempez ou pré-taitez les mamelles avec le produit mélangé. N'utilisez que le produit mélangé. Utilisez la vaisselle à usage unique pour éviter la contamination du lait, afin d'éviter la contamination du lait.

**BAIN DE TRAYON CONCENTRÉ ACTIVATOR**

**NE PAS EMPLOYER POUR L'HUMAIN**

**USE DIRECTIONS FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than those specified in the directions. When used as a wet-vestibular rinse, use 1 part GLADIATOR PREPMax ACTIVATOR and 1 part water. Do not mix more product than will be used in 24 hours.

**PRE-DIPPING:** Before milking, dip or pre-dip teats with any chemical as directed on the label. Do not use with any chemical which may cause mastitis.

**PRE-TAITE:** Avant le traite, trempez ou pré-taitez les mamelles avec le produit mélangé. N'utilisez que le produit mélangé. Utilisez la vaisselle à usage unique pour éviter la contamination du lait, afin d'éviter la contamination du lait.

**CONCENTRADO ACTIVO DE SELLADOR DE PEZONES**

**NE PAS EMPLOYER PARA USO EXTERNO SOLOAMENTE**

**USE DIRECTIONS FOR EXTERNAL USE ONLY**

Do not mix with any chemicals other than those specified in the directions. When used as a wet-vestibular rinse, use 1 part GLADIATOR PREPMax ACTIVATOR and 1 part water. Do not mix more product than will be used in 24 hours.

**PRE-DIPPING:** Before milking, dip or pre-dip teats with any chemical as directed on the label. Do not use with any chemical which may cause mastitis.

**PRE-TAITE:** Avant le traite, trempez ou pré-taitez les mamelles avec le produit mélangé. N'utilisez que le produit mélangé. Utilisez la vaisselle à usage unique pour éviter la contamination du lait, afin d'éviter la contamination du lait.

Lot #:

Expires:

Net Contents: 55 Gal.(208L)

SKU: \*8524619\*

**Gladiator PrepMax Activator**

**CAUTION KEEP OUT OF REACH OF CHILDREN NOT FOR HUMAN USE**

**ATTENTION ÉLOIGNER DE LA PORÉE DES ENFANTS NE PAS EMPLOYER POUR L'HUMAIN**

**FIRST AID:** In case of eye contact, flush with water for 15-20 minutes. Remove contact lenses if present after the first 3 minutes, then continue rinsing. Contact a physician immediately. If swallowed, rinse mouth with water. Do not induce vomiting. Contact a physician immediately. If breathing difficulty occurs, move person to fresh air. If on skin, wash immediately with soap and water. If on face, wash with soap and water. If inhaled, remove person to fresh air. If symptoms persist, contact a physician. If symptoms are severe, contact a physician immediately. If symptoms are severe, contact a physician immediately. If symptoms are severe, contact a physician immediately.

**PRECAUTIONS:** Do not use with any chemical which may cause mastitis. Do not use with any chemical which may cause mastitis. Do not use with any chemical which may cause mastitis.

**STORAGE:** Store in a cool, dry place. Do not store in a warm, humid environment. Do not store in a warm, humid environment. Do not store in a warm, humid environment.

**SEE MATERIAL SAFETY DATA SHEET**

# GLADIATOR PREPMax ACTIVATOR

lactic acid pre dip liquid

<b>Product Information</b>			
Product Type	OTC ANIMAL DRUG	Item Code (Source)	NDC:48106-2030
Route of Administration	TOPICAL		

<b>Active Ingredient/Active Moiety</b>		
Ingredient Name	Basis of Strength	Strength
LACTIC ACID (UNII: 33X04XA5AT) (LACTIC ACID - UNII:33X04XA5AT)	LACTIC ACID	50 g in 1 L

<b>Inactive Ingredients</b>		
Ingredient Name	Strength	
GLYCERIN (UNII: PDC6A3C0OX)	200 g in 1 L	

<b>Product Characteristics</b>		
Color	green	Score
Shape		Size
Flavor		Imprint Code
Contains		

BouMatic LLC • PO Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53708 • www.boumatic.com • Made in U.S.A.

**Always use caution when introducing your cow to a new hat dip.**

**Remember these industry guidelines:**

Remove dip caps and/or clean dip buckets before use. Always apply dip caps and/or bucket to prevent the new dip from mixing with the old dip. If using dip buckets, always replace dip caps and/or bucket with hot water to clean buckets before use.

**Appropriate removal limits will extend skin from teats.**

A temporary reduction of dead skin is common after new dips are introduced. Be sure to aggressively remove any dead skin that remains after 1-2 weeks. If the dead skin remains, it is important to aggressively remove it by gently scrubbing with mild soap and water. Do not use any harsh chemicals.

**Number cows for changes in skin condition.**

Keep a record of the number of cows in each herd and the number of cows that are treated. This will help you determine if a problem exists with a herd or if a problem exists with a farm. If you notice a problem, consult your veterinarian.

**Always use caution when introducing your cow to a new hat dip.**

**Remember these industry guidelines:**

Remove dip caps and/or clean dip buckets before use. Always apply dip caps and/or bucket to prevent the new dip from mixing with the old dip. If using dip buckets, always replace dip caps and/or bucket with hot water to clean buckets before use.

**Appropriate removal limits will extend skin from teats.**

A temporary reduction of dead skin is common after new dips are introduced. Be sure to aggressively remove any dead skin that remains after 1-2 weeks. If the dead skin remains, it is important to aggressively remove it by gently scrubbing with mild soap and water. Do not use any harsh chemicals.

**Number cows for changes in skin condition.**

Keep a record of the number of cows in each herd and the number of cows that are treated. This will help you determine if a problem exists with a herd or if a problem exists with a farm. If you notice a problem, consult your veterinarian.

**Always use caution when introducing your cow to a new hat dip.**

**Remember these industry guidelines:**

Remove dip caps and/or clean dip buckets before use. Always apply dip caps and/or bucket to prevent the new dip from mixing with the old dip. If using dip buckets, always replace dip caps and/or bucket with hot water to clean buckets before use.

**Appropriate removal limits will extend skin from teats.**

A temporary reduction of dead skin is common after new dips are introduced. Be sure to aggressively remove any dead skin that remains after 1-2 weeks. If the dead skin remains, it is important to aggressively remove it by gently scrubbing with mild soap and water. Do not use any harsh chemicals.

**Number cows for changes in skin condition.**

Keep a record of the number of cows in each herd and the number of cows that are treated. This will help you determine if a problem exists with a herd or if a problem exists with a farm. If you notice a problem, consult your veterinarian.

**Always use caution when introducing your cow to a new hat dip.**

**Remember these industry guidelines:**

Remove dip caps and/or clean dip buckets before use. Always apply dip caps and/or bucket to prevent the new dip from mixing with the old dip. If using dip buckets, always replace dip caps and/or bucket with hot water to clean buckets before use.

**Appropriate removal limits will extend skin from teats.**

A temporary reduction of dead skin is common after new dips are introduced. Be sure to aggressively remove any dead skin that remains after 1-2 weeks. If the dead skin remains, it is important to aggressively remove it by gently scrubbing with mild soap and water. Do not use any harsh chemicals.

**Number cows for changes in skin condition.**

Keep a record of the number of cows in each herd and the number of cows that are treated. This will help you determine if a problem exists with a herd or if a problem exists with a farm. If you notice a problem, consult your veterinarian.



\*8524619\*



Distributed by (distribuido por) BouMatic LLC  
BouMatic LLC • PO. Box 8050 • 1919 S. Stoughton Road • Madison, WI • 53708-8050  
Emergency No. Only/No. d'urgence Seule/ Emergency/ No. de Emergencia Sólo/ Emergency/ No. de Emergencia  
US/CANADA (1-813-248-0885) (Cheriff, Inc) / INTERNATIONAL (1-813-248-0885) (Cheriff, Inc)  
Made in U.S.A.

## Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:48106-2030-1	18.9 L in 1 DRUM		
2	NDC:48106-2030-2	56.8 L in 1 DRUM		
3	NDC:48106-2030-3	209 L in 1 DRUM		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
unapproved drug other		05/17/2017	

**Labeler** - BouMatic, LLC (124727400)

**Registrant** - BouMatic, LLC (124727400)

## Establishment

Name	Address	ID/FEI	Business Operations
BouMatic, LLC		124727400	manufacture, api manufacture

Revised: 6/2024

BouMatic, LLC