

**GOOD SENSE SLEEP TIME- diphenhydramine hcl capsule, liquid filled
L. Perrigo Company**

Perrigo Sleep Time Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 25 mg

Purpose

Nighttime sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

Do not use

- for children under 12 years of age
- with any other product containing diphenhydramine, even one used on skin

Ask a doctor before use if you have

- a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to an enlargement of the prostate gland

Ask a doctor or pharmacist before use if you are

taking sedatives or tranquilizers

When using this product

- avoid alcoholic beverages

Stop use and ask a doctor if

sleeplessness persists continuously for more than 2 weeks. Insomnia may be a symptom of serious underlying medical illness.

If pregnant or breast-feeding,

ask a health professional before use.

Keep out of reach of children.

In case of overdose, get medical help or contact a Poison Control Center right away (1-800-222-1222).

Directions

- take only one dose per day (24 hours)

adults & children 12 yrs & over	2 softgels at bedtime if needed or as directed by a doctor
children under 12 yrs	do not use

Other information

- store at 20-25°C (68-77°F)
- avoid excessive heat above 40°C (104°F)
- protect from light

Inactive ingredients

edible ink, FD&C blue #1, FD&C red #40, gelatin, glycerin, polyethylene glycol, purified water, sorbitol sorbitan solution

Questions or comments?

1-800-719-9260

Package/Label Principal Display Panel

Non-Habit Forming

Sleep Time

Nighttime Sleep-Aid

Actual Size

Diphenhydramine HCl 25 mg

Not For Treating Cold or Flu

See Warnings

Compare to active ingredient of Vicks® ZzzQuil® LiquiCaps®

100% SATISFACTION GUARANTEED

12 Softgels

Drug Facts (continued)

Other information

- store at 20-25 °C (68-77 °F)
- avoid excessive heat do not store above 40 °C (104 °F)
- protect from light

Drug Facts (continued)

Inactive ingredients (continued)

FDC red # 40, gelatin, glycerin, polyethylene glycol, purified water, sorbitol sorbitan solution

Questions or comments? 1-800-71-94260

Drug Facts

Active ingredient (in each softgel)

Diphenhydramine HCl 25mg

Purpose

Sleep-aid

Uses

- for the relief of occasional sleeplessness
- reduces time to fall asleep if you have difficulty falling asleep

Warnings

- Do not use for children under 12 years of age
- with any other product containing diphenhydramine, even one used seldom
- Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Directions

Take only one dose per day (24 hours)

Adults & children 12 yrs & over

2 softgels at bedtime if needed or as directed by a doctor

Children under 12 yrs

do not use

Directions

Take only one dose per day (24 hours)

Adults & children 12 yrs & over

2 softgels at bedtime if needed or as directed by a doctor

Children under 12 yrs

do not use

Warnings

- Do not use for children under 12 years of age
- with any other product containing diphenhydramine, even one used seldom
- Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Directions

Take only one dose per day (24 hours)

Adults & children 12 yrs & over

2 softgels at bedtime if needed or as directed by a doctor

Children under 12 yrs

do not use

Warnings

- Do not use for children under 12 years of age
- with any other product containing diphenhydramine, even one used seldom
- Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Directions

Take only one dose per day (24 hours)

Adults & children 12 yrs & over

2 softgels at bedtime if needed or as directed by a doctor

Children under 12 yrs

do not use

Warnings

- Do not use for children under 12 years of age
- with any other product containing diphenhydramine, even one used seldom
- Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Directions

Take only one dose per day (24 hours)

Adults & children 12 yrs & over

2 softgels at bedtime if needed or as directed by a doctor

Children under 12 yrs

do not use

Warnings

- Do not use for children under 12 years of age
- with any other product containing diphenhydramine, even one used seldom
- Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Directions

Take only one dose per day (24 hours)

Adults & children 12 yrs & over

2 softgels at bedtime if needed or as directed by a doctor

Children under 12 yrs

do not use

Warnings

- Do not use for children under 12 years of age
- with any other product containing diphenhydramine, even one used seldom
- Ask a doctor before use if you have a breathing problem such as emphysema or chronic bronchitis
- glaucoma
- difficulty in urination due to enlargement of the prostate gland
- Ask a doctor or pharmacist before use if you are taking sedatives or tranquilizers

Distributed By **Perrigo**® Allergan, MI 49010

DO NOT USE IF BLISTER UNITS BROKEN OR TORN
Gluten Free

05253 C2 C3



◆ Of U.S. physicians surveyed by an independent market research firm.



GOODSENSE®
NDC 0113-0052-53

Non-Habit Forming

Sleep Time

Nighttime Sleep-Aid

Diphenhydramine HCl 25 mg

Not For Treating Cold or Flu
See Warnings

Compare to active ingredient of
Vicks® ZzzQuil® LiquiCaps®

100% SATISFACTION GUARANTEED

12 Softgels

Actual Size

diphenhydramine hcl capsule, liquid filled

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0113-0052
Route of Administration	ORAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
DIPHENHYDRAMINE HYDROCHLORIDE (UNII: TC2D6JAD40) (DIPHENHYDRAMINE - UNII:8GTS82S83M)	DIPHENHYDRAMINE HYDROCHLORIDE	25 mg

Inactive Ingredients

Ingredient Name	Strength
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)	
FD&C RED NO. 40 (UNII: WZB9127XOA)	
GELATIN, UNSPECIFIED (UNII: 2G86QN327L)	
GLYCERIN (UNII: PDC6A3C0OX)	
POLYETHYLENE GLYCOL, UNSPECIFIED (UNII: 3WJQ0SDW1A)	
WATER (UNII: 059QF0KO0R)	
SORBITOL (UNII: 506T60A25R)	
SORBITAN (UNII: 6O92ICV9RU)	

Product Characteristics

Color	PURPLE	Score	no score
Shape	OVAL	Size	15mm
Flavor		Imprint Code	052
Contains			

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0113-0052-53	6 in 1 CARTON	02/06/2014	
1		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
2	NDC:0113-0052-62	12 in 1 CARTON	02/06/2014	09/01/2015
2		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		
3	NDC:0113-0052-67	24 in 1 CARTON	05/13/2019	
3		2 in 1 BLISTER PACK; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M010	02/06/2014	

Labeler - L. Perrigo Company (006013346)

Revised: 2/2024

L. Perrigo Company