

## **HUSH ANESTHETIC- lidocaine spray**

### **HUSH Anesthetic**

*Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.*

-----

## **Derma Numb Tattoo Anesthetic Spray**

### **Active Ingredients**

Lidocaine

### **□ Purpose**

Topical Anesthetic

### **Warnings**

For external use only · Keep out of reach of children

### **Uses**

Before skin is broken apply a thick layer of HUSH Gel in the area to be Tattooed. Spread evenly throughout. Reapply along the edges. Wrap the area with a plastic wrap and allow 1 hour for absorption. Remove the plastic wrap and prep skin for procedure.

### **□ Warnings**

For external use only · Keep out of the reach of children

**Before skin is broken apply a thick layer of HUSH Gel in the area to be Tattooed. Spread evenly throughout. Reapply along the edges. Wrap the area with a plastic wrap and allow 1 hour for absorption. Remove the plastic wrap and prep skin for procedure.**

### **Do Not Use**

In Blistered Areas · In the eyes · If allergic to ingredients

### **□ Stop Use and ask a doctor if**

· skin becomes irritated · condition worsens or symptoms last more than 7 days · symptoms clear up and reoccur within a few days

### **□ Inactive ingredients**

Water, SD Alcohol 40B, Aloe Barbadensis Leaf Extract, Propylene Glycol, Triethanolamine, Glycerin, Menthol, Chamomile (Chamomilla Recutita) Flower Extract, Calendula Officinalis Flower Extract, Green Tea (Camellia Sinensis) Leaf Extract, Comfrey (Symphytum Officinale) Root Extract, Acrylates/c10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Caprylyl Glycol, Methylisothiazolinone

## Other Information

Questions or Comments? Call 305-231-7229 or visit [www.HUSHgel.com](http://www.HUSHgel.com)

### Drug Facts

Active Ingredients	Purpose
Lidocaine 4%.....	Topical Anesthetic

**Uses** For the temporary relief of discomfort and pain associated with  
• tattooing • tattoo removal • piercings

**Directions** \* Before skin is broken apply a thick layer of HUSH Gel in the area to be Tattooed. Spread evenly throughout. Reapply along the edges. Wrap the area with a plastic wrap and allow 1 hour for absorption. Remove the plastic wrap and prep skin for procedure.

**Warnings** For external use only • Keep out of the reach of children

**Do not use** In Blistered Areas • In the eyes • If allergic to ingredients

**Stop use and ask a doctor if**  
• skin becomes irritated • condition worsens or symptoms last more than 7 days • symptoms clear up and reoccur within a few days

#### Inactive Ingredients

Water, SD Alcohol 40B, Aloe Barbadensis Leaf Extract, Propylene Glycol, Triethanolamine, Glycerin, Menthol, Chamomile (Chamomilla Recutita) Flower Extract, Calendula Officinalis Flower Extract, Green Tea (Camellia Sinensis) Leaf Extract, Comfrey (Symphytum Officinale) Root Extract, Acrylates/c10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Caprylyl Glycol, Methylisothiazolinone

#### Other Information

Questions or Comments? Call 305-231-7229 or visit [www.HUSHgel.com](http://www.HUSHgel.com)



*an·es·thet·ic*

HUSH

TATTOO NUMBING SPRAY

4 OZ.

## Drug Facts

**Active Ingredients Purpose**  
Lidocaine 4%.....Topical Anesthetic

**Uses** For the temporary relief of discomfort and pain associated with  
• tattooing • tattoo removal • piercings

**Directions** Before skin is broken apply a thick layer of HUSH Gel in the area to be Tattooed. Spread evenly throughout. Reapply along the edges. Wrap the area with a plastic wrap and allow 1 hour for absorption. Remove the plastic wrap and prep skin for procedure.

**Warnings** For external use only • Keep out of the reach of children

**Do not use** In Blistered Areas • In the eyes • If allergic to ingredients

**Stop use and ask a doctor if**  
• skin becomes irritated • condition worsens or symptoms last more than 7 days • symptoms clear up and reoccur within a few days

**Inactive Ingredients**  
Water, SD Alcohol 40B, Aloe Barbadensis Leaf Extract, Propylene Glycol, Triethanolamine, Glycerin, Menthol, Chamomile (Chamomilla Recutita) Flower Extract, Calendula Officinalis Flower Extract, Green Tea (Camellia Sinensis) Leaf Extract, Comfrey (Symphytum Officinale) Root Extract, Acrylates/c10-30 Alkyl Acrylate Crosspolymer, Disodium EDTA, Caprylyl Glycol, Methylisothiazolinone

**Other Information**  
Questions or Comments? Call 305-231-7229 or visit [www.HUSHgel.com](http://www.HUSHgel.com)



*an·es·thet·ic*  
**HUSH**  
TATTOO NUMBING SPRAY  
2 OZ.

## HUSH ANESTHETIC

lidocaine spray

### Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:49947-001
<b>Route of Administration</b>	TOPICAL		

### Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	40 mg in 1 g

### Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALCOHOL (UNII: 3K9958V90M)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
PROPYLENE GLYCOL (UNII: 6DC9Q167V3)	
TROLAMINE (UNII: 9O3K93S3TK)	
GLYCERIN (UNII: PDC6A3C0OX)	
MENTHOL (UNII: L7T10EIP3A)	
CHAMAEMELUM NOBILE FLOWER (UNII: O2T154T6OG)	

CALENDULA OFFICINALIS FLOWER (UNII: P0M7O4Y7YD)	
GREEN TEA LEAF (UNII: W2ZU1RY8B0)	
COMFREY ROOT (UNII: M9VVZ08EKQ)	
CARBOMER INTERPOLYMER TYPE B (ALLYL PENTAERYTHRITOL CROSSLINKED) (UNII: 132584PQMO)	
EDETATE DISODIUM ANHYDROUS (UNII: 8NLQ36F6MM)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
METHYLISOTHIAZOLINONE (UNII: 229D0E1QFA)	

### Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:49947-001-04	113.4 g in 1 BOTTLE, SPRAY		
2	NDC:49947-001-02	56.7 g in 1 BOTTLE, SPRAY		

### Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	12/01/2012	

**Labeler** - HUSH Anesthetic (012011309)

Revised: 9/2012

HUSH Anesthetic