

FIRST AID ANTIBIOTIC BACITRACIN ZINC NEOMYCIN SULFATE POLYMYXIN B SULFATE- bacitracin zinc, neomycin sulfate, polymyxin b sulfate gel
M-star (Hubei) Health&Care Products Co., Ltd.

First Aid Antibiotic Ointment Bacitracin Zinc, Neomycin Sulfate, Polymyxin B Sulfate

Drug Facts

Active ingredients (in each gram)

Bacitracin zinc (bacitracin 400 units)

Neomycin sulfate (neomycin 3.5mg)

Polymyxin B sulfate (polymyxin B 5,000 units)

Purpose

First aid antibiotic

Use

- First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings:

For external use only.

Do not use

- in the eyes
- over large areas of the body
- if you are allergic to any of the ingredients
- longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have

- deep or puncture wounds
- animal bites
- serious burns

Stop use and ask a doctor if

- the condition persists or gets worse.
- a rash or other allergic reaction develops.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions:

- clean the affected area.
- Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
- May be covered with a sterile bandage.

Other information:

Store at room temperature

Inactive ingredient:

Mineral oil, petrolatum, purified water

Question?

+1(855)924-2182

Package Labelling:

**First Aid Antibiotic
Ointment Bacitracin Zinc,
Neomycin Sulfate,
Polymyxin B Sulfate**

Net Wt. 1/57 oz (0.5 g)

1
/pouch

Manufacturer:
M-star (Hubei) Health&Care Products Co., Ltd.
Chengnan Industrial Park, Tuanfeng Country,
Huanggang City, Hubei, 43800, China

Drug Facts

Active ingredients (in each gram)	Purpose
Bacitracin zinc (bacitracin 400 units) Neomycin sulfate (neomycin 3.5mg) Polymyxin B sulfate (polymyxin B 5,000 units)	}...First aid antibiotic

Use ■ First aid to help prevent infection in minor cuts, scrapes and burns.

Warnings For external use only.

Do not use ■ in the eyes ■ over large areas of the body
■ if you are allergic to any of the ingredients
■ longer than 1 week unless directed by a doctor.

Ask a doctor before use if you have ■ deep or puncture wounds ■ animal bites ■ serious burns

Stop use and ask a doctor if ■ the condition persists or gets worse. ■ a rash or other allergic reaction develops.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

■ Clean the affected area. ■ Apply a small amount of this product (an amount equal to the surface area of the tip of a finger) on the area 1 to 3 times daily.
■ May be covered with a sterile bandage.

Other information

Store at room temperature.

Inactive ingredients

Mineral oil, petrolatum, purified water

Question?+1(855)924-2182

LOT No.:

EXP:

**FIRST AID ANTIBIOTIC BACITRACIN ZINC NEOMYCIN SULFATE
POLYMYXIN B SULFATE**

bacitracin zinc, neomycin sulfate, polymyxin b sulfate gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:84219-001
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BACITRACIN ZINC (UNII: 89Y4M234ES) (BACITRACIN - UNII:58H6RWO52I)	BACITRACIN	400 U in 1 g
NEOMYCIN SULFATE (UNII: 057Y626693) (NEOMYCIN - UNII:I16QD7X297)	NEOMYCIN SULFATE	3.5 mg in 1 g
POLYMYXIN B SULFATE (UNII: 19371312D4) (POLYMYXIN B - UNII:J2VZ07J96K)	POLYMYXIN B	5000 U in 1 g

Inactive Ingredients

Ingredient Name	Strength
MINERAL OIL (UNII: T5L8T28FGP)	
PETROLATUM (UNII: 4T6H12BN9U)	
WATER (UNII: 059QF0KO0R)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:84219-001-00	0.5 g in 1 POUCH; Type 0: Not a Combination Product	05/15/2024	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M004	05/15/2024	

Labeler - M-star (Hubei) Health&Care Products Co., Ltd. (409376382)

Revised: 4/2024

M-star (Hubei) Health&Care Products Co., Ltd.