

FORTICEPT WOUNDS AND BURNS HYDROGEL- benzethonium chloride, lidocaine hydrochloride gel
Lidan, inc.

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Forticept Wounds and Burns Hydrogel

DRUG FACTS

Active Ingredient/Purpose:

LIDOCAINE HCL (4.0%).....Topical Analgesic
BENZETHONIUM CHLORIDE (0.1%).....Antiseptic

Uses:

For temporary relief of pain or discomfort for superficial and full thickness burns or wounds. Topical antiseptic to help decrease the risk of infections. Helps protect skin and supports healing of cuts, scrapes, burns, and wounds.

Topical analgesic - for temporary relief of pain or discomfort for superficial and full thickness burns or wounds.

Topical antiseptic - to help decrease the risk of wound and skin infections.

WARNINGS:

For external use only!

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center immediately.

When using this product avoid contact with eyes.

Do not use on children under 2 years of age unless directed by a doctor.

Discontinue Use after 7 days unless directed by a doctor

Directions:

Adults and children 2 years of age and older:

- Clean affected area from dirt and debris, let it dry.
- Apply Forticept Analgesic Antiseptic Hydrogel and cover affected area with a clean gauze if needed.
- Repeat this procedure 1-3 times daily or as needed until condition improves or medical assistance is rendered.

For children under 2 years of age: please, consult a doctor

Inactive Ingredients:

ALLANTOIN, ALPHA TOCOPHEROL, C13-14 ISOPARAFFIN, CETOSTEARYL ALCOHOL, CHLORPHENESIN, D-PANTHENOL, FD&C BLUE #1, GLYCERIN, HYDROLYZED COLLAGEN, LANOLIN, LAURETH-7, PARAFFINUM LIQUIDUM, PETROLATUM, POLYACRYLAMIDE, POLYHEXANIDE, SHEA BUTTER, STEARETH-2, STEARETH-21, THYMOL, WATER

Storage and handling:

- Keep container closed when not in use.
- Store at room temperature, avoid freezing.
- Do not store below 32F/0⁰C or above 95F/35⁰C for extended periods of time.

For Questions:

Lidan, Inc.
30 Wall Street, 8th Floor
New York, NY 10005
www.forticept.com

Please call: +1 212 709-8133



Wounds & Burns
Antiseptic Pain Relief Hydrogel
(Lidocaine HCl 4.0% & Benzethonium Chloride 0.1%)
Maximum Strength



Advanced Polymer Technology

- Instant Pain Relief
- Infection Control
- Healing Support

FOR EXTERNAL USE ONLY
 3 oz./ 85g


Forticept® Antiseptic Pain Relief Hydrogel

Drug Facts	
Active Ingredients	Purpose
Lidocaine HCl (4.0%).....	Topical Analgesic
Benzethonium Chloride (0.1%).....	Antiseptic
Uses	
For temporary relief of pain or discomfort for superficial and full thickness burns or wounds. Topical antiseptic to help decrease the risk of infections. Helps protect skin and supports healing of cuts, scrapes, burns, and wounds.	
Warnings	
For external use only	
Do not use on children under 2 years of age unless directed by a doctor.	
When using this product avoid contact with eyes.	
Discontinue Use after 7 days unless directed by a doctor.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions	
For adults and children 2 years of age and older:	
Clean affected area from dirt and debris, let it dry. Apply Forticept® Analgesic Antiseptic Hydrogel and cover affected area with a clean gauze if needed. Repeat this procedure 1-3 times daily or as needed until condition improves or medical assistance is rendered.	
For children under 2 years of age: please, consult a doctor	
Storage & Handling: store at room temperature, avoid freezing	
Inactive Ingredients:	
Allantoin, Alpha Tocopherol, C13-14 Isoparaffin, Cetostearyl Alcohol, Chlorphenesin, Glycerin, Hydrolyzed Collagen, Lanolin, Laureth-7, Mineral Oil, Panthenol, Petrolatum, Polyacrylamide, Polihexanide, Shea Butter, Steareth-2, Steareth-21, Thymol, Water	



LIDAN, INC 30 WALL STR., 8th FLOOR
 NEW YORK, NY 10005 USA
 WWW.FORTICEPT.COM
For questions, please call:
 +1 (212) 709-8133

MADE IN USA



Forticept® is registered Trademark of Lidan, Inc. all rights reserved 2016



Wounds & Burns
Antiseptic Pain Relief Hydrogel
(Lidocaine HCl 4.0% & Benzethonium Chloride 0.1%)
Maximum Strength



Advanced Polymer Technology

- Instant Pain Relief
- Infection Control
- Healing Support

FOR EXTERNAL USE ONLY
 4 oz./ 114g

Forticept® Antiseptic Pain Relief Hydrogel


Drug Facts	
Active Ingredient	Purpose
Lidocaine HCl (4.0%).....	Topical Analgesic
Benzethonium Chloride (0.1%).....	Antiseptic
Uses	
For temporary relief of pain or discomfort for superficial and full thickness burns or wounds. Topical antiseptic to help decrease the risk of infections. Helps protect skin and supports healing of cuts, scrapes, burns, and wounds.	
Warnings	
For external use only	
Do not use on children under 2 years of age unless directed by a doctor.	
When using this product avoid contact with eyes.	
Discontinue Use after 7 days unless directed by a doctor.	
Keep out of reach of children.	
If swallowed, get medical help or contact a Poison Control Center immediately.	
Directions	
For adults and children 2 years of age and older:	
Clean affected area from dirt and debris, let it dry. Apply Forticept® Analgesic Antiseptic Hydrogel and cover affected area with a clean gauze if needed. Repeat this procedure 1-3 times daily or as needed until condition improves or medical assistance is rendered.	
For children under 2 years of age: please, consult a doctor	
Storage & Handling: store at room temperature, avoid freezing	
Inactive Ingredients:	
Allantoin, Alpha Tocopherol, C13-14 Isoparaffin, Cetostearyl Alcohol, Chlorphenesin, Glycerin, Hydrolyzed Collagen, Lanolin, Laureth-7, Mineral Oil, Panthenol, Petrolatum, Polyacrylamide, Polyhexanide, Shea Butter, Steareth-2, Steareth-21, Thymol, Water	



MADE IN USA

LIDAN, INC 30 WALL STR., 8th FLOOR
 NEW YORK, NY 10005 USA
 WWW.FORTICEPT.COM

For questions, please call:
 +1 (212) 709-8133



Forticept® is registered Trademark of Lidan, Inc. all rights reserved 2016

FORTICEPT WOUNDS AND BURNS HYDROGEL

benzethonium chloride, lidocaine hydrochloride gel

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:72127-0803
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
BENZETHONIUM CHLORIDE (UNII: PH41D05744) (BENZETHONIUM - UNII:1VU15B70BP)	BENZETHONIUM CHLORIDE	0.001 kg in 1 kg
LIDOCAINE (UNII: 98PI200987) (LIDOCAINE - UNII:98PI200987)	LIDOCAINE	0.04 kg in 1 kg

Inactive Ingredients

Ingredient Name	Strength
ALLANTOIN (UNII: 344S277G0Z)	

.ALPHA.-TOCOPHEROL ACETATE, DL- (UNII: WR1WPI7EW8)
C13-14 ISOPARAFFIN (UNII: E4F12ROE70)
CETOSTEARYL ALCOHOL (UNII: 2DMT128M1S)
CHLORPHENESIN (UNII: I670DAL4SZ)
DEXPANTHENOL (UNII: 1O6C93RI7Z)
FD&C BLUE NO. 1 (UNII: H3R47K3TBD)
GLYCERIN (UNII: PDC6A3C0OX)
HYDROLYSED BOVINE COLLAGEN (ENZYMATIC; 2000-5000 MW) (UNII: 5WE8P977RQ)
LANOLIN (UNII: 7EV65EAW6H)
LAURETH-7 (UNII: Z95S6G8201)
MINERAL OIL (UNII: T5L8T28FGP)
PETROLATUM (UNII: 4T6H12BN9U)
POLYACRYLAMIDE (10000 MW) (UNII: E2KR9C9V2I)
POLIHEXANIDE (UNII: 322U039GMF)
SHEA BUTTER (UNII: K49155WL9Y)
STEARETH-2 (UNII: V56DFE46J5)
STEARETH-21 (UNII: 53J3F32P58)
THYMOL (UNII: 3J50XA376E)
WATER (UNII: 059QF0KO0R)

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:72127-0803-0	0.114 kg in 1 TUBE; Type 0: Not a Combination Product	05/06/2020	
2	NDC:72127-0803-1	0.085 kg in 1 TUBE; Type 0: Not a Combination Product	02/18/2021	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part348	05/06/2020	

Labeler - Lidan, inc. (014456716)

Registrant - Lidan, inc. (014456716)

Establishment

Name	Address	ID/FEI	Business Operations
Cosco International, Inc.		016433141	manufacture(72127-0803) , api manufacture(72127-0803) , label(72127-0803) , pack(72127-0803)