

**DOLLAR GENERAL STUDIO SELECTION SUN TANNING DRY OIL BROAD SPECTRUM SPF 15 SUNSCREEN- avobenzone, homosalate, octisalate, oxybenzone spray
Dolgencorp, LLC**

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dollar General Studio Selection Sun Tanning Dry Oil Broad Spectrum SPF 15 Sunscreen Spray

Active ingredients

Avobenzone 2.0%, Homosalate 10.0%, Octisalate 5.0%, Oxybenzone 3.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use

- on damaged or broken skin

When using this product • keep out of eyes. Rinse with water to remove. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask doctor if

- rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

- spray liberally and spread evenly by hand 15 minutes before sun exposure
- hold can 4-6 inches away from the skin to apply
- do not spray into face. Spray into hands, then apply to face.
- do not apply in windy conditions
- use in well-ventilated areas

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours
- children under 6 months: Ask a doctor

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other Information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials, or surfaces

Inactive ingredients

alcohol denat., acrylates/octylacrylamide copolymer, glycerin, aloe barbadensis leaf extract, tocopherol (vitamin E), cocos nucifera (coconut) oil, mineral oil, fragrance.



TANNING DRY OIL

BROAD SPECTRUM SPF 15 SUNSCREEN SPRAY

Compare to Coppertone® Tanning Dry Oil SPF 15*

- Water-Resistant (80 minutes)
- UVA/UVB protection

SPF 15

Moisturizes with Aloe & Vitamin E
Non-Greasy

NET WT 5.5 OZ (156 g)

Copy Limit
Height: 118 mm
Width: 157 mm

Backgrounds Bleed
Outside Dimensions

Drug Facts

Active ingredients	Purpose
Avobenzone 2.0% Homosalate 10.0% Octisalate 5.0% Oxybenzone 3.0%	Sunscreen

Uses • helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun.

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat., acrylates/ochlocrylamide copolymer, glycerin, aloe barbadensis leaf juice, tocopherol (vitamin E), cocos nucifera (coconut) oil, mineral oil, fragrance

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone UltraGuard®.

100% Satisfaction Guaranteed!
(888) 309-9030

DISTRIBUTED BY OLD EAST MAIN CO.
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072



DOT-2P M5655

B0086



DG™ | body

Compare to Coppertone®
Tanning Dry Oil SPF 15*



- Water Resistant (80 minutes)
- UVA/UVB protection
- Moisturizes with Aloe & Vitamin E
- Non-Greasy

SPF
15

NET WT 5.5 OZ (156 g)

DG™ Body Tanning Dry Oil Sunscreen Spray combines broad spectrum UVA/UVB sun protection with the luxury of tanning oil for an indulgent sun experience. This non-greasy, lightweight spray moisturizes and soothes as it protects.

Drug Facts

Active ingredients	Purpose
Avobenzone 2.0% Homosalate 10.0% Octisalate 5.0% Oxybenzone 3.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

FLAMMABLE:

- do not use near heat, flame or while smoking
- avoid long term storage above 104°F (40°C)

Do not use • on damaged or broken skin.

When using this product • keep out of eyes. Rinse with water to remove. • Keep away from face to avoid breathing it. • do not puncture or incinerate. Contents under pressure. • do not store at temperatures above 120° F.

Stop use and ask a doctor if • rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Spray liberally and spread evenly by hand 15 minutes before sun exposure
- Hold can 4-6 inches away from the skin to apply
- Do not spray directly into face. Spray into hands then apply to face
- Do not apply in windy conditions
- Use in a well-ventilated area
- reapply:
 - after 80 minutes of swimming or sweating
 - immediately after towel drying
 - at least every 2 hours
- children under 6 months of age: ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad-spectrum SPF of 15 or higher and other sun protection measures including:
 - limit time in the sun, especially from 10 a.m. - 2 p.m.
 - wear long-sleeve shirts, pants, hats, and sunglasses

Other information

- protect this product from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

alcohol denat. (81.5% v/v), acrylates/octylacrylamide copolymer, glycerin, aloe barbadensis leaf juice, tocopherol (vitamin E), cocos nucifera (coconut) oil, mineral oil, fragrance

100%
Satisfaction
Guaranteed!
(888) 309-9030

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademark Coppertone®.

DISTRIBUTED BY
DOLGENCORP. LLC
100 MISSION RIDGE
GOODLETTSVILLE, TN 37072



80086



DOT-SP 14786
TC/DOT-2Q 5703

DOLLAR GENERAL STUDIO SELECTION SUN TANNING DRY OIL BROAD SPECTRUM SPF 15 SUNSCREEN

avobenzone, homosalate, octisalate, oxybenzone spray

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-032
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	20 mg in 1 g
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII:V06SV4M95S)	HOMOSALATE	100 mg in 1 g
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 g
OXYBENZONE (UNII: 95OOS7VE0Y) (OXYBENZONE - UNII:95OOS7VE0Y)	OXYBENZONE	30 mg in 1 g

Inactive Ingredients

Ingredient Name	Strength
ACRYLATE/ISOBUTYL METHACRYLATE/N-TERT-OCTYLACRYLAMIDE COPOLYMER (75000 MW) (UNII: JU3XHR8VWK)	
GLYCERIN (UNII: PDC6A3C0OX)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
.ALPHA.-TOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
COCONUT OIL (UNII: Q9L0O73W7L)	
MINERAL OIL (UNII: T5L8T28FGP)	
ALCOHOL (UNII: 3K9958V90M)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:55910-032-37	156 g in 1 CAN; Type 0: Not a Combination Product	10/12/2018	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/12/2018	

Labeler - Dolgencorp, LLC (068331990)

Revised: 7/2021

Dolgencorp, LLC