

**LUMIN BROAD SPECTRUM MOISTURIZER WITH SPF 30 PA UVA/UVB PROTECTION SUNSCREEN- zinc oxide cream**  
Pangaea Holdings, Inc.

-----  
**Lumin Broad Spectrum Moisturizer with SPF 30 PA+++ UVA/UVB Protection Sunscreen**

***Drug Facts***

***Active Ingredients***

Zinc Oxide 20%

***Purpose***

Sunscreen

***Uses***

- helps prevent sunburn
- if used as directed with other sun protection measures (see ***Directions***), decreases the risk of skin cancer and early skin aging caused by the sun

***Warnings***

For external use only

***Do not use***

on damaged or broken skin

***When using this product***

keep out of eyes. Rinse with water to remove.

***Stop use and ask a doctor***

if rash occurs.

***Keep out of reach of children.***

If swallowed, get medical help or contact a Poison Control Center right away.

***Directions***

For sunscreen use:

- Apply liberally 15 minutes before sun exposure
- Reapply at least every 2 hours
- Use a water resistant sunscreen if swimming or sweating

- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
  - limit time in the sun, especially from 10 a.m. – 2 p.m.
  - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: Ask a doctor

### Other Information


protect the product in this container from excessive heat and direct sun

### Inactive Ingredients

Water/Aqua, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl, Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Capryl-O hydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane \*Certified Organic Ingredients

### Package Labeling:30ml

<p>L U M I N</p> <hr/> <h1>Broad Spectrum Moisturizer</h1> <hr/> <p>SPF 30 PA+++ UVA/UVB PROTECTION SUNSCREEN</p> <p style="font-size: 2em; font-weight: bold;">30</p> <hr/> <p>ALL SKIN TYPES</p>		<p><b>Drug Facts</b></p> <table border="1"> <thead> <tr> <th>Active Ingredients</th> <th>Purpose</th> </tr> </thead> <tbody> <tr> <td>Zinc Oxide 20%</td> <td>Sunscreen</td> </tr> </tbody> </table> <p><b>Uses</b></p> <ul style="list-style-type: none"> <li>• helps prevent sunburn</li> <li>• if used as directed with other sun protection measures (see <b>Directions</b>), decreases the risk of skin cancer and early skin aging caused by the sun</li> </ul> <p><b>Warnings</b></p> <p>For external use only</p> <p><b>Do not use</b> on damaged or broken skin.</p> <p><b>When using this product</b> keep out of eyes. Rinse with water to remove.</p> <p><b>Stop use and ask a doctor</b> if rash occurs.</p> <p><b>Keep out of reach of children.</b> If swallowed, get medical help or contact a Poison Control Center right away.</p> <p><b>Directions</b></p> <p>For sunscreen use:</p> <ul style="list-style-type: none"> <li>• Apply liberally 15 minutes before sun exposure</li> <li>• Reapply at least every 2 hours</li> <li>• Use a water resistant sunscreen if swimming or sweating</li> <li>• <b>Sun Protection Measures.</b> Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:           <ul style="list-style-type: none"> <li>- limit time in the sun, especially from 10 a.m. – 2 p.m.</li> <li>- wear long-sleeved shirts, pants, hats, and sunglasses</li> </ul> </li> <li>• Children under 6 months of age: Ask a doctor</li> </ul> <p><b>Other Information</b> protect the product in this container from excessive heat and direct sun</p> <p><b>Inactive Ingredients</b> Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline, Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl, Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2, Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil*, Helianthus Annuus (Sunflower) Seed Oil*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Capryl-O hydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane *Certified Organic Ingredients</p>	Active Ingredients	Purpose	Zinc Oxide 20%	Sunscreen
Active Ingredients	Purpose					
Zinc Oxide 20%	Sunscreen					
<p>Let the sun shine on you</p> <p>1 fl. oz. (30 mL)</p>		<p style="writing-mode: vertical-rl; transform: rotate(180deg);">           DIST. BY PANGAEA HOLDINGS INC.            716 Monterey Pass Road, Monterey Park, CA 91754            www.luminskin.com   support@luminskin.com         </p>				



**Drug Facts**

**Active Ingredients**      **Purpose**  
 Zinc Oxide 20% ----- Sunscreen

**Uses**  
 • helps prevent sunburn  
 • if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun


**Warnings**  
 For external use only  
**Do not use** on damaged or broken skin.  
**When using this product** keep out of eyes. Rinse with water to remove.  
**Stop use and ask a doctor** if rash occurs.

**Keep out of reach of children.** If swallowed, get medical help or contact a Poison Control Center right away.

**Directions**  
 For sunscreen use:  
 • Apply liberally 15 minutes before sun exposure  
 • Reapply at least every 2 hours  
 • Use a water resistant sunscreen if swimming or sweating  
 • **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:  
 - limit time in the sun, especially from 10 a.m. – 2 p.m.  
 - wear long-sleeved shirts, pants, hats, and sunglasses  
 • Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients**  
 Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Cellulose Gum, Glycerin, Lauryl Glucoside, Cetyl Alcohol, Capryloyl Glycerin/Sebacic Acid Copolymer, Diheptyl Succinate, Polyglyceryl-2, Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil\*, Helianthus Annuus (Sunflower) Seed Oil\*, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Propanediol, Hexanediol, Triethoxycaprylylsilane  
 \*Certified Organic Ingredients



L U M I N

L U M I N

**Broad Spectrum Moisturizer**

SPF 30 PA+++  
 UVA/UVB PROTECTION  
 SUNSCREEN      **30**

Our lightweight SPF 30 all-in-one formula not only shields your skin from sun damage, but it also contains essential anti-aging ingredients that work hard for your skin all day. Get the benefits of a non-greasy mineral-based sunscreen without looking like a ghost. When it comes to fighting the signs of aging, it all starts with a good defense.

**ALL SKIN TYPES**      Let the sun shine on you  
 Men's skincare. Made easy.      1 fl. oz. (30 mL)

- Helps prevent sunburn
- Slows the early signs of aging
- Hydrates without a greasy feeling
- Helps fight free-radical damage

8 10048 83071 8

Need some advice? Chat with a skincare expert live now! or visit [luminskin.com/chatwithme](http://luminskin.com/chatwithme)  
 DIST. BY PANGAEA HOLDINGS INC.  
 716 Monterey Pass Road  
 Monterey Park, CA 91754  
[www.luminskin.com](http://www.luminskin.com)  
[support@luminskin.com](mailto:support@luminskin.com)

1. Clean 2. Hydrate 3. Defend

### What it does

Take control of sun damage. Use daily for non-greasy hydration and sunburn prevention.

### Why it works

Non-nano zinc-oxide shields your skin from the sun's rays. Papaya extract soothes and hydrates skin exposed to the elements.

### How to use it

Wash your face + pat dry. Massage product onto your skin. Use every day before heading outside.



NO HARSH INGREDIENTS

MADE IN USA FOR: Pangaea Holdings, Inc. 716 Monterey Pass Road, Monterey Park, CA 91754 USA

WWW.LUMINSKIN.COM SUPPORT@LUMINSKIN.COM



# LUMIN



## Sun Defense

Broad Spectrum Moisturizer with UVA/UVB Protection Sunscreen SPF 30 PA+++

1.35 fl. oz. 40 mL

### Drug Facts

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only  
 Do not use on damaged or broken skin.  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- For sunscreen use:
- Apply liberally 15 minutes before sun exposure
  - Reapply at least every 2 hours
  - Use a water resistant sunscreen if swimming or sweating
  - Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients** Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycine/Sebacic Acid Copolymer, Propenediol, Dihexyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil, Helianthus Annuus (Sunflower) Seed Oil, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane.

ZINC



# LUMIN

SKINCARE DEFENSE FOR MEN

## Sun Defense

Broad Spectrum Moisturizer with UVA/UVB Protection Sunscreen SPF 30 PA+++

1.35 fl. oz. 40 mL



# LUMIN

SKINCARE DEFENSE FOR MEN

## Sun Defense

Broad Spectrum Moisturizer with UVA/UVB Protection Sunscreen SPF 30 PA+++

1.35 fl. oz. 40 mL

### Drug Facts

Active Ingredients	Purpose
Zinc Oxide 20%	Sunscreen

#### Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases risk of skin cancer and early skin aging caused by the sun

#### Warnings

For external use only  
 Do not use on damaged or broken skin.  
 When using this product keep out of eyes. Rinse with water to remove.  
 Stop use and ask a doctor if rash occurs.  
 Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

#### Directions

- For sunscreen use:
- Apply liberally 15 minutes before sun exposure
  - Reapply at least every 2 hours
  - Use a water resistant sunscreen if swimming or sweating
  - Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
    - limit time in the sun, especially from 10 a.m. - 2 p.m.
    - wear long-sleeved shirts, pants, hats, and sunglasses
  - Children under 6 months of age: Ask a doctor

**Other Information** protect the product in this container from excessive heat and direct sun

**Inactive Ingredients** Water/Aqua/Eau, Coco-Caprylate, Dicaprylyl Carbonate, Microcrystalline Cellulose, Glycerin, Cetyl Alcohol, Lauryl Glucoside, Capryloyl Glycine/Sebacic Acid Copolymer, Propenediol, Dihexyl Succinate, Cellulose Gum, Polyglyceryl-2 Dipolyhydroxystearate, Phytic Acid, Simmondsia Chinensis (Jojoba) Seed Oil, Helianthus Annuus (Sunflower) Seed Oil, Rosmarinus Officinalis (Rosemary) Leaf Extract, Carica Papaya (Papaya) Fruit Extract, Haematococcus Pluvialis Extract (Astaxanthin), Palmitoyl Tripeptide-38, Caprylylhydroxamic Acid, Xanthan Gum, Polyhydroxystearic Acid, Hydroxypropyl Cyclodextrin, Hexanediol, Triethoxycaprylylsilane.



WWW.LUMINSKIN.COM SUPPORT@LUMINSKIN.COM

MADE IN USA FOR: Pangaea Holdings, Inc. 716 Monterey Pass Road, Monterey Park, CA 91754 USA

# LUMIN BROAD SPECTRUM MOISTURIZER WITH SPF 30 PA UVA/UVB PROTECTION SUNSCREEN

zinc oxide cream

## Product Information

<b>Product Type</b>	HUMAN OTC DRUG	<b>Item Code (Source)</b>	NDC:81234-806
<b>Route of Administration</b>	TOPICAL		

## Active Ingredient/Active Moiety

<b>Ingredient Name</b>	<b>Basis of Strength</b>	<b>Strength</b>
<b>ZINC OXIDE</b> (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	200 mg in 1 mL

## Inactive Ingredients

<b>Ingredient Name</b>	<b>Strength</b>
<b>HYDROXYPROPYL BETADEX</b> (UNII: 1I96OHX6EK)	
<b>WATER</b> (UNII: 059QF0KO0R)	
<b>COCO-CAPRYLATE</b> (UNII: 4828G836N6)	
<b>DICAPRYLYL CARBONATE</b> (UNII: 609A3V1SUA)	
<b>MICROCRYSTALLINE CELLULOSE</b> (UNII: OP1R32D61U)	
<b>CARBOXYMETHYLCELLULOSE SODIUM, UNSPECIFIED</b> (UNII: K679OBS311)	
<b>GLYCERIN</b> (UNII: PDC6A3C0OX)	
<b>LAURYL GLUCOSIDE</b> (UNII: 76LN7P7UCU)	
<b>CETYL ALCOHOL</b> (UNII: 936JST6JCN)	
<b>DIHEPTYL SUCCINATE</b> (UNII: 057N7SS26Y)	
<b>POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE</b> (UNII: 9229XJ4V12)	
<b>FYTIC ACID</b> (UNII: 7IGF0S7R8I)	
<b>JOJOBA OIL</b> (UNII: 724GKU717M)	
<b>SUNFLOWER OIL</b> (UNII: 3W1JG795YI)	
<b>ROSEMARY</b> (UNII: IJ67X351P9)	
<b>PAPAYA</b> (UNII: KU94FIY6JB)	
<b>HAEMATOCOCCUS PLUVIALIS</b> (UNII: 31TOFF0472)	
<b>PALMITOYL LYSYLDIOXYMETHIONYLLYSINE</b> (UNII: T7A529FB8O)	
<b>CAPRYLHYDROXAMIC ACID</b> (UNII: UPY805K99W)	
<b>XANTHAN GUM</b> (UNII: TTV12P4NEE)	
<b>PROPANEDIOL</b> (UNII: 5965N8W85T)	
<b>HEXANEDIOL</b> (UNII: ZIA319275I)	
<b>TRIETHOXYCAPRYLYLSILANE</b> (UNII: LDC331P08E)	

## Packaging

<b>#</b>	<b>Item Code</b>	<b>Package Description</b>	<b>Marketing Start Date</b>	<b>Marketing End Date</b>
1	NDC:81234-806-01	1 in 1 BOX	01/01/2022	01/05/2025
1		30 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		
2	NDC:81234-806-02	1 in 1 BOX	01/01/2022	01/05/2025
2		40 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

## Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	01/01/2022	01/05/2025

**Labeler** - Pangaea Holdings, Inc. (081181313)

Revised: 1/2024

Pangaea Holdings, Inc.