DOLLAR GENERAL STUDIO SELECTION SUN SUNSCREEN BROAD SPECTRUM SPF 70- avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion Dolgencorp, LLC

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Dollar General Studio Selection Sun Sunscreen Lotion Broad Spectrum SPF 70

Active ingredients

Avobenzone 3.0%, Homosalate 15.0%, Octisalate 5.0%, Octocrylene 10.0%, Oxybenzone 6.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

• on damaged or broken skin

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask doctor if

rash occurs.

Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center right away.

Directions

• apply liberally 15 minutes before sun exposure

reapply:

- after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

- children under 6 months: Ask a doctor
- **Sun Protection Measures.** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher and other sun protection measures including:
- limit time in the sun, especially from 10 a.m. 2 p.m.
- wear long-sleeved shirts, pants, hats, and sunglasses

Other information

- protect the product in this container from excessive heat and direct sun
- may stain or damage some fabrics, materials or surfaces

Inactive ingredients

Water, Butylene Glycol, Microcrystalline Cellulose, Glyceryl Stearate, Behenyl Alcohol, Benzyl Alcohol, Diethylhexyl Syringylidenemalonate, Tocopherol (Vitamin E), Retinyl Palmitate (Vitamin A palmitate), Sodium Ascorbyl Phosphate, Stearic Acid, Palmitic Acid, Lauryl Alcohol, Myristyl Alcohol, Cetyl Alcohol, Lecithin, Caprylic/Capric Triglyceride, Chlorphensin, Cellulose Gum, Butylated PVP, Disodium EDTA

Drug Facts

Active ingredients

Purpose

Avobenzone 3.0%, Homosalate 15.0% Octisalate 5.0%, Octocrylene 10.0% Oxybenzone 6.0%

Sunscreen

Uses • helps prevent sunburn if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use • on damaged or broken skin.

When using this product keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor if . rash occurs.

Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
 Reapply:
 after 80 minutes of swimming or sweating

- after 80 minutes of swimming or sweating
 immediately after towel drying
 at least every 2 hours
 Children under 6 months of age: ask a doctor
 Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF of 15 or higher and other sun protection measures including:
 Imit time in the sun, especially from 10 a.m. 2 p.m.
 wear long-sleeved shirts, pants, hats, and sunglasses

- protect the product in this container from excessive heat and direct sun
 may stain or damage some fabrics, materials or surfaces

Inactive ingredients

water, butylene glycol, microcrystalline cellulose, glyceryl stearate, behenyl alcohol, benzyl alcohol, diethylnexyl syringylidenemalonate, tocopherol (vitamin E), retinyl palmitate (vitamin A palmitate), sodium ascorbyl phosphate, stearic acid, palmitic acid, lauryl alcohol, myristyl alcohol, cetyl alcohol, lecithin, caprylic/capric triglyceride, chlorphenesin, cellulose gum, butylated PVP, disodium EDTA

*This product is not manufactured or distributed by Bayer HealthCare LLC, owner of the registered trademarks Coppertone® and Coppertone UltraGuard®.



100% Satisfaction Guaranteed! (888) 309-9030

DISTRIBUTED BY OLD EAST MEAIN CO. 100 MISSION RIDGE **GOODLETTSVILLE, TN 37072**



SUNSCREEN LOTION

BROAD SPECTRUM SPF 70

Compare to Coppertone® Ultra Guard SPF 70 Lotion*

- · UVA/UVB protection

8 FL 0Z (237 mL)





- Water Resistant (80 minutes)
- UVA/UVB protection

70

8.0 FL OZ (237 mL)

DG™ Body Sunscreen Lotion SPF 70 protects your skin from the sun's harmful rays with this broad-spectrum UVA/UVB, water-resistant formula that hydrates with Vitamin E and moisturizers. This sunscreen lotion absorbs quickly and doesn't leave skin feeling greasy.

Drug Facts		
Active ingredients Avobenzone 3.0% Homosalate 15.0% Octoorylene 10.0%		Purpose Sunscreen
Uses • helps prevent su measures (see Directions), caused by the sun	inburn • If used as direct decreases the risk of skin	ted with other sun protection cancer and early skin aging
Warnings For external use only		
Do not use + on damaged or	broken skin.	
When using this product kee		ter to remove.
Stop use and ask a doctor if	+ rash occurs.	
Keep out of reach of child Control Center right away.	ren. If swallowed, get med	ical help or contact a Poison
cancer and early skin aging. To spectrum SPF of 15 or higher: • limit time in the sun, esp • wear long-sleeve shirts, Other information	age: ask a doctor es. Spending time in the si o decrease this risk, regularly and other sun protection met ecially from 10 s.m 2 p.m. pants, hats, and sunglasses	
at least every 2 hours children under 6 months of Sun Protection Measur cancer and early skin aging. To spectrum SPF of 15 or higher limit time in the sun, esp wear long-sleeve shirts,	age: ask a doctor s. Spending time in the si o decrease this risk, regularly and other sun protection secially from 10 a.m 2 p.m. pants, hats, and sunglasses cessive heat and direct sun	y use a sunscreen with a broad asures including:
at least every 2 hours children under 6 months of Sun Protection Measur cancer and early skin aging. To spectrum SFF of 15 or high. To spectrum SFF of 15 or high. To sum, espewar long-sleeve shirts, Other Information protect this product from experience.	age: ask a doctor ss. Spending time in the se o decrease this risk, regularly and other sun protection me- ecially from 10 a.m 2 p.m. pants, frats, and sunglasses cessive heat and direct sun fabrics, materials or surface, and sylingylidenemalonate, cut)	y use a sunscreen with a broad sources including: behenyl copherol according to the copherol ac
at least every 2 hours children under 6 months of 1 Sun Protection Measure cancer and early side signs, 1 spectrum SPF of 15 or higher into time in the sun, esp wear long-sleeve shrist, Other Information protect this product from ex may stain or damage some Inactive Ingredients valer, buyten glycol, microcyst slockol, benzyl alcohol, delryhi (phasiphas, steeric add, psimitar sizohol, leithre, caphiliciparis sizohol, leithre, caphiliciparis sizohol, leithre, caphiliciparis	age: ask a doctor ss. Spending time in the so o decrease this risk, regularly and other sun protection me- ecially from 10 a.m 2 p.m. pants, hats, and sunglasses cessive heat and direct sun fabrics, materials or surface alline cellulose, glyceryl steerate, expl syringylidenemalcrate, to itamin A palmitath, sodium scid, lauryl alcohol, myristyl abcd ighycaride, chlorphenesin, cellulo unufactured or eatthCare LLC, d trademarks	y use a sunscreen with a broad sources including: behavy copherol socorby to the soc
at least every 2 hours children under 6 months of 1 Sum Protection Measure cancer and early side signs, 1 spectrum SPF of 15 or higher into the in the sum, esp wear long-deeve shirts, Other Information protect this product from ex may stain or damage some Inactive ingredients water, budyene glycol, microcyst slockol, benzyl alcohol, deithyli (phosphate, steeric acid, paimitic is called PPF, disodkim EDTA This product is not ma distributed by Bayer H owner of the registere Coppertone® and Copi	age: ask a doctor ss. Spending time in the so o decrease this risk, regularly and other sun protection me- ecially from 10 a.m 2 p.m. pants, hats, and sunglasses cessive heat and direct sun fabrics, materials or surface alline cellulose, glyceryl steerate, expl syringylidenemalcrate, to itamin A palmitath, sodium scid, lauryl alcohol, myristyl abcd ighycaride, chlorphenesin, cellulo unufactured or eatthCare LLC, d trademarks	y use a sunscreen with a broad sources including: behenyl copherol according to the see gum,
at least every 2 hours children under 6 months of 1 Sum Protection Measure cancer and early side signs, 1 spectrum SPF of 15 or higher into them in the sum, esp wear long-sleeve shrist, Other Information protect this product from ex may stain or damage some Inactive Ingredients water, butylene glycol, microcyst slockol, benzyl atochol, detrylin (yhamia D, refinity plamitate in children in the series add, paimitate salonol, leatint, complicitagric to butyletad PPF, disodium EDTA This product is not ma distributed by Bayer H owner of the registere Coppertone® and Copi	age: ask a doctor ss. Spending time in the so of decrease this risk, regularly and other sun protection me- ecially from 10 a.m 2 p.m. pants, harts, and sunglasses cessive heat and direct sun fabrics, materials or surface soline cellulose, glycaryl stearate, expl syringylidenemalcrate, to fazimin A palmitable, sodium soid, lauryl alcohol, myristyl abor glycards, chlorphenesin, cellul unufactured or eatthCare LLC, d trademarks pertone UltraGuard®.	behavy (See gum, See

DOLLAR GENERAL STUDIO SELECTION SUN SUNSCREEN BROAD SPECTRUM SPF 70

avobenzone, homosalate, octisalate, octocrylene, oxybenzone lotion

Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:55910-036
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety			
Ingredient Name	Basis of Strength	Strength	
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	100 mg in 1 mL	
OCTISALATE (UNII: 4X49Y0596W) (OCTISALATE - UNII:4X49Y0596W)	OCTISALATE	50 mg in 1 mL	
HOMOSALATE (UNII: V06SV4M95S) (HOMOSALATE - UNII: V06SV4M95S)	HOMOSALATE	150 mg in 1 mL	
AVOBENZONE (UNII: G63QQF2NOX) (AVOBENZONE - UNII:G63QQF2NOX)	AVOBENZONE	30 mg in 1 mL	
OXYBENZONE (UNII: 9500S7VE0Y) (OXYBENZONE - UNII:9500S7VE0Y)	OXYBENZONE	60 mg in 1 mL	

Inactive Ingredients

Ingredient Name	Strength
.ALPHATOCOPHEROL, DL- (UNII: 7QWA1RIO01)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
WATER (UNII: 059QF0KO0R)	
BUTYLENE GLYCOL (UNII: 3XUS85K0RA)	
MICROCRYSTALLINE CELLULOSE (UNII: OP1R32D61U)	
GLYCERYL 1-STEARATE (UNII: 258491E1RZ)	
DOCOSANOL (UNII: 9G10E216XY)	
BENZYL ALCOHOL (UNII: LKG8494WBH)	
DIETHYLHEXYL SYRINGYLIDENEMALONATE (UNII: 3V5U97P248)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
STEARIC ACID (UNII: 4ELV7Z 65AP)	
PALMITIC ACID (UNII: 2V16E095H1)	
LAURYL ALCOHOL (UNII: 178A96NLP2)	
MYRISTYL ALCOHOL (UNII: V4203409PU)	
CETYL ALCOHOL (UNII: 936JST6JCN)	
CARBOXYMETHYLCELLULOSE SODIUM (UNII: K6790BS311)	
EGG PHOSPHOLIPIDS (UNII: 1Z74184RGV)	
CHLORPHENESIN (UNII: 1670DAL4SZ)	
VITAMIN A PALMITATE (UNII: 1D1K0N0VVC)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	

Packaging				
#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1		237 mL in 1 BOTTLE; Type 0: Not a Combination Product	10/26/2015	

Marketing Information			
Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	10/26/2015	

Labeler - Dolgencorp, LLC (068331990)

Revised: 7/2021 Dolgencorp, LLC