

WALGREENS ZINC SPF 50 - octocrylene, zinc oxide lotion

Walgreens

Disclaimer: Most OTC drugs are not reviewed and approved by FDA, however they may be marketed if they comply with applicable regulations and policies. FDA has not evaluated whether this product complies.

Drug Facts

Active Ingredients

Octocrylene 4.0%, Zinc Oxide 5.0%

Purpose

Sunscreen

Uses

- helps prevent sunburn
- if used as directed with other sun protection measures (**see Directions**), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only

Do not use

on damaged or broken skin

When using this product

keep out of eyes. Rinse with water to remove.

Stop use and ask a doctor

if rash occurs

Keep out of reach of children

If product is swallowed, get medical help or contact a Poison Control Center right away.

- May stain some fabrics

Directions

- apply liberally 15 minutes before sun exposure
- reapply: after 80 minutes of swimming or sweating
- immediately after towel drying
- at least every 2 hours

Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:

- limit time in the sun, especially from 10 a.m. - 2 p.m.
- wear long-sleeve shirts, pants, hats and sunglasses

- Children under 6 month of age: Ask a doctor

Inactive Ingredients

Water, Ethylhexyl Stearate, Diisopropyl Adipate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Isohexadecane, Sodium Chloride, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Dimethicone, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Sodium Ascorbyl Phosphate, Phenoxyethanol, Methylparaben, Propylparaben.

Other Information

protect this product from excessive heat and direct sun

Questions or comments?

Call 1-800-WALGREENS (1-800-926-4733)

Principal Display Panel

0363-4735-22

NEW Well at

Walgreens

WALGREENS PHARMACIST RECOMMENDED

SUNSCREEN

CLEAR ZINC

Broad Spectrum

SPF 50

- Water-resistant
- UVA/UVB protection
- Goes on Clear
- Non-greasy
- Dermatologist tested

50

4 FL OZ (118 mL)

NEW

Well at
Walgreens

WALGREENS PHARMACIST RECOMMENDED*

SUNSCREEN

Clear Zinc

Broad Spectrum
SPF 50

- Water-resistant (80 minutes)
- UVA/UVB protection
- Goes on clear
- Non-greasy
- Dermatologist tested



50

4 FL OZ (118 mL)

Drug Facts

Active ingredients

Octocrylene 4.0%,
Zinc Oxide 5.0%

Purpose

Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings

For external use only • Do not use on damaged or broken skin • When using this product keep out of eyes. Rinse with water to remove. • Stop use and ask a doctor if rash occurs • Keep out of reach of children. If product is swallowed, get medical help or contact a Poison Control Center rightaway.
• May stain some fabrics

Directions

• apply liberally 15 minutes before sun exposure
• reapply: after 80 minutes of swimming or sweating
• immediately after towel drying • at least every 2 hours
• **Sun Protection Measures:** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including:
• limit time in the sun, especially from 10 a.m. - 2 p.m.
• wear long-sleeve shirts, pants, hats and sunglasses
• children under 6 months of age: Ask a doctor

Inactive ingredients Water, Ethylhexyl Stearate, Diisopropyl Adipate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Isohexadecane, Sodium Chloride, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Dimethicone, Tocopherol, Disodium EDTA, Aloe Barbadensis Leaf Juice Powder, Sodium Ascorbyl Phosphate, Phenoxyethanol, Methylparaben, Propylparaben.



Recommended as an effective broad spectrum sunscreen.
*Walgreens Pharmacist Survey Study, November 2012.

Other information • protect this product from excessive heat and direct sun

Questions or comments?
1-800-WALGREENS (1-800-925-4733)

DISTRIBUTED BY: WALGREEN CO., 200 WILMOT RD., DEERFIELD, IL 60015 100% SATISFACTION GUARANTEED
walgreens.com ©2014 Walgreen Co. ORG0014-F3
MADE IN U.S.A. WITH DOMESTIC AND FOREIGN COMPONENTS



ITEM 369949 0

0363-4735-23

BONUS SIZE

25% MORE FREE

Well at Walgreens

WALGREENS PHARMACIST RECOMMENDED*

SUNSCREEN

Clear Zinc

Broad Spectrum

SPF 50

- Water-resistant (80 minutes)
- UVA/UVB protection

- Goes on clear
- Non-greasy
- Dermatologist tested

50

5 FL OZ (147 mL)

BONUS SIZE

Well at
Walgreens

25% MORE FREE

WALGREENS PHARMACIST RECOMMENDED*

SUNSCREEN

Clear Zinc

Broad Spectrum SPF 50

- Water-resistant (80 minutes)
- UVA/UVB protection
- Goes on clear
- Non-greasy
- Dermatologist tested



50

5 FL OZ (147 mL)

Drug Facts

Active Ingredients	Purpose
Octocrylene 4.0%, Zinc Oxide 5.0%	Sunscreen

Uses • helps prevent sunburn • if used as directed with other sun protection measures (see *Directions*), decreases the risk of skin cancer and early skin aging caused by the sun

Warnings
For external use only • Do not use on damaged or broken skin • **When using this product** keep out of eyes. Rinse with water to remove. • **Stop use and ask a doctor** if rash occurs • **Keep out of reach of children.** If product is swallowed, get medical help or contact a Poison Control Center right away.
 • May stain some fabrics

Directions
 • apply liberally 15 minutes before sun exposure
 • reapply: after 80 minutes of swimming or sweating
 • immediately after towel drying • at least every 2 hours
Sun Protection Measures. Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a broad spectrum SPF of 15 or higher and other sun protection measures including: • limit time in the sun, especially from 10 a.m. - 2 p.m.
 • wear long-sleeve shirts, pants, hats and sunglasses
 • children under 6 months of age: Ask a doctor

Inactive ingredients Water, Ethylhexyl Stearate, Diisopropyl Adipate, Cetyl Dimethicone, Polyglyceryl-4 Isostearate, Cetyl PEG/PPG-10/1 Dimethicone, Hexyl Laurate, Beeswax, Isohexadecane, Sodium Chloride, Hydrogenated Castor Oil, Silica, Triethoxycaprylylsilane, Dimethicone, Tocopherol, Disodium EDTA, Aloe Barbādensis Leaf Juice Powder, Sodium Ascorbyl Phosphate, Phenoxylethanol, Methylparaben, Propylparaben.

Other information • protect this product from excessive heat and direct sun

Questions or comments? 1-800-WALGREENS (1-800-925-4733)

RECOMMENDED  **ACTIVE**

Recommended as an effective broad spectrum sunscreen.

†Walgreens Pharmacist Survey Study, November 2012.

DISTRIBUTED BY: WALGREEN CO.
 200 WILMOT RD., DEERFIELD, IL 60015
100% SATISFACTION GUARANTEED
 walgreens.com ©2014 Walgreen Co.
MADE IN THE U.S.A. WITH DOMESTIC AND FOREIGN COMPONENTS

ITEM 376518



93013735

ORG1014-F 0 49022 82692 2

WALGREENS ZINC SPF 50

octocrylene, zinc oxide lotion

Product Information

Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:0363-4735
Route of Administration	TOPICAL		

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
OCTOCRYLENE (UNII: 5A68WGF6WM) (OCTOCRYLENE - UNII:5A68WGF6WM)	OCTOCRYLENE	4 g in 100 g
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	5 g in 100 g

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0K00R)	
ETHYLHEXYL STEARATE (UNII: EG3PA2K3K5)	
DIISOPROPYL ADIPATE (UNII: P7E6YFV72X)	
POLYGLYCERYL-4 ISOSTEARATE (UNII: 820DPX33S7)	
HEXYL LAURATE (UNII: 4CG9F9W01Q)	
YELLOW WAX (UNII: 2ZA36H0S2V)	
ISOHEXADECANE (UNII: 918X1OUF1E)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
HYDROGENATED CASTOR OIL (UNII: ZF94AP8MEY)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
TRIETHOXYCAPRYLYLSILANE (UNII: LDC331P08E)	
DIMETHICONE (UNII: 92RU3N3Y1O)	
TOCOPHEROL (UNII: R0ZB2556P8)	
EDETATE DISODIUM (UNII: 7FLD91C86K)	
ALOE VERA LEAF (UNII: ZY81Z83H0X)	
SODIUM ASCORBYL PHOSPHATE (UNII: 836SJG51DR)	
PHENOXYETHANOL (UNII: HIE492ZZ3T)	
METHYLPARABEN (UNII: A2I8C7HI9T)	
PROPYLPARABEN (UNII: Z8IX2SC1OH)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:0363-4735-22	118 g in 1 BOTTLE; Type 0: Not a Combination Product	04/05/2016	
2	NDC:0363-4735-23	147 g in 1 BOTTLE; Type 0: Not a Combination Product	04/05/2016	

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC monograph not final	part352	01/06/2016	

Labeler - Walgreens (008965063)

Revised: 1/2016

Walgreens