

TULIP DEW SUNSCREEN- zinc oxide lotion
Bloomeffects, Inc.

Tulip Dew Sunscreen

Drug Facts

Active Ingredient

Zinc Oxide 12%

Purpose

Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see), decreases the risk of skin cancer & early skin aging caused by the sun. ***Directions***

Warnings

- **For external use only.**

Do not use

- on damaged or broken skin.

When using this product

- keep out of eyes. Rinse with water to remove.

Stop use & ask a doctor

- if skin rash occurs.

Keep out of reach of children.

If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY : use a water-resistant sunscreen if swimming or sweating
- at least every 2 hours
- Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including: **Sun Protection Measures**
- limit your time in the sun, especially from 10 a.m – 2 p.m.
- wear long-sleeved shirts, pants, hats and sunglasses
- Children under 6 months of age: ask a doctor.

- Shake well

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients:


Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Jojoba Esters, Tridecyl Salicylate, Propanediol, Polyglyceryl-4 Disostearate/Polyhydroxystearates/Sebacate, Niacinamide, Methylpropanediol, Silica, Nylon-12, Coco-Caprylate, Tulipa Gesneriana/Kaurmanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa Bran Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Elatus Fruit Extract, Pleiogynium Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Radish Root Ferment Filtrate, Rosmarinus Officinalis Leaf Extract, Sodium Chloride, Polyglyceryl-2 Dipolyhydroxystearate, Caprylyl Glycol, Methylheptyl Isostearate, Phenylpropanol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentylene Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Alcohol, Hamamelis Virginiana Water, Citric Acid, CI 77499, CI 77492, CI 77491.

Package Labeling:



TULIP DEW SUNSCREEN			
zinc oxide lotion			
Product Information			
Product Type	HUMAN OTC DRUG	Item Code (Source)	NDC:82548-4530
Route of Administration	TOPICAL		

YOUR DAILY DEFENSE
WITH VITAMINS +
MINERAL SPF



LIGHTWEIGHT
SPF SERUM
DAILY VITAMINS
BLUE LIGHT
& POLLUTION
PROTECTION

TULIP DEW
SUNSCREEN
INVISIBLE PROTECTION


NON-NANO ZINC OXIDE
VITAMIN B, C, D, E
NIACINAMIDE
MUSHROOM EXTRACT
HYALURONIC ACID

50

VITAMINS + 100% MINERAL
BROAD SPECTRUM SPF 50

55mL | 1.86 fl. oz.

MADE FROM 100%
RECYCLED MATERIAL.
PLEASE RECYCLE OUR
PACKAGING.



Made in USA of US & Imported Ingredients.
DISTR. BY/PA: BLOOMEFFECTS INC.
NEW YORK, NY 10012
Question or Comments?
Email: INFO@BLOOMEFFECTS.COM



FACE THE DAY WITH OUR 100% MINERAL
SPF SERUM WITH MULTIVITAMINS FOR
EFFECTIVE DAILY DEFENSE AGAINST THE
SUN & ENVIRONMENTAL AGGRESSORS.
SKIN IS LEFT PROTECTED & HYDRATED
WITH A UNIVERSALLY GORGEOUS GLOW.



Rich in antioxidants,
natural moisturizing
factors and amino acids
for softer, smoother and
glossingly hydrated skin.

Drug Facts

Active Ingredient	Purpose
Zinc Oxide 12%	Sunscreen

Uses

- Helps prevent sunburn if used as directed with other sun protection measures (see **Directions**), decreases the risk of skin cancer & early skin aging caused by the sun.

Warnings

- For external use only.
- Do not use on damaged or broken skin.
- When using this product keep out of eyes. Rinse with water to remove.
- Stop use & ask a doctor if skin rash occurs.
- Keep out of reach of children. If swallowed, get medical help or contact a Poison Control Center right away.

Directions

- Apply liberally 15 minutes before sun exposure
- REAPPLY: use a water-resistant sunscreen if swimming or sweating

Drug Facts (continued)

- at least every 2 hours
- Sun Protection Measures** Spending time in the sun increases your risk of skin cancer and early skin aging. To decrease this risk, regularly use a sunscreen with a Broad Spectrum SPF value of 15 or higher & other sun protection measures including:
 - limit your time in the sun, especially from 10 a.m. – 2 p.m.
 - wear long-sleeved shirts, pants, hats, and sunglasses
- Children under 6 months of age: ask a doctor.
- Shake well

Other information

- Protect the product in this container from excessive heat and direct sun.

Inactive Ingredients:

Water (Aqua), C12-15 Alkyl Benzoate, Caprylic/Capric Triglyceride, Jojoba Esters, Tridecyl Salicylate, Propanediol, Polyglyceryl-4 Diisostearate/Polyhydroxystearate/Sebacate, Niacinamide, Methylpropanediol, Silica, Nylon-12, Coco-Caprylate, Tulipa Gesneriana/Kaurmanniana Meristem Cell Lysate Filtrate Extract, Helianthus Annuus Extract, Glycerin, Sodium Hyaluronate, Sodium Lactate, Bisabolol, Allantoin, Oryza Sativa Bran Extract, Tocopherol, Lentinus Edodes Extract, Terminalia Ferdinandiana Fruit Extract, Podocarpus Elatus Fruit Extract, Pleiogonium Timoriense Fruit Extract, Lecithin, Hydrogenated Lecithin, Leuconostoc/Radish Root Ferment Filtrate, Rosmarinus Officialis Leaf Extract, Sodium Chloride, Polyglyceryl-2 Dipolyhydroxystearate, Caprylyl Glycol, Methylheptyl Isostearate, Phenylpropanol, Tetrasodium Glutamate Diacetate, Sodium Gluconate, Pentylene Glycol, Sodium Hydroxide, Phenethyl Alcohol, Potassium Sorbate, Alcohol, Hamamelis Virginiana Water, Citric Acid, CI 77499, CI 77492, CI 77491.

Active Ingredient/Active Moiety

Ingredient Name	Basis of Strength	Strength
ZINC OXIDE (UNII: SOI2LOH54Z) (ZINC CATION - UNII:13S1S8SF37)	ZINC CATION	120 mg in 1 mL

Inactive Ingredients

Ingredient Name	Strength
WATER (UNII: 059QF0KO0R)	
ALKYL (C12-15) BENZOATE (UNII: A9EJ3J61HQ)	
MEDIUM-CHAIN TRIGLYCERIDES (UNII: C9H2L21V7U)	
TRIDECYL SALICYLATE (UNII: AZQ08K38Z1)	
PROPANEDIOL (UNII: 5965N8W85T)	
POLYGLYCERYL-4 DIISOSTEARATE/POLYHYDROXYSTEARATE/SEBACATE (UNII: 687U3PEB2Y)	
NIACINAMIDE (UNII: 25X51I8RD4)	
METHYLPROPANEDIOL (UNII: N8F53B3R4R)	
SILICON DIOXIDE (UNII: ETJ7Z6XBU4)	
NYLON-12 (UNII: 446U8J075B)	
COCO-CAPRYLATE (UNII: 4828G836N6)	
GLYCERIN (UNII: PDC6A3C0OX)	
HYALURONATE SODIUM (UNII: YSE9PPT4TH)	
SODIUM LACTATE (UNII: TU7HW0W0QT)	
LEVOMENOL (UNII: 24WE03BX2T)	
ALLANTOIN (UNII: 344S277G0Z)	
KAKADU PLUM (UNII: 0ZQ1D2FDLI)	
PODOCARPUS ELATUS FRUIT (UNII: R4N1M6CZCY)	
PLEIOGYNIUM TIMORIENSE FRUIT (UNII: AF3VFG6MLV)	
LEUCONOSTOC/RADISH ROOT FERMENT FILTRATE (UNII: D2QHA03458)	
ROSEMARY (UNII: IJ67X351P9)	
SODIUM CHLORIDE (UNII: 451W47IQ8X)	
POLYGLYCERYL-2 DIPOLYHYDROXYSTEARATE (UNII: 9229XJ4V12)	
CAPRYLYL GLYCOL (UNII: 00YIU5438U)	
METHYLHEPTYL ISOSTEARATE (UNII: 981F40Q9FF)	
PHENYLPROPANOL (UNII: 0F897O3O4M)	
TETRASODIUM GLUTAMATE DIACETATE (UNII: 5EHL50I4MY)	
SODIUM GLUCONATE (UNII: R6Q3791S76)	
PENTYLENE GLYCOL (UNII: 50C1307PZG)	
SODIUM HYDROXIDE (UNII: 55X04QC32I)	
PHENYLETHYL ALCOHOL (UNII: ML9LGA7468)	
POTASSIUM SORBATE (UNII: 1VPU26JZZ4)	
ALCOHOL (UNII: 3K9958V90M)	
CITRIC ACID MONOHYDRATE (UNII: 2968PHW8QP)	
FERROSFERRIC OXIDE (UNII: XM0M87F357)	
FERRIC OXIDE YELLOW (UNII: EX438O2MRT)	
FERRIC OXIDE RED (UNII: 1K09F3G675)	

Packaging

#	Item Code	Package Description	Marketing Start Date	Marketing End Date
1	NDC:82548-4530-1	1 in 1 CARTON	05/01/2022	
1		55 mL in 1 BOTTLE, PUMP; Type 0: Not a Combination Product		

Marketing Information

Marketing Category	Application Number or Monograph Citation	Marketing Start Date	Marketing End Date
OTC Monograph Drug	M020	05/01/2022	

Labeler - Bloomeffects, Inc. (096991853)

Revised: 10/2023

Bloomeffects, Inc.